



CLASS _____


BOOK _____



W. C. C. C.



INDEXES
to the
ORNITHOLOGIE of the COMTE DE BUFFON
and the
PLANCHES ENLUMINÉES.



F. Mazell sculp

LONDON
Printed for BENJⁿ WHITE & SON.
MDCCLXXXVI.

HISTOIRE NATURELLE

DES

O I S E A U X,

PAR

LE COMTE DE BUFFON,

AND

LES PLANCHES ENLUMINÉES,

SYSTEMATICALLY DISPOSED.

L O N D O N:

PRINTED FOR B. WHITE AND SON, FLEET-STREET.

M.DCC.LXXXVI.

Digitized by the Internet Archive
in 2010 with funding from
Lyrasis Members and Sloan Foundation

<http://www.archive.org/details/indexestoornitho00penn>

ADVERTISEMENT.

AN immethodical author, says Mr. *Addison*, is like a duck, which dives and rises in places where you least expect its appearance. This simile may be very aptly applied to one of the most celebrated and illustrious writers in natural history which this age has produced: to a gentleman of first-rate abilities, great acquired knowledge, and of an eloquence which dazzles, delights, and oftentimes instructs. Unfortunately, a contempt of system, and systematic writers, has taken full possession of him. He flutters along the stream, and gracefully displays the elegance of his plumage; and, having favored us, as much as he thinks sufficient, with the pleasing spectacle, immerses and disappears, without leaving to common observers the least power of guessing at the spot where he means to emerge to day. I myself have so frequently been deceived by conjecture, that I have wearied my eyes by attempting to follow his sub-aqueous course. By long and congenial study, I have at last attained a knowledge of his ways. Eyes which have habituated themselves to one parti-

cular object, may, without boasting, be allowed to have greater perspicacity than those of many other people who have happier quickness of sight in more important matters.—Like another *Proteus*, he assumes variety of shapes; we are as much amazed at the form as the place in which he rises; he goes down in one and comes up in another shape. To anticipate his emergence, to point out his track, and to foretel the figure in which he will present himself to us, is the exercise of the following pages. So charming is his manner, that by a delicious fascination, even the dull labor of index-making never once appeared irksome.

But to quit metaphor.—In order to give facility to the reading of the last nine entertaining volumes of that able writer the COMTE DE BUFFON, I undertook the task of forming two Indexes; the one to those volumes—the other to the *Planches Enluminées*, a vast mute work of a thousand and eight colored plates, published in the name of a M. *Daubenton*, under the auspices of the *Comte*, and entirely subservient to his *Ornithologie*. Every thing in it is given *pêle-mêle*, without a catalogue, or a syllable indicative of the contents of the collection.—In one Index, I firstly refer to the nine volumes of the *Ornithologie*; and, according to the predilection every author has for his own works, arrange the subjects according to the system layed down

in my *Genera* of Birds. In the first column are the Birds, named according to the illustrious writer, with references to volume and page, and the addition of the *Linnæan* names. In the second are references to the *Planches Enlumonnées*, as quoted by the COMTE DE BUFFON; and the last contains the *English* names used by Mr. *Latham*, in his most comprehensive SYNOPSIS OF BIRDS, in which may be found the synonyms of the most esteemed authors in this class of Natural History; an article impossible to be performed in a work of this kind. I must also mention another great merit in Mr. *Latham*, in having indefatigably scrutinized all the treasures of Natural History, brought home by our daring and inquisitive circumnavigator Captain COOK; and in having added to the catalogue of the feathered tribe a number, which has swelled his list far beyond that of any preceding writer. The great, the pious Mr. RAY, could not pronounce that there were more than five hundred known species of Birds; M. *Briffon* has enlarged the list to above fourteen hundred: but our *English* Ornithologist describes with exactness near two thousand five hundred, and imagines that he may still find subjects sufficient for a supplemental volume; which, for some years at least, will leave little for future writers to add*.

* Including the Varieties, those already described in the *Synopsis* amount to near 2,800; and, with those hereafter to be mentioned in the *Supplement*, it is probable that the number may exceed 3,000.

The Second Index is a mere catalogue of the birds of the *Planches Enluminées*, in the order in which they were published, with references to the *Ornithologie*.

I have (besides the columns) left margin sufficient for numerals, as far as a thousand, in order that the possessor of the expensive work the *Planches Enluminées*, may arrange and number them according to any system he may prefer, and, by placing the numbers in the margin, readily find out any subject he wishes.

The dulness of index-making has been a little abated by a few notes, which I have flung in, relative to the misconceptions, or misinformation, of my *quondam* friend LE COMTE DE BUFFON. My remarks on a singular observation on the anatomy of the *Mole* *, many years before I had the honor of his acquaintance, was the irritating cause of his late resentment against me: but possibly the public will think (if they think it worthy attention) that he has pursued me with too much acrimony.—I select only a few passages, out of the multitude which this too lively writer has furnished me with the means of pointing out to the world. I leave the rest of the task to those who have made the arts of depreciation their study. I myself,

* See a note of the article *Mole* in all the editions of my *British Zoology*.

thoroughly

thoroughly sensible of my own fallibility, have learned the justice of bearing the mistakes of fallible man. But, something being due to my own character, I have, in those few instances, retaliated, I trust, his attack.

In a work very soon to appear—a Supplement to my *Arctic Zoology*, illustrated with two maps, explanatory of the geographical part—I shall point out any errors which I may discover in the whole of that work. Mr. ODMAN, of *Wermdoen*, near *Stockholm*, a learned and candid *Swede*, has lately favored me with a long series of spontaneous remarks, which I take this early opportunity of thanking him for. The friends who have before assisted me, have received my acknowledgement. I lament that I can add no more to the list: I should have been happy in the communications, that the public might have had less reason to complain of the insufficiency of the well-intended labors of

THOMAS PENNANT.

DOWNING,
November 20th, 1786.



I N D E X, &c.

Lin. refers to LINNÆUS's *Systema Naturæ*.

D I V. I. Land Birds.

O R D E R I. Rapacious.

G E N U S I. V U L T U R, L I N. S Y S T. X L I.

V U L T U R E, G E N. B I R D S, I.

HIST. D'OIS.		PL. ENL.	LATHAM.	
1. Le Condor —	I. 184	—	Condur —	I. 4
V. Gryphus, <i>Lin.</i> 121.				
2. Urutaurana —	137	—	Crested —	6
V. Harpyia, <i>Lin.</i> 121.				
3. Le Roi des Vautours —	169	N° 428	King —	7
V. Papa, <i>Lin.</i> 122.				
4. Le Vautour à Aigrettes —	159	—	Hare —	17
5. Le V. du <i>Brefil</i> —	175	187	Carrión —	9
V. Aura, <i>Lin.</i> 122.				
6. Le Percnoptere —	149	426	Alpine —	12
V. Percnopterus, <i>Lin.</i> 123.				
7. Le petit Vautour } —	164	429	Ash-colored —	13
Le V. de <i>Norvege</i> }				
8. Sacre d' <i>Egypt</i> —	167	—	<i>Egyptian</i>	
9. Le grand Vautour —	158	425	Cinereous —	14
10. Le V. de <i>Malte</i> —	161	427	<i>Maltese</i> —	15
11. Le Griffon —	151	—	Fulvous —	17
12. Le Messager —	VII. 328	721	Secretary —	20

II. FALCO, LIN. SYST. XLII.

FALCON, GEN. BIRDS, II.

HIST. D'OIS.		PL. ENL.	LATHAM.	
1. Aigle hupé —	— I. 139	—	Crowned Eagle — I. 27	
F. coronatus, Lin. 124.				
2. L'Aigle commun —	— 86	N° 409	Black — — 28, 32	
F. melanaetus, Lin. 124.				
3. Le Pygargue —	— 99	411	Bald — — 29, 32	
F. Leucocephalus, Lin. 124.				
4. L'Orfraie —	— 112	112, 415	Sea — — 30	
F. ossifragus, Lin. 124.				
5. Le grand Aigle —	— 76	410	Golden — — 31	
F. Chrysaetos, Lin. 125.				
6. Le grand Pygargue —	— 99	411	Cinereous — — 33	
Vultur albiulla, Lin. 123.				
7. Le petit Aigle —	— 91	—	Rough-footed — — 37	
8. Le petit Pygargue —	— 99	—	Lesser white-tailed — — 39	
9. Le Jean le blanc —	— 124	413	Jean le blanc	
10. Urubitinga —	— 141	—	Brazilian — — 41	
11. L'Aigle de Pondichéry —	— 136	416	Pondicberry.	
12. Le Balbuzard —	— 103	414	Osprey — — 45	
F. halizetus, Lin. 129.				
13. Le Faucon Pêcheur de la } Caroline — — }	142	—	Carolina Ofp. — — 46	
14. Mansfeny —	— 144	—	Mansfeny — — 47	
15. La Bufe —	— 206	419	Common Buzzard — — 48	
F. Buteo, Lin. 127.				
16. La Bufe cendrée —	— 223			
17. La Harpaye —	— 217	460	Harpy — — 51	
18. La Bondrée —	— 208	420	Honey B. — — 52	
F. apivorus, Lin. 130.				
19. Le Bufard —	— 218	423, 424	Moor B. — — 53	
F. æruginosus, Lin. 130.				
20. Le Faucon de la Baie de Hudson	223	—	Ash-coloured B. — — 55	
21. L'Autour —	— 230	418	Goshawk — — 58	
F. palumbarius, Lin. 130.				
A. L'Autour fors —	—	461		
22. Petit Autour de Cayenne —	— 237	473	Cayenne — — 59	
23. Le Milan de la Caroline —	— 221	—	Swallow-tailed — — 60	
F. forcats, Lin. 129.				
24. Le Milan royal —	— 197	422	Kite — — 61	
F. milvus, Lin. 126.				

HIST. D'OIS.			PL. ENL.	LATHAM.		
25.	Le Milan noir	I. 203	N° 472	Black Kite	I.	62
26.	Caracara	— 222	—	<i>Brafilian</i> K.	—	63
27.	Le Faucon Gentil	— 258	—	Gentil Falcon	—	64
	<i>F. gentilis, Lin. 126.</i>					
28.	F. rouge des <i>Indes Orient.</i>	— 270	—	Red	—	69
29.	Le Faucon	— 249	421	Common Falcon	—	65
B.	— Tiercelet de 3 ^{me} An.	— 254	430			
C.	Le Faucon fors	—	470	Yearling	—	65
D.	Le F. Haggard	—	—	Haggard	—	66
E.	Le F. Passager	— 263	469	Black	—	67
F.	Le Faucon noir	— 268	—	—	—	ibid.
G.	Le Faucon Pelerin	— 249	—	Peregrine	—	73
H.	Le F. <i>Tunisien</i> et <i>Tartarien</i>	— 259	—	—	—	72, 73
30.	Le Sacre	— 246	—	Sacre	—	77
31.	Le F. hupé des <i>Indes</i>	— 271	—	Crested Indian	—	80
32.	Le Gerfault	— 239	446	White Jerfalcon	—	83
33.	Gerfault d' <i>Island</i>	— 241	210	Arctic	—	70
	<i>F. Gyrfalco, Lin. 130.</i>					
34.	Gerfault de <i>Norvege</i>	— 241	462			
35.	Le Lanier	— 243	—	Lanner	—	86
	<i>F. Lanarius, Bin. 129.</i>					
36.	L'Oiseau <i>St. Martin</i>	— 212	459	Hen-harrier	—	88
37.	Le Soubufe	— 215	443	Ringtail	—	89
	— la male	—	480			
	<i>F. Pygargus, Lin. 126.</i>					
38.	Le Rochier	— 286	447	Stone Falcon	—	93
39.	La Crefferello	— 280	401	Kestrel	—	94
	La Cr. femelle	—	471			
	<i>F. Tinnunculus, Lin. 127.</i>					
40.	Le Faucon Pecheur de <i>Sene-</i>	275	478	Fishing Falcon	—	95
	<i>gal</i> , ou le <i>Tanas</i>					
41.	Le petite Aigle d' <i>Amerique</i>	— 142	417	Red-throated	—	97
42.	L'Epervier	— 225	412	Sparrow-hawk	—	99
	<i>F. nifus, Lin. 99.</i>					
A.	Tiercelet Hagard d'Epervier	—	467			
43.	L'Epervier des Pigeons	— 238	—	Pigeon Hawk	—	101
	<i>F. columbarius, Lin. 128.</i>					
44.	Epervier à gros bec de <i>Cayenne</i>	237	464	Great-billed	—	103
45.	Le Hobreau	— 277	432	Hobby	—	103
	<i>F. subbuteo, Lin. 127.</i>					
B.	Une Varieté	— 278	431			
46.	L'Emerillon	— 289	468	Merlin	—	109
47.	L'Em. de la <i>Caroline</i>	— 293	465	Little	—	110
	<i>F. sparverius, Lin. 128.</i>					
48.	L'Em. de <i>Cayenne</i>	— 291	444			

III. STRIX, LIN. SYST. XLIII.
O W L, GEN. BIRDS, III.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le grand Duc — I. 332 Strix Babo, Lin. 131.	N° 435	Eagle Owl — I. 116
2. — des Terres Magellaniques 339	385	
3. Le Moyen Duc — 342 Str. otus, Lin. 132.	29	Long-eared — 121
4. Le Scops, ou petit Duc — 353 Str. Scops, Lin. 132.	436	Scops — 129
5. Le Cabure — 383	—	Brazilian-eared O. — 125
6. Le Harfang — 387 Str. nyctea, Lin. 132.	458	Snowy — 132
7. La Hulotte — 358 Str. aluco, Lin. 132.	441	Aluco — 135
8. L'Effraie, ou Frefaie — 366 Str. flammea, Lin. 133.	440	White — 138
9. Le Chathuant — 362 Str. stridula, Lin. 133.	437	Tawny — 139
10. La Chouette, ou grande Che- vêche — 372	438	Brown — 140
Str. ulula, Lin. 133.		
11. La Chouette, ou grande Che- vêche de Canada — 391	—	Canada — 142
Str. fonerea, Lin. 142.		
12. Caparacoch — 385	—	Hawk — 143
13. La Chouette, ou grande Che- vêche de St. Domingue — 392	—	St. Domingo — 146
14. Le Chathuant de Cayenne — 391	442	Cayenne — 146
15. Chouette à longue queue de Sibirie — 377	463	Ural — 148
16. La Chevêche ou petite Chouette — 377 Str. passerina, Lin. 133.	439	Little — 150

ORDER II. Pies.

IV. LANIUS. LIN. SYST. XLIV.

SHRIKE, GEN. BIRDS, IV.

HIST. D'Ors.	PL. ENL.	LATHAM.
1. Le Drongo — — IV. 586 L. forficatus, Lin. 134.	N° 189	Fork-tailed crested I. 158
2. Le Fingah — — I. 308 L. caeruleus, Lin. 134.	—	Fork-tailed — 158
3. La Pie-grièche grise — 296 A. Pie-gr. d'Italie — 298 B. Louifane — 299 L. excubitor, Lin. 135.	445 32 397	Great cinereous — 160 Louifane — 162
4. Pie-g. grise de Senegal — 305 L. Senegalus, Lin. 162.	297	Senegal — 162
C. Pie-g. grise du C. B. Esp. — 299 L. collaris, Lin. 135.	477	Collared — 163
5. L'Ecorcheur — — 304 L. collaris, Lin. 136.	31	Red-backed — 167
6. La Pie-grièche rousse — 301 D. — du Senegal — 305	9 et 31 477	Wood Chat — 169 Var. A. — 170
7. — à tête noire du Senegal 306	479	Var. B. — 170
8. Le Vanga — — 312 L. curvirostris, Lin. 135.	228	Hook-billed — 171
9. Le Gonolek — — 314 L. Barbarus, Lin. 137.	56	Barbary — 173
10. Le Calic-Calic. Le Bruia — 315 L. Madagascariensis, Lin. 137.	299	Madagascar — 174
11. Rouge queue — — 309 L. Emerica, Lin. 236.	—	Bengal — 175
12. Le Merle de Roche — III. 351 L. infestus, Lin. 138.	562	Rock — 176
13. Pie-g. bleue de Madagascar — fig. 1. 298 L. bicolor, Lin. Mantiff. 124.	298	Blue — 178
14. Tcha-chert — — I. 310	2. 32	Green — 179
15. Le Scher-bé — — 313 L. rufus, Lin. 180.	2. 298	Rufous — 180
16. Tcha-chert-bé — — 314	374	White-headed — 180
17. Langraien — — 310 L. Leucorhynchus, Lin. Mantiff. 524.	9. fig. 1.	White-billed — 181
18. P. Gr. hupée de Canada — 316 L. Canadensis, Lin. 134.	479	Crested — 182

19. Le

HIST. D'OIS.	PL. ENL.	LATHAM.
19. Le Guirarou — — IV. 459	—	Grey — — I. 183
<i>L. nengeta, Lin. 135.</i>		
20. ——— Variété — — 461	N° 699	Var. A. — — 184
21. Le Titiri, ou Pipiri — — 572	537	Tyrant — — 184
<i>L. tyrannus, Lin. 136.</i>		
22. Tyran de la Caroline — — 577	676	Var. B. — — 186
23. ——— de la Louisiane — — 579	676	Var. C. — — 186
24. Le Bentaveo, le Cuiriri — — 579	212	<i>Brazilian</i> — — 187
<i>L. pitangua, Lin. 136.</i>		
25. Becarde à ventre jaune — I. 312	296	Yellow-bellied — — 188
<i>L. sulphuratus, Lin. 188.</i>		
26. Becarde — — 311	304	<i>Cayenne</i> — — 189
<i>L. Cayanus, Lin. 137.</i>		
27. P. G. tachetée de Cayenne — — 311	377	Spotted, Var. A. — — 189
28. P. Gr. rayée de Cayenne — —	fig. 2. 297	Pied — — 190
<i>L. doliatus, Lin. 136.</i>		

V. PSITTACUS, LIN. SYST. XLV.

PARROT, GEN. BIRDS, V.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Ara rouge — VI. 179	N° 12	Red and blue Macaw I. 199
<i>Psittacus Macao, Lin. 139.</i>		
2. Le petit Ara rouge — — 180	641	Red and yellow M. 201
3. L'Ara bleu — — 191	36	Blue and yellow M. 204
<i>Pf. ararauna, Lin. 139.</i>		
4. La Perriche Ara — — 277	864	Parrot Macaw — 205
5. Ara noir — — 202	—	Black M. — 206
6. L'Ara vert — — 194	383	<i>Brazilian</i> green M. — 208
<i>Pf. severus, Lin. 140.</i>		
7. La Gr. Perruche à ailes } rougeâtres — — } 156	239	<i>Gingi</i> P. — — 209
<i>Pf. eupatria, Lin. 140.</i>		
8. La Per. verte et rouge — — 159	—	<i>Japanese</i> — — ibid.
<i>Pf. japonicus, Lin. 141.</i>		
9. Le Lori Per. tricolor — — 138	240	<i>Amboina</i> — — 210
<i>Pf. Amboinensis, Lin. 141.</i>		
10. La Per. à tête bleue — — 145	191	Blue-headed — — 211
<i>Pf. cyanocephalus, Lin. 141.</i>		

HIST. D'OIS.	PL. ENL.	LATHAM.
11. La Per. à face bleue — VI. 150 Pf. hæmatodus, <i>Lin. Mant.</i> 524.	N° 61	Red-breasted — I. 212
12. Per. des <i>Molukes</i> — 150	743	{ Orange-breasted — 212 Blue-bellied — 213
13. La Gr. Per. à bandeau noir 158	—	Black-crowned — <i>ibid.</i>
14. Le Lori Per. rouge — 137 Pf. borneus, <i>Bin.</i> 141.	—	Long-tailed scarlet Lory 216
15. Le L. Per. violet et rouge — 138	143	<i>Indian</i> Lory — 217
16. Le L. rouge et violet — 135	684	<i>Gueby</i> Lory — 219
17. La Per. Lori — 145 Pf. ornatus, <i>Lin.</i> 143.	552	Lory Parrakeet — 221
18. La Per. huppée — 160	—	Crested red Parrakeet 223
19. Le Jendaya — 262	—	Yellow-headed Parrot 224
20. La Per. jaune — 147 Pf. solitarius, <i>Lin.</i> 141.	—	<i>Angola</i> yellow P. — <i>ibid.</i>
21. Le Guarouba, ou Per. jaune 272	525	<i>Brasilian</i> yellow P. — 225
22. La Per. à tête jaune — 350 Pf. Carolinensis, <i>Lin.</i> 141.	499	<i>Carolina</i> P. — 227
23. L'Aputé-juba — 269 Pf. pertinax, <i>Lin.</i> 142.	528	<i>Illinois</i> P. — 228
24. La Per. émeraude — 262	85	<i>Emerald</i> P. — 230
25. Le Sincialo — 265 Pf. rufirostris, <i>Lin.</i> 142.	550	{ Long-tailed green } <i>ibid.</i> Parrakeet —
26. La Per. Pavouane — 255	{ young, 407 old, 167	{ Pavouane Parrot — 232
27. La gr. Per. à collier d'un } rouge vif — } 141 Pf. Alexandri, <i>Lin.</i> 141	642	<i>Alexandrian</i> Parrakeet 234
28. La Per. à collier couleur de } rose — } 152	551	Rose-ringed Parrak. 235
29. Le Per. à double collier — 143 Pf. Alexandri, <i>Lin.</i> 142.	215	Double-ringed Parrak. 236
30. La Per. à tête d'azur — 148 Pf. Alexandri, <i>Lin.</i> 142.	—	Azure-headed Parrak. 237
31. La Per. à moustaches — 149	517	Mustachoe Parrak. 238
32. La Per. à tête rouge — 144	264	Blossom-headed Parrak. 239
33. La petite Per. à tête couleur } de rose à longs brins — } 154	888	{ Rose-headed ring } <i>ibid.</i> Parrak. —
34. Le gr. Per. à longs brins — 155	887	<i>Malacca</i> Parrak. — 241
35. La Per. à front rouge — 268 Pf. canicularis, <i>Lin.</i> 142.	767	{ Red and blue- } headed Parrak. } 242
36. La Per. à gorge brune — 257 Pf. æuginosus, <i>Lin.</i> 142.	—	Brown-throated Parrak. 243

HIST. D'OIS.	PL. ENL.	LATHAM.
37. La Per. aux ailes charmarées VI. 151	N° 287	Lace-winged Parrak. I. 244
38. La Per. à ailes variées — 259	359	{ Yellow - winged } ibid.
39. La Per. à gorge variée — ibid.	144	{ Parrak. — }
40. La Per. à gorge rouge — 157	—	Wave-breasted Parrak. 245
41. La Per. fouris — 148	—	{ Little red-winged } 246
42. La Per. couronnée d'or — 271	768	{ Parrak. — }
43. L'Arimanon — 175	fig. 2. 455	Grey-breasted Parrak. 247
		{ Golden-crowned } 251
		{ Parrak. — }
		{ Otabeitan blue Parakeet — } 255

**

** WITH EVEN-ENDED TAILS.

HIST. D'OIS.	PL. ENL.	LATHAM.
44. Le Kakatoès à huppe blanche VI. 92 Pf. cristatus, Lin. 143.	N° 263	Great white Cockatoo I. 256
45. Le K. à huppe rouge — 95	498	Gr. red-crested C. — 257
46. Le petit K. à bec couleur de chair 96	191	Red-vented C. — 258
47. Le K. à huppe jaune — 93	14	Lesser white C. — ibid.
48. Le K. à aile et queue rouges 96 Pf. erythroleucos, Lin. 144.	—	Red and white Parrot 260
49. Le Perroquet cendré de Gui- née, ou le Jaco — } 100	311	Ash-colored P. — 261
Pf. erithacus, Lin. 144.		
50. Le Vasa, ou Perroq. noir — 119	500	Black P. — 264
Pf. niger, Lin. 145.		
51. Le Malcarin — 120	35	Mascarine P. — 265
Pf. mascarinus, Lin. Mant. 524.		
52. Le Perroquet varié — 117	—	Hawk-headed P. — 266
Pf. accipitrinus, Lin. 148.		
53. Le Papegai maille — 239	526	Mailed P. — 267
54. Le Crik à tête violet — 233	—	Ruff-necked P. — 268
55. Le Lori de Ceram, var. 2. — 129	—	Ceram Lory — 269
Pf. garrulus, Lin. 144.		
56. Variété de Noira, N° 1 — ibid.	—	Noira Lory — 270
Pf. garrulus, Lin. 144.		
57. Lori-noira — 127	216	Scarlet Lory — ibid.
Pf. garrulus, Lin. 144.		
58. Le Lori à collier — 130	la fem. 84	Purple-capped Lory 271
Pf. domicella, Lin. 145.		
59. Le Lori à collier — 131	le male, 189	Blue-capped Lory 272

50. Le

HIST. D'OIS.	PL. ENL.	LATHAM.
60. Le Lori tricolor — VI. 132 Pf. Lori, <i>Lin.</i> 145.	N ^o 168	Black-capped Lory I. 273
61. Le Lori rouge — 134	519	Molucca Lory — 274
62. Le Grand Lori — 135	683	Grand Lory — 275
63. Le Paragua — 248	—	Paraguan Lory — 277
64. Le Crik rouge et bleu — 226 Pf. carulocephalus, <i>Lin.</i> 145.	—	Red and blue Parrot ibid.
65. Le Perroquet vert — 116	514	Green and red P. — 278
66. Le P. à bec couleur de sang 122	713	Great-billed P. — ibid.
67. Le grand P. vert à tête bleue ibid.	862	Amboina P. — 279
68. L'Amazone à tête blanche 212 Pf. leucocephalus, <i>Lin.</i> 145.	335	White-fronted P. — ibid.
A. — une variété — ibid.	549	White-headed P. — 280
69. Le Papegai à ventre pourpre 242	548	Ash-crowned P. — 281
70. L'Amazone à tête jaune — 208 Pf. notilis, <i>Lin.</i> 140.	—	{ Yellow-headed A- } 282 { mazon P. — }
B. — une variété — 209	312	Yellow-crowned P. ibid.
C. — une seconde variété — 210	—	Party-billed P. — 283
71. L'Aourou-courau — 215 Pf. ætius, <i>Lin.</i> 146.	547	Common Amazon P. 284
D. 1 Variété — 216	—	Jamaica P. — 285
E. 2 Variété — 217	—	Main P. —
F. 3 Variété — 219	—	Blue-topped P. — 286
G. 4 Variété — ibid.	—	West Indian green P. 287
H. 5 Variété — 221	—	{ Brasilian yellow- } ibid. { fronted P. — }
72. Le Crik à tête et gorge jaune 222	—	Yellow-winged P. — 289
73. Le Meunier, ou Crik poudré 225	861	Mealy green P. — 291
74. Le Crik à face bleue — 227	360	Blue-fronted P. — ibid.
75. Le Crik à tête bleue — 230	—	Blue-faced P. — 293
I. 1 Variété — 231	—	Red and white-faced P. ibid.
K. 2 Variété — 232 Pf. autumnalis, <i>Lin.</i> 147.	—	Autumnal P. — ibid.
L. 3 Variété — ibid.	—	Braslian green P. — 294
76. Le Tarabé, ou Amazone à } tête rouge — } 211	—	Red-headed Amazon P. 295
77. Le Crik — 228 Pf. agilis, <i>Lin.</i> 143.	839	Agile P. — 297
78. Le Tavoua — 240 Pf. festivus, <i>Lin.</i> 147.	840	Festive P. — 298
79. Le Papegai à bandeau rouge 241	792	Red-banded P. — 300

HIST. D'OIS.	PL. ENL.	LATHAM.
80. Le Papegai de Paradis, VI. 237 Pf. Paradisi, <i>Lin.</i> 147.	N° 336	Paradise P. — I. 300
81. L'Amazone jaune — 214 Pf. aurora, <i>Lin. Mant.</i> 524.	13	Aurora P. — — 301
82. Le Papegai à tête & gorge } bleue — — } 243 Pf. mentrous, <i>Lin.</i> 148.	384	Blue-headed P. — ibid.
83. Le Papegai violet — 244	408	Little dusky P. — 302
84. Le Saffebé — 245 Pf. collaris, <i>Lin.</i> 149.	—	Red-throated P. — 303
85. Le Papegai brun — 246 Pf. ferdidus, <i>Lin.</i> 148.	—	Dusky P. — — 304
86. — à tête aurore — 247	—	Orange-headed P. — ibid.
87. Le Maïpouri — 250 Pf. melanocephalus, <i>Lin.</i> 149.	527	White-breasted P. 305
88. Le Caïca — 253	744	Hooded P. — 306
89. Le Perroquet à tête grise — 123 Pf. senegalus, <i>Lin.</i> 149.	288	Senegal P. — — 307
90. La Perruche aux ailes d'or 170 Pf. chrysopterus, <i>Lin.</i> 149.	—	{ Golden - winged Parrakeet — } 309
91. La Perruche à tête rouge, } ou le Moineau de Guinée } 165 Pf. pullarius, <i>Lin.</i> 149.	60	{ Red - headed Gui- nea Parrak. — } ibid.
92. Le Coulacisli — 169	520	Philippine Parak. — 311
93. La Perruche à tête bleue — 163 Pf. galgulus, <i>Lin.</i> 150.	fig. 2. 190	{ Sapphire-crowned } Parrak. — } 312
94. — à tête grise — 171	2. 191	Grey-headed Parrak. 315
95. L'Anaca — 260	—	{ Chestnut-crowned } Parrak. — } 314
96. La Perruche aux ailes variées 172	1. 791	Black-winged Parrak. 316
97. — aux ailes bleues 173	1. 455	Blue-winged Parrak. 317
98. — à collier — ibid.	—	Collared Parrak. — ibid.
99. — aux ailes noires 174	—	Luzonian Parrak. — 318
100. L'Été, ou Toui-été — 283 Pf. passerinus, <i>Lin.</i> 150.	—	{ Little blue and green Parrak. } 319
101. Le Toui à gorge jaune — 280	1. 190	{ Yellow - throated } Parrak. — } ibid.
102. Le Tirica — 281	837	Green Parrak. — 320
103. Le Sofovè — —	2. 456	Cayenne Parrak. — ibid.
104. Le Toui à tête d'or — 284	1. 456	Gold-headed Parrak. 321

VI. RAMPHASTOS, LIN. SYST. XLVI.

TOUCAN, GEN. BIRDS, VI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Toco — — VII. 117	N° 82	Toco — — I. 325
2. Le Toucan à gorge jaune — 118	269	Yellow-throated T. <i>ibid.</i>
Ramphastos dicolorus, <i>Lin.</i> 152.		
R. Tucanus, <i>Lin.</i> 151 — —	307	Yellow-breasted — 326
R. Piscivorus, <i>Lin.</i> 151 — —	262	<i>Brazilian</i> — — 327
1. Le Toucan à ventre rouge — 122	—	Preacher — — 329
R. picatus, <i>Lin.</i> 152.		
2. Le Cochicat — — 124	—	Collared — — 330
3. Le Hochicat — — 125	—	Pavonine — — 331
4. R. Viridis, <i>Lin.</i> 150 — —	727, 728	Green — — <i>ibid.</i>
5. Le Grigri — — 126	166	Aracari — — 332
R. Aracari, <i>Lin.</i> 151.		
6. Le Koulik — — 128	577, 729	Piperine — — 334
R. Piperivorus, <i>Lin.</i> 150.		
7. L'Aracari, à bec noir — — 130	—	Black-billed — — 335
8. L'Aracari, bleu — — 131	—	Blue — — <i>ibid.</i>

VII. RAMPHASTOS, LIN. SYST. XLVI. N° 8.

MOTMOT, GEN. BIRDS, VII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Houtou ou Momot, VI. 430	N° 370	<i>Brazilian</i> Motmot I. 338
Ramphastos momota, <i>Lin.</i> 152.		

VIII. BUCEROS, LIN. SYST. XLVII.

HORN-BILL, GEN. BIRDS, VIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Calao Rhinoceros — VII. 161 Buceros Rhinoceros, <i>Lin.</i> 153.	N° 934	Rhinoceros — I. 342
2. Le C. à casque rond — 159	933	Helmet — — 343
3. Le C. des Philippines — 157 B. bicornis, <i>Lin.</i> 153.	—	Philippine — — 345
4. Le C. d'Abyssinie — — 155	779	Abyssinian — — 347
5. Le Brac ou C. d'Afrique — — 154	—	African — — 348
6. Le C. de Malabar — — 149	873	Pied — — 349
7. Le C. de Moluques — — 147 B. hydrocorax, <i>Lin.</i> 153.	283 M. Fem.	Indian — — 351
8. Le C. de l'Île de Panay — — 145	780, 781	Panayan — — 353
9. Le C. de Manille — — 144	891	Manilla — — 354
10. Le Tock, 1 Esp. — — 141 B. nasutus, <i>Lin.</i> 154.	890	Black-billed — — ibid.
11. ——— 2 Esp. — — 141	260	Red-billed — — 355

IX. BUPHAGA, LIN. SYST. XLVIII.

BEEF-EATER, GEN. BIRDS, IX.

1. Le Pic bœuf — — III. 173 Buphaga <i>Africana</i> , <i>Lin.</i> 154.	N° 293	<i>African</i> — — I. 359
---	--------	---------------------------

X. CROTOPHAGA, LIN. SYST. XLIX.

AN I, GEN. BIRDS, X.

1. L'Ani des Savanes — VI. 420 Crotophaga Ani, <i>Lin.</i> 154.	fig. 2. N° 102	Lesser Ani — — I. 360
2. L'Ani des Paletuviers — — 423	fig. 1. 102	Greater Ani — — 362

XI. CORVUS,

XI. CORVUS, LIN. SYST. L.

CROW, GEN. BIRDS, XII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1 Le Corbeau — — III. 13 <i>Corvus corax, Lin. 155.</i>	Nº 495	Raven — — I. 367
2. La Corneille — — 45 <i>C. corone, Lin. 155.</i>	483	Carrion Crow — — 370
3. Le Freux ou la Frayonne — 55 <i>C. frugilega, Lin. 156.</i>	484	Rook — — 372
4. La Corneille mantelée — 61 <i>C. cornix, Lin. 156.</i>	76	Hooded Crow — 374
5. La Corneille de <i>Senegal</i> — 67	327	White-breasted Cr. — 376
6. La C. de la <i>Jamaïque</i> — 67	—	Chattering Cr. — 377
7. Le Choucas — — 69 <i>C. monedula, Lin. 156.</i>	523	Jackdaw — — 378
8. Le Choucas noir — — ibid.	522	Black Jackdaw — 379
9. Le Choucas mouftache — 79 <i>C. hottentottus, Lin. 155.</i>	226	<i>Hottentot Cr.</i> — — 380
10. Le Choucas des Alpes — 76 <i>C. pyrrhocorax, Lin. 158.</i>	531	Alpine Cr. — — 381
11. Le Balicasse de <i>Philippines</i> — 83 <i>C. balicassius, Lin. 157.</i>	603	<i>Philippine Cr.</i> — — ibid.
12. Le Choucas de la <i>Nouv. Guinée</i> 80	629	<i>New Guinea Cr.</i> — — ibid.
13. Le Choucar de la <i>Nouv. Guinée</i> 81	630	<i>Papuan Cr.</i> — — 382
14. Le Colnud de <i>Cayenne</i> — 82	609	Barenecked Cr. — — ibid.
15. Le Choucas chauve — — 80	521	Bald Crow — — 383
16. Le Geay — — 107 <i>C. glandarius, Lin. 156.</i>	481	Jay — — 384
17. Le G. bleu de <i>Canada</i> — 120 <i>C. cristatus, Lin. 157.</i>	529	Blue Jay — — 386
18. Le G. de <i>Cayenne</i> , ou Le } Blanche Coiffe — — } 118 <i>C. cayanus, Lin. 157.</i>	373	<i>Cayenne Jay</i> — — 388
19. Le G. brun de <i>Canada</i> — 117 <i>C. canadensis, Lin. 158.</i>	530	Cinereous Crow — 389
20. G. de la <i>Chine</i> à bec rouge — 115	622	Red-billed Jay — 391
21. G. de la <i>Sibirie</i> — — 118	608	<i>Siberian Jay</i> — — 391
22. Le G. de la <i>Perou</i> — — 116	625	<i>Peruvian Jay</i> — — ibid.
23. Le Garlu, ou G. à ventre } jaune de <i>Cayenne</i> — — } 119	249	Yellow-bellied Jay — 392
24. La Pie — — — 85 <i>C. pica, Lin. 157.</i>	488	Magpie — — — ibid.

HIST. D'OIS.	PL. ENL.	LATHAM.
25. La Pie du <i>Senegal</i> — III. 97 C. afer, <i>Lin.</i> 157.	N° 538	<i>African Crow</i> — I. 394
26. La Pie des <i>Antilles</i> — 101, 129	—	<i>Caribbean Cr.</i> — 395
27. L'Hocifana — — 103	—	<i>Mexican Cr.</i> — 396
28. Le Zanoë — — 106	—	<i>Lesser Mexican Cr.</i> — 397
29. Breve de <i>Bengal</i> — — 414 C. brachyurus, <i>Lin.</i> 153.	258	<i>Short-tailed Cr.</i> — 398
30. Breve des <i>Philippines</i> — — 413	89	<i>A variety A.</i> — <i>ibid.</i>
31. La Breve — — <i>ibid.</i>	—	<i>Variety B.</i> — 399
32. Breve de <i>Madagascar</i> — 414	257	<i>Variety C.</i> — <i>ibid.</i>
33. Le Cañt-noix — — 122 C. caryocatactes, <i>Lin.</i> 157.	50	<i>Nut-cracker</i> — 400
34. Le Coracias — — 1 C. graculus, <i>Lin.</i> 153.	255	<i>Red-leg'd Crow</i> — 401
35. Le Coracias hupe, ou Le } Sonneur — — } 9 C. eremita, <i>Lin.</i> 159.	—	<i>Hermit Crow</i> — 403

XII. CORACIAS, LIN. SYST. LI.

ROLLER, GEN. BIRDS, XIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Rollier d' <i>Europe</i> — III. 135 C. garula, <i>Lin.</i> 159.	N° 486	<i>Garrulous Roller</i> I. 406
2. Le R. d' <i>Abyssinie</i> — — 143	626	<i>Abyssinian</i> — — 408
3. R. de <i>Senegal</i> — — <i>ibid.</i>	<i>ibid.</i>	<i>Senegal</i> — — <i>ibid.</i>
4. Le R. d' <i>Angola</i> — — 144 C. caudata, <i>Lin.</i> 160.	88	<i>Long-tailed</i> — — 409
5. Le Cuit, ou R. de <i>Mindanao</i> <i>ibid.</i> C. bengalensis, <i>Lin.</i> 159.	285	<i>Bengal</i> — — 410
6. Le Rollier des <i>Indes</i> — — 147 C. orientalis, <i>Lin.</i> 159.	619	<i>Oriental</i> — — 411
7. Le R. de <i>Madagascar</i> — — 148	501	<i>Madagascar</i> — — 413
8. Le R. du <i>Mexique</i> — — <i>ibid.</i>	—	<i>Mexican</i> — — <i>ibid.</i>
9. Le Rolle de la <i>Chine</i> — — 132	620	<i>Chinese</i> — — 414
10. Le Grivert, ou R. de <i>Cayenne</i> 134	616	<i>Cayenne</i> — — 415
11. Caffican de la <i>N. Guinée</i> — <i>ibid.</i>	628	<i>Pied</i> — — <i>ibid.</i>

XIII. ORIOIUS

XIII. ORIOLES, LIN. SYST. XLII.

ORIOLE, GEN. BIRDS, XIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le cassique jaune du <i>Bresil</i> , III. 235 <i>Oriolus perisicus</i> , <i>Lin.</i> 161.	N ^o 184	Black and yellow, II. 418
2. Le cassique rouge du <i>Bresil</i> , } ou le <i>Jupuba</i> — — } 238 <i>O. hæmorrhous</i> , <i>Lin.</i> 161.	482	Red-rumped — — 420
3. Le C. huppé de <i>Cayenne</i> — 241	344	Crested — — 421
4. Le C. vert de <i>Cayenne</i> — 240	328	Var. B. — — 422
5. La C. de la <i>Louifiane</i> — 242	646	White-headed — <i>ibid.</i>
6. Le Troupiale — 203 <i>O. icterus</i> , <i>Lin.</i> 161.	532	Icteric — — 424
7. L'Acolchi de <i>Seba</i> — 206	—	<i>Mexican</i> — — 425
8. L'arc-en-queue — 207	—	Ring-tailed — — <i>ibid.</i>
9. Japacani — 208	—	Japacani — — 426
10. Le Xochitotli, & Costototli — 210	—	<i>New Spain</i> — — 427
11. Le Tocolin — 213	—	Grey — — <i>ibid.</i>
12. Le Commandeur — 214 <i>O. phæniceus</i> , <i>Lin.</i> 161.	402	Red-wing — — 428
13. Troupiale de <i>Cayenne</i> — 218	fig. 2. 236	Red-breasted — — 430
14. Le Tr. de la <i>Guiane</i> — <i>ibid.</i> <i>O. guianensis</i> , <i>Lin.</i> 162.	336	<i>Guiana</i> — — <i>ibid.</i>
15. Le Tr. à calotte noire — 222 <i>O. mexicanus</i> , <i>Lin.</i> 162.	533	Black-crowned — 431
16. Le Baltimore — 231 <i>O. baltimore</i> , <i>Lin.</i> 162.	1. 506	Baltimore — — 432
17. Le Baltimore batard — 233 <i>O. spurius</i> , <i>Lin.</i> 162.	2. <i>ibid.</i>	Bastard B. — — 433
18. Le Cap-more — 226	275 fem. 276	Weever — — 435
19. Le Carouge — 243 <i>O. bonana</i> , <i>Lin.</i> 162.	1. 535	Bonana — — 436
20. Le C. de <i>Cayenne</i> — — <i>O. mexicanus</i> , <i>Lin.</i> 162.	1. 607	Chestnut and black — 437
21. Le petit cul jaune de <i>Cayenne</i> 247	1. 5	Lesser Bonana — 438
22. Le Carouge de <i>St. Domingue</i> <i>ibid.</i> <i>O. dominicensis</i> , <i>Lin.</i> 163.	2. <i>ibid.</i>	— — — 439
23. Le Carouge du <i>Bresil</i> — 249	—	<i>Brazilian</i> — — 439
24. Le C. de l'Isle de <i>St. Thomas</i> 248 <i>O. cayanensis</i> , <i>Lin.</i> 163.	2. 535	Yellow-winged — 440
25. Les Coiffes jaunes — 217, 250 <i>O. icterocephalus</i> , <i>Lin.</i> 163.	343	Yellow-headed — 441

HIST. D'OIS.	PL. ENL.	LATHAM.
26. Le Troupiale tacheté } de Cayenne — — } III. 223	fig. 1. 2. 448	Schomburger — II. 441
O. melancholicus, Lin. 168.		
A. Une variété — — — — — ibid.	ibid.	Variety A. — — 442
27. Le Tr. de St. Domingue ap- } pellé le siffleur — — } 230	fig. 1. 236	Whistler — — 443
28. Le Carouge olive de la Louisiane 251	2. 607	Olive — — 444
O. capensis, Lin. 163.		
29. Le Troupiale noir — — — 320	534	Black — — 445
30. Tr. de la Caroline — — — 221	1. 606	Black, lesser — — 446
31. Tr. olive de la Cayenne — — 225	2. ibid.	Cayenne olive — — 447
32. Le Kink — — — 253	617	Kink — — 448
33. Le Lorient — — — 254	26	Golden — — 449
O. galbula, Lin. 160.		
34. — de la chine — — — 262	79	Variety A. — — 451
O. melancephalus, Lin. 160.		
35. Le Coulavan — — — 262	570	Variety C. — — 452
O. chinensis, Lin. 160.		
36. Le Lorient des Indes — — — 264	—	Variety D. — — ibid.
37. — à tête rayée — — — 265		
38. Le Talapiot — — — VII. 82	605	Climbing — — 453

XIV. GRACULA, LIN. SYST. LXIII.

GRACKLE, GEN. BIRDS, XV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Mainate — — — III. 416	N° 268	Minor — — II. 455
Gracula calva, Lin. 164.		
2. Le Grand Mainate — — — 419	—	Greater M. — — 457
3. Le Goulin — — — 420	200	Bald Gr. — — — ibid.
4. Le Martin — — — 423	219	Paradise — — — 458
Paradisæa tristis, Lin. 167.		
5. La Pie de la Jamaïque — — — 97	—	Purple — — — 462
G. quiscal, Lin. 165.		
6. Le Merle huppé de la Chine — — 367	—	Crested — — — 464
Gr. cristatella, Lin. 165.		
7. La Pie-grièche noire de } Bengale — — — } I. 299	—	Dial — — — 465
Gr. faularis, Lin. 165.		
8. Le Picucule de Cayenne, VII. 82	621	Climbing — — — 467

XV. PARADISÆA, LIN. SYST. XLIV.

PARADISE, GEN. BIRDS, XVI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Oiseau de Paradis — III. 151 Paradisæa apoda, Lin. 166.	N° 254	Greater — — II. 471
2. Le Manucode — — 163 P. regia, Lin. 166.	496	King — — 475
3. Le Magnifique de la N. Guinée 166	631	Magnificent — — 477
4. Le Superbe — — 169	632	Superb — — 479
5. Le Sifelet, ou Manucode à six filets — — } 171	633	Gold-breasted — 481
6. Le Calybé de la N. Guinée — 173	634	Blue green — — 482
7. Le Rollier de Paradis — — 149 Oriolus aureus, Lin. 163.	—	Golden — — 483

XVI. TROGON, LIN. SYST. XLV.

CURUCUI, GEN. BIRDS, XVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Couroucou à ventre rouge — — } VI. 287 Trogon curucui, Lin. 167.	N° 452	Red-bellied — II. 485
2. C. gris à longue queue de Cayenne — — } 288	737	Variety B. — — 486
3. Le C. à ventre jaune — — 291 Trogon viridis, Lin. 167.	195	Yellow-bellied — 488
4. Le C. verd à ventre blanc — 293 Tr. viridis, Lin. 167.	—	White-bellied — 489
5. Le C. cendré de Cayenne — 293 Tr. strigilatus, Lin. 167.	765	Cinereous — — ibid.
6. C. à queue rouffe de Cayenne ibid.	736	Rufous — — 490
7. Le C. à chaperon violet — 294	—	Violet-headed — 491

XVII. BUCCO, LIN. SYST. XLVI.

BARBET, GEN. BIRDS, XVIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Tamatia — — VII. 94	N° 746	Spotted-bellied — II. 494
2. Le T. à tête et gorge rouges — 96	fig. 1. 206	Cayenne — — 495
3. Barbu de <i>St. Domingue</i> — —	2. 746	Black-spotted — — 496
4. Le Tamatia à collier — — 97	395	Collared — — 497
<i>Bucco capensis, Lin. 168.</i>		
5. Le beau Tamatia — — 98	330	Beautiful — — 498
6. Tamatia noir et blanc — — 99	689	Greater Pied — — 498
7. ——— le petit — — ibid.	688	Lesser Pied — — 499
8. Le Barbu à gorge jaune — — 102	331	Yellow-throated — — 500
9. Le B. à gorge noir — — 103	—	Black-throated — — 501
10. Le B. à plastron noir — — 104	1. 688	Variety A. — — 502
11. Le petit Barbu — — 105	2. 746	Little — — 503
12. Le grand Barbu — — 106	871	Grand — — ibid.
13. Le Barbu vert — — 107	870	Green — — 504
14. Le Barbican — — 132	602	Doubtful — — 506

XVIII. CUCULUS, LIN. SYST. LVII.

CUCKOO, GEN. BIRDS, XIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Coucou — — VI. 305	N° 811	Common. — — II. 509
<i>Cuculus canorus, Lin. 168.</i>		
2. Le C. du Cap de <i>Bonne Esperance</i> 353	390	Cape — — 513
3. Le grand C. tacheté — — 361	—	Great spotted — — ibid.
<i>C. glandarius, Lin. 169.</i>		
4. Le C. brun varié de noir — — 376	—	Society — — 514
5. Le C. varié de <i>Mindanao</i> — — 373	277	Mindanao — — 515
<i>C. mindanensis, Lin. 169.</i>		
6. Le Boutfallick — — 372	—	Indian spotted — — 516
<i>C. scolopaceus, Lin. 176.</i>		
7. Le C. tacheté de la <i>Chine</i> — — 378	764	Chinese spotted — — 516
8. Le C. brun piqué de roux — 377	771	Rufous spotted — — 517
<i>C. punctatus, Lin. 170.</i>		

HIST. D'OIS.	PL. ENL.	LATHAM.
9. Le Coukeel, Le 1. — VI. 383 C. orientalis, <i>Lin.</i> 168.	fig. 1. 274	Eastern black — II. 518
10. Le Coukeel, Le 2. — — ibid.	—	Variety A. — — ibid.
11. Le Coukeel, Le 3. — — 384 C. niger, <i>Lin.</i> 170.	—	Variety B. — — 519
12. Le Jacobin huppé de <i>Coro-</i> mandel — — } 380	872	Coromandel crested — 520
13. Le C. huppé noir et blanc — 362	—	Pifan — — ibid.
14. Le C. verdâtre de <i>Madagascar</i> 364	815	Great <i>Madagascar</i> — 521
15. Le Coua — — 365 C. cristatus, <i>Lin.</i> 171.	589	<i>Madagascar</i> crested — 522
16. Le Houhou d' <i>Egypt</i> — — 367	—	<i>Egyptian</i> — — ibid.
17. Coucou des <i>Philippines</i> — 369	824	Variety A. — — 523
18. Le C. de <i>Madagascar</i> — — 369	1. 295	Long-heeled — — 524
19. Le Rufabin — — 370 C. fenegalensis, <i>Lin.</i> 169.	332	Strait-heeled — — 525
20. Le Cuil — — 375 C. honoratus, <i>Lin.</i> 169.	294	Sacred — — 526
21. Le C. brun et jaune à ventre rayé — — } 379	—	Panayan — — 527
22. Le petit C. à ventre jaune et tête grise — — } 382	814	Yellow-bellied — ibid.
23. Le C. vert doré et blanc — 385	657	Gilded — — ibid.
24. Le C. à longs brins — — 387 C. paradiseus, <i>Lin.</i> 172.	—	Paradise — — 529
25. Le C. huppé à collier — — 388 C. coromandus, <i>Lin.</i> 171.	274	Collared — — ibid.
26. San-hia de la <i>Chine</i> — — 389 C. Sinensis, <i>Lin.</i> 171.	—	Chinese — — 530
27. Le Tait-Sou — — 191 C. caeruleus, <i>Lin.</i> 171.	2. 295	Blue — — ibid.
28. Le Vourou-Driou — — 395	587	African — — 532
29. Le Gr. Coucou de <i>Madagascar</i> 396	588	Variety A. — — ibid.
30. Le Tacco — — 402 C. vetula, <i>Lin.</i> 169.	772	Long-billed Rain — 535
31. Le C. dit le Vieillard, ou l'Oiseau de Pluie — — } 398 C. vetula, <i>Lin.</i> 169.	—	Rain — — 536
32. Le petit Vieillard — — 401	813	Mangrove — — 537
33. Le Vieillard à ailes rouffes — 400 C. Americanus, <i>Lin.</i> 170,	816	Caroline — — ibid.
34. Le Guira Cantara — — 407	—	Brazilian crested — 538
35. Le Quapaetol, ou le Rieur — 408	—	Laughing — — 539
36. Le C. brun varié de roux — 411 C. naevius, <i>Lin.</i> 170.	812	Spotted — — ibid.

HIST. D'OIS.	PL. ENL.	LATHAM.
37. Le Cendrillard — — VI. 413 C. dominicus, <i>Lin.</i> 170.	—	<i>St. Domingo</i> — II. 541
38. Le C. Piaye — — 414 C. Cayanus, <i>Lin.</i> 170.	N° 211	<i>Cayenne</i> — — 542
39. Le C. noir à <i>Cayenne</i> — — 416	512	<i>Cayenne</i> black — — 543
40. Le petit C. noir de <i>Cayenne</i> — 417	505	White-rumped black 544
41. Le Couroucoucou — — 298 C. brasiliensis, <i>Lin.</i> 171.	—	Red-crested — — 545
42. Le Touraco — — 300 C. perla, <i>Lin.</i> 171.	601	Touraco — — <i>ibid.</i>
43. L'Atingacu du <i>Bresil</i> — IV. 409 C. cornutus, <i>Lin.</i> 171.	—	Horned — — 539

XIX. JYNX, LIN. SYST. XLVIII.

WRYNECK, GEN. BIRDS, XX.

1. Le Torcol — — VII. 84 Yunx torquilla, <i>Lin.</i> 172.	N° 698	Common — — II. 548
--	--------	--------------------

XX. PICUS, LIN. SYST. XLIX.

WOODPECKER, GEN. BIRDS, XXI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Pic noir — — VII. 41 Picus martius, <i>Lin.</i> 173.	N° 596	Great black — II. 552
2. Grand P. noir à bec blanc — 46 P. principalis, <i>Lin.</i> 173.	690	White-billed — — 553
3. Le P. noir à huppe rouge — 48 P. pileatus, <i>Lin.</i> 173.	718	Pileated — — 554
4. Le Pic à cou rouge — — 53	612	Red-necked — — 558
5. L'Ouantou — — 50 P. lineatus, <i>Lin.</i> 174.	717	Lineated — — 556
6. Le petit P. noir, Var. — — 54 P. birundinaceus, <i>Lin.</i> 174.	—	Leffer black — — 559
7. Le petit P. noir — — <i>ibid.</i>	694	Variety A. — — <i>ibid.</i>
8. Le P. noir à <i>Domingue</i> rouge — 55 P. erythrocephalus, <i>Lin.</i> 174.	117	Red-headed — — 561
9. L'Epeiche, ou le P. varié — 57 P. major, <i>Lin.</i> 176.	196. f. 595	Greater-spotted — — 564

HIST. D'OIS.	PL. ENL.	LATHAM.
10. P. varié à tête rouge — — P. medius, Lin. 176.	N° 611	Middle spotted — II. 565
11. Le petit Epeiche — — VII. 62 Picus minor, Lin. 176.	598	Lesser spotted — — 566
12. L'Epeiche de Mexique — — 70	—	Varied — — 568
13. L'Epeiche de Canada, 1. — 69	345	Canadian spotted — — 569
14. — de la Jamaïque — 72 P. Carolinus, Lin. 174.	fem. 597	Carolina — — 570
15. — ou Pic rayé de la } Louisiane — — } 73	692	Variety B. — — 571
16. — ou Pic chevelu de } Virginie — — } 75	754	Hairy — — 572
P. villosus, Lin. 175.		
17. — ou petit P. varié } de Virginie — — } 76	—	Little — — 573
P. pubescens, Lin. 175.		
18. Le P. varié de la Caroline — 77 P. varius, Lin. 176.	785	Yellow-bellied — — 574
19. L'Epeiche, ou le P. varié } d'Encenada — — } 74	Lemale 748	Encenada — — 575
20. Le Grand P. varié de l'Isle } de Luçon — — } 67	—	Cardinal — — 576
21. L'Epeiche de Nubie ondulé et } tacheté — — } 66	667	Nubian — — ibid.
22. Le petit Epeiche brun des } Molouques — — } 68	fig. 2. 748	Brown — — 577
23. Le Pic verd — — 7 P. viridis, Lin. 175.	371. 879	Green — — ibid.
24. Le P. verd de Bengale — — 23 P. Bengalenis, Lin. 175.	695	Bengal — — 580
25. Palalaca, ou P. verd tacheté } des Philippines — — } 21	691	Variety B. — — 581
26. Le P. verd de Goa — — 22	696	Goa — — 582
27. Le Goertan, ou P. verd du } Senegal — — } 25	320	Crimson-rumped — — 583
28. Le petit P. rayé du Senegal — ibid.	2. 345	Gold-backed — — 584
29. Le P. à grise tête du Cap de } Bonne Esperance — — } 26	2. 786	Cape — — 586
30. Le P. rayé de St. Domingue — 27	281	Rayed — — 587
31. Le meme — — ibid.	614	Variety A. — — 588
32. Le petit P. olive de St. Do- } mingue — — } 29	—	Passerine — — ibid.
P. passerinus, Lin. 174.		
33. Le grand P. rayé de Cayenne — 30	719	Gold-crested — — 589

HIST. D'OIS.	PL. ENL.	LATHAM.
34. Le petit P. rayé de <i>Cayenne</i> , VII. 31	N° 613	<i>Cayenne</i> — — II. 590
35. Le P. jaune de <i>Cayenne</i> — — 32	509	Yellow — — 591
36. Le P. mordoré — — 34	male 524	Ferruginous — — 592
37. Le P. à cravate noir — — 35	863	Black-breasted — — 593
38. Le P. roux — — 36	fig. 1. 694	Rufous — — 594
39. Le petit P. à gorge jaune — — 37	784	Yellow-headed — — 595
40. Le tres petit P. de <i>Cayenne</i> ibid.	1. 786	Minute — — 596
41. Le P. aux ailes dorées — — 39	693	Gold-winged — — 597
<i>P. auratus</i> , <i>Lin.</i> 174.		

** TRIDACTYLOUS.

42. L'Epeiche, ou P. varié ondé — 78	553	Southern three-toed — 601
--------------------------------------	-----	---------------------------

XXI. ALCEDO, LIN. SYST. LXII. N° 15.

JACAMAR, GEN. BIRDS, XXII.

1. Le Jacamar — — VII. 220	N° 238	Green — — II. 603
<i>Alcedo galbula</i> , <i>Lin.</i> 182.		
2. ——— à longue queue 222	271	Paradise — — 605
<i>Alcedo paradisea</i> , <i>Lin.</i> 181.		

XXII. ALCEDO, LIN. SYST. LXII.

KINGFISHER, GEN. BIRDS, XXIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le plus grand Martin } VII. 181	N° 663	Great brown, K.F. II. 609
pefcheur — — }		
2. Le M. P. à gros bec — — 184	590	Cape — — 610
<i>Alcedo capensis</i> , <i>Lin.</i> 180.		
3. M. P. huppé — — 188	679	Var. A. — — 612
4. M. P. pie — — 185	716	Black and white.
<i>A. rudis</i> , <i>Lin.</i> 181.		
5. M. P. bleu et roux — — 182	232	Great <i>Gambia</i> — — 616
<i>A. fmyrenensis</i> , <i>Lin.</i> 181.		
6. M. P. de la côte de <i>Malabar</i> —	894	Great <i>Bengal</i> — — ibid.
		7. M. P.

HIST. D'OIS.	PL. ENL.	LATHAM.
7. M. P. à tête et cou } VII. 190 couleur de paille —	757	White-headed — II. 617
8. M. P. crabier — — 183	334	Crab-eating — — 618
9. M. P. à tête grife — — 194 A. senegalensis, Lin. 180.	594	Variety A. — — ibid.
10. M. P. bleu & noir du Senegal ibid.	fig. 1. 356	Variety C. — — 619
11. M. P. à tête verte — — 190	783	Green-headed — — 620
12. M. P. à collier blanc — — 192	—	Variety D. — — 623
13. M. P. à coiffe noir — — 189	673	Black-capped — — 624
14. Le M. P. en l'Alcyon — — 164 A. ispida, Lin. 179.	77	Common — — 625
15. Le Baboucard — — 193	—	Variety A. — — 628
16. M. P. à front jaune — — 195 A. erithaca, Lin. 179.	—	Red-headed — — 629
17. M. P. pourpré — — 199	2. 778	Purple — — 630
18. M. P. roux — — ibid. A. madagascariensis, Lin. 179.	1. 778	Rufous — — ibid.
19. M. P. à tête bleue — — 198	356	Blue-headed — — 631
20. M. P. de Bengal — — 201	—	Indian — — ibid.
21. Le Vintri — — 205 A. cristata, Lin. 178.	1. 756	Crested — — 632
22. M. P. à longs brins — — 196 A. dea, Lin. 181.	116	Ternate — — 634
23. Le Taparara — — 207	—	Cayenne — — 635
24. L'Alatli — — 208 A. torquata, Lin. 180.	284	Cinereous — — 636
25. Le jaguacati — — 210 A. alcyon, Lin. 180.	—	Belted — — 637
A. Le même — — —	593	Variety B. — — 639
B. Le même — — ibid.	—	Variety C. — — ibid.
C. M. P. de la Louisiane — — —	715	Variety A. — — 637
26. Le Matuiti — — 212	—	Brazilian spotted — — 640
27. M. P. vert et roux — — 215	592	Rufous and green — — ibid.
28. M. P. vert et blanc de Cayenne — — 216	591	White and green — — 641
29. Le Gip-gip — — 217	—	Brazilian — — ibid.
30. M. P. vert et orange — — 218 A. superciliosa, Lin. 179.	fig. 2. 3. 756	Supercilious — — 643
31. M. P. à bec blanc — — 200	—	White-billed — — 644

XXIII. SITT A, LIN. SYST. LX.

NUTHATCH, GEN. BIRDS, XXIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Sittelle, ou le Torche-pot, V. 460 <i>Sitta europæa</i> , Lin. 177.	fig. 1. 623	<i>European</i> , N. H. — II. 648
2. La petite Sittelle — — 470	—	Variety A. — — 650
3. La Sittelle à tête noire — 473	—	Variety B. — — <i>ibid.</i>
4. La petite Sittelle à tête brune 474	—	Variety C. — — 651
5. La Sittelle de <i>Canada</i> — — 471 <i>S. canadensis</i> , Lin. 177.	2. 623	<i>Canada</i> — — <i>ibid.</i>
6. La S. à huppe noir — — 472 <i>S. jamaicensis</i> , Lin. 178.	—	<i>Jamaica</i> — — 652
7. La petite S. à huppe noir — 473	—	Variety A. — — 653
8. La grande S. à bec crochu — 475	—	Great — — <i>ibid.</i>
9. La S. Grivelée — — 476	—	Spotted — — 654

XXIV. T O D U S. LIN. SYST. LXI.

T O D Y, GEN. BIRDS, XXV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Todier de L'Amer. } Septentr. — — } VII. 225 <i>Todus viridis</i> , Lin. 178.	fig. 1. 2. 585	Green T. — — II. 657
2. Le Tic-Tic, ou Le T. de } l'Am. Merid. — — } 227 <i>T. cinereus</i> , Lin. 178.	3. 585	Cinereous — — 658
3. Le T. bleu à ventre orangé — 229	783	Blue — — 659
4. Le T. varié — — <i>ibid.</i>	—	Variegated — — <i>ibid.</i>
5. Le Roi des Gobe mouches, IV. 552	289	King — — 662

XXV. MEROPS,

XXV. MEROPS, LIN. SYST. LXIII.

BEE-EATER, GEN. BIRDS, XXVI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Guépier — — VI. 480 <i>Merops apiaffer</i> , Lin. 182.	N° 938	Common, B. E. II. 667
2. Le G. vert à gorge bleue — 497 <i>M. viridis</i> , Lin. 182.	740	Indian — — 670
3. L'Idérocephale — — 510 <i>M. congner</i> , Lin. 183.	—	Yellow-headed — 672
4. La Patarich — — 495 <i>M. superciliosus</i> , Lin. 183.	259	Supercilious — — 673
5. Le G. vert à queue azure — 404 <i>M. Philippinus</i> , Lin. 183.	57	Philippine — — 674
6. Le G. à tête grise — — 491 <i>M. cinereus</i> , Lin. 183.	—	Cinereous — — 675
7. Le G. à tête jaune et blanche 490	—	Yellow — — 676
8. Le Merops rouge et bleu — 479	—	Brazilian — — ibid.
9. Le G. Marron et bleu — 493	252	Chestnut — — 677
10. Le G. Marron et bleu de } <i>Senegal</i> — — } 494	314	Variety A. — — 678
11. Le grand G. vert et bleu à } gorge jaune — — } 502	—	Yellow-throated — ibid.
12. Le petit G. — à } queue etagée — — } 503	—	Angola — — 679
13. Le G. à tête rouge — — 508	—	Red-headed — — ibid.
14. Le G. rouge à tête bleue — 506	649	Blue-headed — — 680
15. Le G. rouge et vert de <i>Senegal</i> 507	318	Red-winged — — 681
16. Le G. vert à ailes et queue } rouges — — } 509	454	Cayenne — — ibid.
17. Le Fournier — — 476	739	Rufous — — 682
18. Le Polochion — — 477	—	Molucca — — 684

XXVI. UPUPA, LIN. SYST. LXIV.

HOOPOE, GEN. BIRDS, XXVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Hupe, ou Puput — VI. 439 <i>Upupa epops, Lin. 183.</i>	N° 52	Common H. — II. 687
2. La H. noire et blanche du } Cap de <i>Bonne Esperance</i> — } 463	697	<i>Madagascar</i> — — 690
3. Le Promerupe — — 465 <i>Up. paradisea, Lin. 184.</i>	—	Crested Promerops — 691
4. Le Promer. à ailes bleues — 467	—	<i>Mexican Pr.</i> — — <i>ibid.</i>
5. Le Promer. brun à ventre } tacheté — — } 469	637	Cape Pr. — — 692
<i>Up. promerops, Lin. 183.</i>		
6. Le Promer. brun à ventre rayé 471	638	<i>New Guinea brown Pr.</i> 694
7. Le Grand Prom. à paremens } frisés — — } 472	639	Grand Pr. — — 695
8. Le Promer. orangé — — 474	—	Orange Pr. — — 697
A. — la femelle — — <i>ibid.</i>	—	Yellow, Var. A. — <i>ibid.</i>

XXVII. CERTHIA, LIN. SYST. XLV.

CREEPER, GEN. BIRDS, XXVIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Grimpereau — — V. 481. <i>Certhia familiaris, Lin. 184.</i>	<i>fig. 1. 681</i>	Common C. — II. 701
2. Le Grand Gr. — — 486	—	Great, Var. A. — 702
3. Le Soui manga — — 495	—	Violet — — 705
4. Le S. M. marron pourpre à } poitrine rouge — — } 497 <i>C. sperata, Lin. 186.</i>	1. 2. 246	Red-breasted — — 706
5. S. M. brun et blanc — — 498 <i>C. pusilla, Lin. 185.</i>	—	Variety A. — — 707
6. S. M. à gorge violet, et } poitrine rouge — — } 499	—	Variety B. — — 708
7. Le S. M. violet à poitrine } rouge — — } 500 <i>C. senegalensis, Lin. 186.</i>	—	<i>Senegal</i> — — 709

HIST. D'OIS.	PL. ENL.	LATHAM.
8. Le S. M. à collier — — V. 502	fig. 3. 246	Collared — — II. 709
C. chalybea, Lin. 186.		
9. Le Gr. des <i>Philippines</i> — —	1. 576	<i>Philippine</i> — — 711
C. zeylonica, Lin. 188.		
10. Le S. M. olive à gorge pourpre 506	4. 576	Ceylonefe — — 712
11. Le S. M. olive à gorge pour- } pre, fem. — — } 507	1. 575	Olive — — 713
12. Le Gr. grise des <i>Philippines</i> — 508	2. 576	Grey — — 714
C. currucaria, Lin. 185.		
13. Le petit Gr. des <i>Philippines</i> — 509	3. 576	Variety A. — — ibid.
C. jugularis, Lin. 185.		
14. L'Angala Dian — — 510	2. 3. 575	LOTEN'S — — 715
C. LOTENIA, Lin. 188.		
15. Le S. M. des toutes couleurs 513	—	Green gold — — 716
16. Le S. M. vert à gorge rouge 514	—	<i>African</i> — — 717
C. Afra, Lin. 186.		
17. Le S. M. à longue queue } et à capuchon violet — } 517	2. 670	Violet-headed — — 718
C. violacea, Lin. 188.		
18. Le S. M. vert doré changeant 519	1. 670	Beautiful — — 719
C. pulchella, Lin. 187.		
19. Le grand S. M. vert à longue } queue — — } 521	1. 83	Famous — — 720
C. famosa, Lin. 187.		
20. L'Oiseau rouge à bec de } Grimpereau — — } 522	—	Red — — 721
Trochilus coccineus, Lin. ed. 6.		
21. Le Gr. rouge à tête noire — 524	—	Variety A. — — 722
22. L'Oiseau brun à bec de Grimp. 525	3. 578	Green-faced — — 723
C. gutturalis, Lin. 186.		
23. L'Oiseau pourpré à bec de } Grimp. — — } 526	—	Purple — — ibid.
24. Le Guit-guit noir & bleu — 529	2. 83	Black and blue — 724
C. cyanea, Lin. 188.		
25. Variété de Guit-guit noir et } bleu — — } 531	—	Blue — — 725
C. cærulea, Lin. 185.		
26. Le G. G. vert et bleu à tête } noire — — } 534	—	Black-headed — — 726
C. spiza, Lin. 186.		
27. Le G. G. ———— Var. 1. — 535	2. 578	Var. A. black-capped 727
28. Le G. G. vert et bleu à gorge } blanche — — } 536	1. 578	Blue-headed — — ibid.
29. Le G. G. tout vert — — 527	1. 682	Var. C.; all green — 728

HIST. D'OIS.	PL. ENL.	LATHAM.
30. Le G. G. vert tacheté — V. 538 C. Cayana, <i>Lin.</i> 186.	fig. 2. 682	Cayenne — — II. 728
31. Le G. G. varié — — 540	—	Variegated — — 729
32. Le G. G. noir et violet — 541	—	Black and violet — 730
33. Le Grimpereau de Muraille 482 C. muraria, <i>Lin.</i> 184.	372	Wall — — ibid.
34. Le S. M. rouge noir et blanc 514 C. cruentata, <i>Lin.</i> 187.	—	Red-spotted — — 736
35. Le S. M. de l'Île de Bourbon 516	2. 681	Yellow-rumped — ibid.
36. Le Sucrier — — 542 C. flaveola, <i>Lin.</i> 187.	—	Black and yellow — 737

XXVIII. TROCHILUS, LIN. SYST. LXVI.
 HONEYSUCKER, GEN. BIRDS, XXIX.
 HUMMING BIRD, LATHAM.

* WITH CURVED BILLS.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Colibri huppé — — VI. 54 Trochilus paradisea, <i>Lin.</i> 189.	—	Paradise, H. S. — II. 745
2. Le C. dit le Topaze — — 46 Tr. pella, <i>Lin.</i> 189.	fig. 1. 599	Topaz — — 746
3. Le Brin blanc — — 49 Tr. superciliosus, <i>Lin.</i> 189.	3. 600	Supercilious — — 747
4. L'Oiseau mouche à longue queue — — } 39 Tr. polytmus, <i>Lin.</i> 189.	—	Black-capped — — 748
5. Le Brin bleu — — 51	—	Blue-tailed — — 749
6. L'O. M. à l. q. ou vert et bleu 38 Tr. forficatus, <i>Lin.</i> 190.	—	Fork-tailed — — 750
7. L'O. M. à queue fourchue — 37	—	Leffer fork-tail — 751
8. L'O. M. à longue queue } 36 couleur d'acier brune — }	—	Cayenne fork-tail — ibid.
9. Le Colibri à gorge carmin — 56 Tr. jugularis, <i>Lin.</i> 190.	—	Red-breasted — — 753
10. Le C. à queue violette — — 55	2. 671	Violet-tailed — — 754
11. Le C. vert et noir — — 53 Tr. holosericeus, <i>Lin.</i> 191.	—	Black-bellied — ibid.
12. Le Zitzil, ou Colibri piqueté 50	—	Spotted — — 755

HIST. D'OIS.	PL. ENL.	LATHAM.
13. Le C. à cravate verte — VI. 56	fig. 1. 671	Green-throated — II. 755
14. Le Colibri violet — — 57	2. 600	Violet — — 756
15. La hausse Col. verte — — 58	—	Black-breasted — <i>ibid.</i>
16. Le Collier rouge — — 59	4. 600	White-tailed — — 757
Tr. leucurus, <i>Lin.</i> 190.		
17. Le Plastron noir — — 59	2. 3. 680	Mango — — 758
Tr. mango, <i>Lin.</i> 191.		
18. Le Colibri à ventre rouffatre — 63	—	Rufous-bellied — — 760
19. Le Plastron blanc — — 61	1. 680	Grey-necked — — 761
20. Le C. bleu — — <i>ibid.</i>	—	Crimson-headed blue — 762
21. Le vert Perlé — — 62	—	<i>St. Domingo</i> — — <i>ibid.</i>
T. Dominicus, <i>Lin.</i> 191.		
22. Le petit Colibri — — 64	1. 600	Admirable — — 763
Tr. thaumantias, <i>Lin.</i> 195.		

* * WITH STRAIT BILLS.

23. L'Oiseau mouche à larges } tuyaux — — }	35	2. 672	Broad-shafted — — 765
24. L'O. M. à collier dit la Ja- } cobine — — }	34	2. 640	White-billed — — <i>ibid.</i>
Tr. mellivorus, <i>Lin.</i> 193.			
25. L'Émeraude améthyste — — 27		3. 227	Green and blue — — 766
Tr. ouriffia, <i>Lin.</i> 191.			
26. L'O. mouche à oreilles — — 32		—	Violet-eared — — 767
27. Le Rubis Émeraude — — 31		4. 276	Ruby-throated — — 768
28. Le Rubis — — 13		—	Red-throated — — 769
Tr. colobris, <i>Lin.</i> 191.			
29. L'O. M. à gorge tacheté — 31		2. 276	Spotted-necked — — 772
30. Le vert doré — — 29		3. 276	<i>Cayenne</i> — — 773
Tr. mellifugus, <i>Lin.</i> 192.			
31. Le Saphir — — 26		—	Sapphire — — 775
32. Le Saphir-émeraude — — <i>ibid.</i>		—	Saph-emerald — — 775
33. La cravate dorée — — 25		3. 672	Gold-throated — — 777
34. L'O. M. pourpré — — 24		—	Little brown — — 778
Tr. ruber, <i>Lin.</i> 193.			
35. Le Rubis-topaze — — 19		2. 227	Ruby-necked — — 779
Tr. mosquitos, <i>Lin.</i> 192.			
36. L'O. M. à gorge topaze — —		1. 640	Ruby-crested — — 780
T. elatus, <i>Lin.</i> 192.			
37. L'Éscarboucle — — 28		—	Carbuncle — — 782
38. L'O. M. à raquettes — — 23		—	Racket-tailed — — 783
39. L'O. M. hupé — — 22		1. 227	Crested-green — <i>ibid.</i>
Tr. cristatus, <i>Lin.</i> 192.			

HIST. D'OIS.	PL. ENL.	LATHAM.
40. L'hupe Col. — — VI. 18	fig. 3. 640	Tufted-neck — II. 784
41. L'Orvert — — — 17	—	All-green — — 786
42. L'Amethyste — — — 16	1. 672	Amethystine — — 787
43. Le plus petit Oiseau mouche — 11	1. 11	Least — — 788
<i>Tr. minimus, Lin. 193.</i>		

ORDER III. Gallinaceous.

XXIX. PHASIANUS, LIN. SYST. CI. N° I.

COCK, GEN. BIRDS, XXX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Coq commun — — II. 116	N° 1	Domestic Cock IV. 700
Phasianus gallus, <i>Lin. 270.</i>		
A. Le Coq huppé — — 116	49	Crested — — 703
Ph. G. cristatus, <i>Lin. 270.</i>		
B. Le C. à cinq doigts — — 124	—	Darking — — ibid.
C. Le C. frisé — — 121	—	Frizzled — — 704
Ph. G. crispus, <i>Lin. 271.</i>		
D. Le C. sans croupion, ou de } 122	—	Rumplefs — — 705
<i>Perse</i> — — }		
Ph. G. ecaudatus, <i>Lin. 271.</i>		
E. Le C. nain — — 118	—	Dwarf — — ibid.
Ph. G. pusillus, <i>Lin. 271.</i>		
F. Le C. de <i>Bantam</i> — — 119	—	<i>Bantam</i> — — 706
G. Le C. de <i>Turquie</i> — — 120	—	<i>Turkish</i> — — 707
H. Le C. de <i>Caux</i> , ou de <i>Padoue</i> 125	—	<i>Paduan</i> — — ibid.
I. Le C. Negre, ou de <i>Mozam-</i> } 122	—	Negro — — 708
<i>bique</i> — — }		
Ph. G. morio, <i>Lin. 271.</i>		
K. Le Poule à duvet — — 121	98	Silky — — ibid.
Ph. G. lanatus, <i>Lin. 271.</i>		

XXX. MELEA-

XXX. MELEAGRIS, LIN. SYST. XCIX.

TURKEY, GEN. BIRDS, XXXI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Dindon fauvage — II. 148 <i>Meleagris gallopavo, Lin. 268.</i>	—	<i>American T.</i> — IV. 676
A. — domestique — 132	N° 97	Domestic — — ibid.
2. Le Napaul, ou Faïfan cornu 362 <i>M. satyra, Lin. 269.</i>	—	Horned — — 680
3. Le Yacou — — 387	—	Yacou — — 681

XXXI. NUMIDA, LIN. SYST. CII.

PINTADO, GEN. BIRDS, XXXII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Peintade — — II. 163 <i>Numida meleagris, Lin. 273.</i>	N° 108	<i>Guinea P.</i> — IV. 685

XXXII. CRAX, LIN. SYST. C.

CURASSO, GEN. BIRDS, XXXIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Hocco de la <i>Guiane</i> — II. 373 <i>Crax alector, Lin. 269.</i>	N° 86	Crested C. male, IV. 690
A. Hocco Faïfan de <i>Perou</i> — 375 <i>Cr. rubra, Lin. 270.</i>	123	— fem. — 693
2. Le Hocco de <i>Mexique</i> — 348 <i>Cr. pauxi, Lin. 270.</i>	78	Cufhew — — 696
3. Le Chacamel — — 394	—	Crying — — ibid.

XXXIII. PAVO,

XXXIII. PAVO, LIN. SYST. XCVIII.

PEACOCK, GEN. BIRDS, XXXIV.

HIST. D'OIS.		PL. ENL.	LATHAM.
1. Le Paon —	II. 288	433, 434	Crested P. — IV. 668
Pavo cristatus, Lin. 267.			
A. Le Paon panaché —	— 327	—	Variegated — — 671
B. Le Paon blanc —	— 323	—	White — — 672
2. Le Spicifère —	— 366	—	Japan — — ibid.
P. muticus, Lin. 268.			
3. L'Eperonnier —	— 368	492, 493	Iris — — 673
P. bicalcaratus, Lin. 268.			
4. Le Chinois —	— 365	—	Thibet — — 675
P. tibetanus, Lin. 268.			

XXXIV. PHASIANUS, LIN. SYST. CI.

PHEASANT, GEN. BIRDS, XXXV.

HIST. D'OIS.		PL. ENL.	LATHAM.
1. L'Argus, ou le Luen —	II. 361	—	Argus Ph. — IV. 710
Ph. argus, Lin. 272.			
2. Le Faïfan —	— 328	121, 122	Common — — 712
Ph. colchicus, Lin. 271.			
3. Le F. varié —	— 352	—	Ring Ph. — — 716
A. Le Coquar —	— 353	—	Hibridal — — ibid.
B. — —	— 160	—	Turkey — — 717
4. Le F. doré de la Chine —	— 355	217	Painted — — ibid.
Ph. pictus, Lin. 272.			
6. Le F. noir et blanc de la Chine —	— 359	123, 124	Pencilled — — 719
Ph. nycthemerus, Lin. 272.			
7. L'Hoazin —	— 385	337	Crested — — 720
8. Le Katraca —	— 364	146	Motmot Ph. — — 721
Ph. motmot, Lin. 270.			
9. Le Parraka —	— 394	—	Parraka — — 722
10. L'Hoitlallotl —	— 395	—	Courier — — 723

XXXV. TINA-

XXXV. TINAMOU, LATHAM GEN. LII. Vol. IV.

This Genus ought to follow the Pheasant in my GENERA of BIRDS. We owe the distinction to Mr. *Latham*.

The characters are as follow :

BILL long, and blunt at the end.

NOSTRILS placed in the middle.

GAPE wide.

SIDES of the head and throat thinly feathered.

TAIL very short, and often hid in its coverts.

HIND TOE very short; and useless in walking. CLAWS hollow beneath.

Inhabits the upper parts of *South America*, such as *Guiana* and *Cayenne*.

This Genus comprehends four Species, viz.

HIST. D'OIS.			PL. ENL.	LATHAM.		
1. Le Magoua	—	IV. 507	N° 476	Great T.	—	IV. 724
2. Le Tinamou cendré	—	— 510	—	Cinereous	—	— 726
3. Le Tinamou varié	—	— 511	828	Variegated	—	— 726
4. Le Soui	—	— 512	829	Little	—	— 727

XXXVI. TETRAO, LIN. SYST. CIII.

GROUS, GEN. BIRDS, XXXVI.

HIST. D'OIS.			PL. ENL.	LATHAM.	
1. Le Coq de Bruyère, ou le Tetras	—	} II. 191	Nos 73, 74	Wood Grouse	— IV. 729
Tetrao urogallus, Lin. 273.					
2. Le Coq de Bruyère, ou le petit Tetras	—	} 210	172, 173	Black	— — 733
F. tetrix, Lin. 272.					
3. Le Gelinote du Canada	—	279	131, 132	Spotted	— — 735
T. canadensis, Lin. 274.					
4. La grosse Gel. de Canada	—	281	—	Shoulder-knot	— 737
T. togatus, Lin. 275.					
5. Le Coq de Bruyère à fraise	—	ibid.	—	Ruffed	— — 738
T. umbellus, Lin. 275.					
6. Le Lagopède	—	264	129. 494	Ptarmigan	— — 741
T. lagopus, Lin. 274.					
			F		7. Le

HIST. D'OIS.	PL. ENL.	LATHAM.
7. Le L. de la Baye de <i>Hudson</i> II. 276	—	White Grouse — IV. 743
8. La Gelinote — — 233	N° 475	Hazel — — 744
9. L'Attagas — — 252	—	Red — — 746
10. Le Ganga — — 244	—	Pin-tailed — — 748
T. alchata, <i>Lin.</i> 276.		
11. La Gelinote de <i>Senegal</i> — —	130	Variety A. — — 749
T. senegallus, <i>Lin. Mantiff.</i> 526.		

XXXVII. TETRAO, LIN. SYST. CIII. N° 12.

PARTRIDGE, GEN. BIRDS, XXXVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Bis-ergot — — II. 443	N° 137	<i>Senegal</i> P. — IV. 757
Tetrao bicalcaratus, <i>Lin.</i> 277.		
2. Le gorge-nue — — 444	—	Bare-necked — — 759
3. Le Francolin — — 438	147, 148	Francolin — — <i>ibid.</i>
T. francolinus, <i>Lin.</i> 275.		
4. Le Perdrix grise — — 401	27	Common — — 762
T. perdrix, <i>Lin.</i> 277.		
5. La P. grise blanche — — 415	—	Variety A. — — 763
6. La petite P. grise — — 417	—	<i>Damascus</i> — — 764
7. La P. de Montagne — — 419	136	Mountain — — 765
8. La Bartavelle — — 420	231	<i>Greek</i> — — 767
T. rufus, <i>Lin.</i> 276.		
9. La Perdrix rouge — — 431	150	<i>Guernsey</i> , Var. A. — 768
T. rufus, <i>Lin.</i> 276.		
10. La P. rouge de <i>Barbarie</i> — 445	—	<i>Barbary</i> , Var. B. — 770
11. La P. rouge d' <i>Afrique</i> — 444	180	Red-necked — — 771
12. La P. de Roche, ou de <i>Gambia</i> 446	—	Rufous-breasted — <i>ibid.</i>
13. La P. perlée de la <i>Chine</i> — 446	—	Pearled — — 772
14. Oococolin — — 489	—	<i>Mexican</i> — — 775
15. Le Tocco, ou P. del a <i>Guiane</i> IV. 513	—	<i>Guiana</i> — — 776
16. La P. de la <i>Nouv. Angleterre</i> II. 447	—	<i>Maryland</i> — — 778
T. marilaudus, <i>Lin.</i> 277.		
17. La Caille — — 449	—	Common Quail — 779
T. coturnix, <i>Lin.</i> 278.		
18. Le Chrokiel, ou grande } 476	—	Variety A. — — 781
Caille de <i>Pologne</i> — — }		
19. La Fraïse, ou Caille de la } 478	126	<i>Chinese</i> Q. — — 783
<i>Chine</i> — — }		
T. Chinenfis, <i>Lin.</i> 277.		

HIST. D'OIS.	PL. ENL.	LATHAM.
20. Le Zonecolin — — II. 485	N° 126	Crested Q. — IV. 784
T. cristatus, Lin. 277.		
21. La Caille de la <i>Louisiame</i> — 487	149	<i>Louisiame</i> Q. — — 785
T. mexicanus, Lin. 277.		
22. La C. des Îles <i>Malouines</i> — 477	222	<i>Malouine</i> Q. — — 786
23. Le grand Colin — — 485	—	<i>Mexican</i> Q. — — ibid.
24. Le Coyolcos — — 486	—	Lesser <i>Mexican</i> Q. — ibid.
25. Le reveil Matin, ou la Caille } de Java — — } 479	—	Noisy Q. — — 787
26. Le Cacolin — — 486		
27. Le Colenicui — — 487	149	<i>Louisiame</i> Q. — 785
28. La Caille de <i>Madagascar</i> — 479	171	Black-necked Q. — 791

XXXVIII. PSOPHIA, LIN. SYST. XCIV.

TRUMPETER, GEN. BIRDS, XXXVIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Agami — — IV. 487	N° 169	Gold-breasted } Trumpeter — } IV. 793
<i>Psophia crepitans</i> , Lin. 263.		

XXXIX. OTIS, LIN. SYST. XCV.

BUSTARD, GEN. BIRDS, XXXIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Outarde — — II. 1	N° 245	Great Bustard — IV. 796
<i>Otis tarda</i> , Lin. 264.		
2. La petite Outarde, ou Canne- } petiere — — — } 40	10. 25	Little — — 799
<i>O. tetrax</i> , Lin. 264.		
3. Le Lohong, ou l'Outarde } huppé d'Arabie — — } 52	—	<i>Arabian</i> — — 801
<i>O. arabs</i> , Lin. 264.		
4. Le Churge, ou l'Outarde } moyenne des Indes — — } 56	—	<i>Indian</i> — — 804
5. Le Houbara, ou petite Ou- } tarde huppé d'Afrique — — } 59	—	Ruffed — — 805
	F 2	6. Le

HIST. D'OIS.	PL. ENL.	LATHAM.
6. Le Rhaad — — II. 61	—	Rhaad — — IV. 805
7. Le grand Pluvier <i>appelé</i> } <i>vulgairement</i> courly de } VIII. 105	N° 919	Thick-knee'd — — 806
Terre — —		
Charadrius ædicnemus, Lin. 255.		

ORDER IV. Columbine.

XL. COLUMBA, LIN. SYST. CIV.

PIGEON, GEN. BIRDS, XL.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Bifet — — II. 498	N° 500	Stock P. Var. A. IV. 605
Columba œnas, Lin. 279.		
A. Le Pigeon commun — — 501	466	
B. Le Pigeon nonain — tab. XIX.	fig. 1.	Jacobine, Var. H. — 610
C. Le P. frisé — — 519	—	Laced, Var. I. — ibid.
D. Le P. à cravate — — 513	—	Turbet, Var. K. — 611
E. Le P. paon — — 512	—	Shaker, Var. L. — ibid.
F. Le P. culbutant — — 517	—	Tumbler, Var. M. — 612
G. Le P. cuirassé — — 515	—	Helmet, Var. N. — ibid.
H. Le P. à grosse gorge — — 507	—	Pouter, Var. Q. — 613
2. Le P. violet de <i>Martinique</i> — 525	162	<i>Martinico</i> — — 618
C. Martinica, Lin. 283.		
3. Le P. roux de <i>Cayenne</i> — — ibid.	141	Var. A. — ibid.
4. Le P. de la <i>Jamaïque</i> — — 529	—	White-bellied — — 619
C. jamaicensis, Lin. 283.		
5. Gros P. couronné des <i>Indes</i> — 542	118	Great-crowned — — 620
C. coronata, Lin. 282.		
6. Le P. verd des <i>Philippines</i> — 528	138	Parrot — — 629
C. vernans, Lin. Mantiss. 526.		
7. Le P. verd d' <i>Amboine</i> — — ibid.	163	Aromatic — — 631
8. Le P. verd de l' <i>Île de St.</i> } <i>Thomas</i> — — } ibid.	—	St. Thomas's — — ibid.
9. Le P. du <i>Mexique</i> — — 525	—	<i>Mexican</i> — — 633
10. Le P. sauvage de <i>Mexique</i> — — ibid.	—	Black-spotted — — ibid.

HIST. D'OIS.		PL. ENL.	LATHAM.
11. Le P. de montagne de } <i>Mexique</i> — —	II. 525	—	White-shouldered, IV. 634
12. Le P. bleu du <i>Mexique</i> — —	ibid.	—	Blue — — ibid.
13. Le P. ramier — —	531	N° 316	Ring Pigeon — — 635
<i>C. palumbus, Lin. 282.</i>			
14. Le P. ramier des <i>Moluques</i> — —	538	164	Nutmeg — — 636
<i>C. ænea, Lin. 283.</i>			
15. Le P. de <i>Guinée</i> — —	538	—	Triangularly-spotted 639
<i>C. Guinea, Lin. 282.</i>			
16. Le P. à queue annelée de la } <i>Jamaïque</i> — —	539	—	Ring-tailed — — 639
17. Le Founingo — —	ibid.	11	<i>Madagascar</i> — — 640
<i>C. Madagascariensis, Lin. 283.</i>			
18. Le P. ramier verd de <i>Mada-</i> } <i>gascar</i> — —	340	111	Var. A. — — 641
<i>C. australis, Lin. Mantiff. 526.</i>			
19. Le P. de <i>Nincombar</i> — —	541	491	<i>Nincombar</i> — — 642
<i>C. Nicobarica, Lin. 283.</i>			
20. Le Ramiret — —	ibid.	213	Scallop-necked — 643
21. La Tourterelle — —	545	394	Common Turtle — 644
<i>C. turtur, Lin. 284.</i>			
22. Le T. de <i>Portugal</i> — —	556	—	<i>Portugal</i> T. Var. B. 646
23. La T. à collier — —	550	244	Collared T. — — 648
<i>C. risoria, Lin. 285.</i>			
24. La T. rayée de la <i>Chine</i> — —	556	—	Striated T. — — 650
<i>C. Sinica, Lin. 284.</i>			
25. La T. rayée des <i>Indes</i> — —	557	—	Barred T. — — ibid.
<i>C. striata, Lin. 282.</i>			
26. La T. de la <i>Jamaïque</i> — —	558	—	Blue-headed T. — 651
<i>C. cyanocephala, Lin. 282.</i>			
27. La T. verte d' <i>Amboine</i> — —	555	142	Green T. — — 653
<i>C. viridis, Lin. 283.</i>			
28. Turvert — — 2de Esp. — —	ibid.	214	Black-capped T. — 654
29. Le Turvert — — 3d Esp. — —	556	177	<i>Javan</i> T. — — ibid.
30. La Tourterelle à gorge ta- } chetée du <i>Senegal</i> — —	552	—	<i>Senegal</i> T. — — 655
<i>C. senegalensis, Lin. 283.</i>			
31. La T. à collier du <i>Senegal</i> — —	553	161	Collared <i>Senegal</i> T. — 656
32. La T. du <i>Senegal</i> — —	ibid.	160	<i>African</i> T. — — ibid.
<i>C. afra, Lin. 284.</i>			
33. La T. de <i>Canada</i> — —	552	176	<i>Canada</i> T. — — 658
<i>C. canadensis, Lin. 284.</i>			
34. Le Cocotzin — —	559	m. et f. 243	Ground T. — — 659
<i>C. passerina, Lin. 285.</i>			

* * WITH LONG TAILS.

HIST. D'OIS.	PL. ENL.	LATHAM.
36. Pigeon de Passage — — II. 527	—	Paffenger — — IV. 661
<i>C. migratoria</i> , <i>Lin.</i> 285.		
37. La Tourte — — 557	N° 175	<i>Carolina</i> — — 663
<i>C. carolinensis</i> , <i>Lin.</i> 286.		
38. La T. d' <i>Amerique</i> — — 552	—	Marginated — — 664
<i>C. marginata</i> , <i>Lin.</i> 286.		
39. La T. d' <i>Amboine</i> — — 557	—	<i>Amboina</i> — — 665
<i>C. amboinensis</i> , <i>Lin.</i> 286.		
40. La Tourtelette — — 554	140	Cape — — 666
<i>C. capensis</i> , <i>Lin.</i> 286.		
41. Le Tourocco — — 553	329	Great-tailed — — 667

ORDER V. Pafferine.

XLI. STURNUS, LIN. SYST. CVI.

STARE, GEN. BIRDS, XLI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Etourneau — — III. 176	N° 75	Common Stare — III. 2
<i>Sturnus vulgaris</i> , <i>Lin.</i> 290.		
2. ——— à tête blanche — 189	—	Pied, Var. B. — — 4
3. ——— du Cap de Bonne } 191	280	Cape — — 5
<i>Esperance</i> — — }		
<i>St. capensis</i> , <i>Lin.</i> 290.		
4. ——— Pie — — 191	—	Contra — — ibid.
<i>St. contra</i> , <i>Lin.</i> 290.		
5. ——— de la <i>Louisiane</i> — 192	256	<i>Louisiane</i> — — 6
<i>St. ludovicianus</i> , <i>Lin.</i> 290.		
6. Le fer à Cheval — — 371	—	Crescent — — ibid.
<i>Alauda magna</i> , <i>Lin.</i> 289.		
7. L'Et. de terres <i>Magellaniques</i> 196	113	<i>Magellanic</i> — — 7
<i>St. militaris</i> , <i>Lin. Mantiff.</i> 527.		
8. Le Tolcana — — 193	—	Brown-headed — — 11
9. Le Cacaftol — — 195	—	<i>Mexican</i> — — 12

XLII. TURDUS,

XLII. TURDUS, LIN. SYST. CVII.

THRUSH, GEN. BIRDS, XLII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Draine — — III. 295 <i>Turdus viscivorus</i> , <i>Lin.</i> 291.	N° 489	Miffel — — III. 16
2. La Grive — — — 280 <i>T. muscus</i> , <i>Lin.</i> 292.	406*	Throstle — — 18
3. ——— de la <i>Guiane</i> — 289	<i>fig.</i> 1. 398	<i>Guiana</i> — — 20
4. Le Grivette d' <i>Amerique</i> — <i>ibid.</i>	—	Little — — <i>ibid.</i>
5. La Grivelette de <i>St. Domingue</i> 317 <i>Motacilla aurocapilla</i> , <i>Lin.</i> 334.	2. 398	Golden-crowned — 21
6. Le Mauvis — — 309 <i>T. iliacus</i> , <i>Lin.</i> 292.	51	Red-wing — — 22
7. La Grive baffeterre de <i>Bar-</i> <i>barie</i> — — } 313	—	<i>Barbary</i> — — 23
8. La Litorne, ou Tourdelle — 301 <i>T. pilaris</i> , <i>Lin.</i> 191.	490†	Fieldfare — — 24
9. ——— de <i>Canada</i> — 307 <i>T. migratorius</i> , <i>Lin.</i> 292.	1. 556	Red-breasted — — 26
10. ——— de <i>Cayenne</i> — 306	515	<i>Cayenne</i> — — 29
11. La Roufferolle — — 293 <i>T. arundinaceus</i> , <i>Lin.</i> 296.	513	Reed — — 32
12. Le Tilly, ou Grive cendrée — 314 <i>T. plumbeus</i> , <i>Lin.</i> 294.	1. 560	Red-legged — — 33
13. Le Baniabhou de <i>Bengale</i> — 379 <i>T. canorus</i> , <i>Lin.</i> 293.	—	Crying — — 35
14. L'Hoamy de la <i>Chine</i> — — 316 <i>T. chinensis</i> , <i>Lin.</i> 295.	—	<i>Chinefe</i> — — 36
15. La petite Grive de la <i>Philippines</i> 316	—	<i>Philippine</i> — — 38
16. Le Moqueur <i>François</i> — — 323 <i>T. rufus</i> , <i>Lin.</i> 293.	645	Ferruginous — — 39
17. Le grand Moqueur — — 325 <i>T. polyglottus</i> , <i>Lin.</i> 293.	1. 558	Mimic — — 40
18. Le Moqueur — — — <i>T. orpheus</i> , <i>Lin.</i> 293.	—	Mocking — — 41
19. Le Merle de <i>St. Domingue</i> — 325 <i>T. dominicus</i> , <i>Lin.</i> 295.	—	<i>St. Domingo</i> — — 42
20. Le Merle — — 330 <i>T. merula</i> , <i>Lin.</i> 295.	ii. 555	Blackbird — — 43
21. ——— brun de la <i>Jamaïque</i> 391	—	White-chinned — — 45

* Mistakenly inscribed *Litorne*.† By mistake *Calandrette*.

HIST. D'OIS.	PL. ENL.	LATHAM.
22. Le Merle à plaitron blanc, III. 340 T. torquatus, Lin. 296.	N ^o 516	Ring ouzel — III. 46
23. Le M. d'Eau — — VIII. 134 Sturnus cinclus, Lin. 290.	940	Water ouzel — — 48
24. Le M. couleur de rose, III. 348 T. roseus, Lin. 294.	251	Rose colored — — 50
25. Le M. bleu — — 355 T. cyanus, Lin. 296.	250	Blue — — 51
26. Le M. solitaire — — 358	—	Solitary — — 52
27. Le M. solitaire de Manille — 363	m. 636. f. 564	Pensive — — 53
28. — des Philippines — — 364	339	Hermit — — 54
29. Le Jaunoir du C. Bonne Es- perance — — — } 366	199	African — — 55
T. morio, Lin. 297.		
30. L'Podobé du Senegal — — 368	354	Rufous-winged — — ibid.
31. Le M. vert d'Angola — — 372 T. nitens, Lin. 294.	561	Shining. Var. A. — 56
32. Le M. vert à longue queue — 369	220	Glossy — — 57
33. Le M. violet de Juida — 373	540	Gilded — — ibid.
34. Le M. violet à ventre blanc de Juida — — — } 401	fig. 1. 648	Whidah — — 58
35. Le M. Dominiquain de Phi- lippines — — — } 396	2. 627	Dominican — — — ibid.
36. Le M. de la Chine — — 368	604	Spectacle — — 61
37. Le Plastron noir de Ceilan — 374 T. zeylonicus, Lin. 297.	272	Ceylon — — 62
38. L'Oranvert — — 377	358	Orange-bellied — — 63
39. L'Oranbleu — — — ibid.	221	Var. A. — — ibid.
40. Le Merle brun de la C. Bonne Esperance — — — } 378	—	White-rumped — — 64
41. L'Ouravang — — 380	2. 557	Cinereous — — ibid.
42. Le Merle des Columbiers — 381	—	Pigeon — — ibid.
43. Le Merle à gorge noire de St. Dominique — — — } 382	559	Black-throated — — 65
44. Le M. olive du C. Bonne Esperance — — — } 381	—	Olive — — 66
T. olivaceus, Lin. 292.		
45. — des Indes — — 384	1. 564	Indian — — — ibid.
46. — cendré des Indes — — 385	—	Ash-coloured — — 67
47. — brun du Senegal — — — ibid.	2. 563	Senegal — — 68
48. Le Tanaombé — — 386	1. 557	Madagascar — — ibid.
49. Le Merle de Mindanao — 387	1. 627	Mindanao — — 69
50. — vert de l'Isle de France — — — } 388	2. 648	Mauritius — — — ibid.

HIST. D'OIS.	PL. ENL.	LATHAM.
51. Le Merle à tête noire du } Cap de Bonne Esperance } III. 388 T. atricapillus, Lin. 295.	N° 392	Black-headed — III. 70
52. Le Brunet du Cap de Bonne } Esperance — — } 390 T. capensis, Lin. 295.	—	Brunet — — ibid.
53. Le Merle à queue jaune — ibid.	317	Var. A. — — 71
54. — hupé du Cap de } Bonne Esperance — — } 393 T. cafer, Lin. 295.	fig. 1. 563	Cape — — 72
55. — d'Amboine — — 394	—	Amboina — — 73
56. — de l'Isle de Bourbon 395	—	Bourbon — — ibid.
57. — des Indes — — 397	2. 273	Ash-rumped — — 74
58. — doré de Madagascar 398	2. 359	Black-cheeked — — 75
59. — olive de St. Domingue 403	1. 273	Hispaniola — — ibid.
60. — de Surinam — — 399	1. 539	Surinam — — 76
T. furinamus, Lin. 297.		
61. Le Palmiste — — 400	—	Palm — — ibid.
T. palmarum, Lin. 295.		
62. Le Moloxita, ou la religieuse } d'Abyssinie — — } ibid.	—	Nun — — 77
63. Le Merle noir et blanc } d'Abyssinie — — } 406	—	Ethiopian — — 78
64. — brun d'Abyssinie — 403	2. 644	Yellow-breasted — ibid.
65. Le Verdin de la Cocbin Chine —	3. 643	Black-chinned — — 79
66. Le Merle à cravate de Cayenne 392	2. 560	Black-breasted — ibid.
67. — roux de Cayenne — 402	1. 644	Rufous — — 80
68. L'Arada — — IV. 480	2. 706	Musician — — ibid.
69. Le Coraya — — 484	1. 701	Barred-tail — — 81
70. L'Alapi de Cayenne — — 485	1. ibid.	White-backed — — 82
71. Le Fourmillier hupé — — 476	—	Black-crested — — 83
72. Le Carrillonneur — — 479	2. 700	Chiming — — ibid.
73. Le Bamea — — ibid.	2. 703	Black-winged — — 84
74. Le Fourmillier à oreilles } blanches — — } 477	822	White-eared — — ibid.
75. Le Colma — — — 85	1. 703	Rufous-naped — — 85
76. Le Tétéma — — — 475	821	Var. A. — — 86
77. Le grand Befroi — — 470	1. 706	Alarum — — ibid.
78. Le petit Befroi — — 472	1. 823	Speckled — — 87
79. Le Palikour, ou Fourmillier 473	1. 700	Ant — — ibid.
80. L'Azurin — — III. 470	355	Blue-tailed — — 88
81. Le Roi des Fourmilliers, IV. 468	702	King — — 89

XLIII. AMPELIS, LIN. SYST. CVIII.

CHATTERER, GEN. BIRDS, XLIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Jaseur de Bohême — III. 429	N° 261	Waxen Ch. — III. 91
A. — de la Caroline — 441	—	Carolina, Var. A. — 93
<i>Ampelis garrulus, Lin. 299.</i>		
2. Le Cordon bleu — IV. 442	188. 186	Purple-breasted — 94
<i>A. cotinga, Lin. 298.</i>		
3. Le Quereiva — — 444	624	Purple-throated — 95
<i>A. cayana, Lin. 298.</i>		
4. Le Terfine — — 446	—	Bluc-breasted — ibid.
<i>A. tarfa, Lin. 298.</i>		
5. Le Cotinga à plumes foyeuses 447	229	Silky — — 96
<i>A. maynana, Lin. 298.</i>		
6. Le Pacapac, ou Pompadour — 448	279	Pompadour — — ibid.
<i>A. pompadora, Lin. 298.</i>		
7. Le Cotinga gris-pourpre — 450	—	Grey, Var. A. — — 97
8. Le C. rouge, ou l'Ouette — 452	378	Red — — ibid.
<i>A. carnifex, Lin. 298.</i>		
9. Le C. blanc, ou Guira Panga 454	393, 394	Carunculated — — 98
10. L'Avarano — — 457	—	Variegated — — 99

XLIV. LOXIA. LIN. SYST. CIX. N° 12.

LANIUS, XL. N° 5.

COLY, GEN. BIRDS, XLIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Coliou du Cap de } <i>Bonne Esperance</i> } IV. 404	fig. 1. 282	Cape Coly — III. 100
<i>Loxia Colius, Lin. 301.</i>		
2. Le C. huppé de Senegal — ibid.	2. 282	Senegal — — 101
<i>Lanius macrourus, Lin. 134.</i>		
3. Le C. rayé — — 405	—	Radiated — — 102
4. Le C. de l'Isle de France — 406	—	Panayan — — 103

XLV. LOXIA,

XLV. LOXIA, LIN. SYST. CIX.

GROSBEAK, GEN. BIRDS, XLV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Bec croisé — — III. 449 <i>Loxia curvirostra</i> , Lin. 299.	N° 218	Common Crossbill, III. 106
2. Le Grosbec — — 444 <i>L. coccythraustes</i> , Lin. 299.	99, 100	Hawfinch — — 109
3. Le Dur-bec — — 457 <i>L. enucleator</i> , Lin. 299.	fig. 1. 135	Pine — — 111
4. Le Pinçon noir et jaune — — <i>L. capensis</i> , Lin. 306.	1. 101	Cape — — 113
5. Grosbec tacheté du Cap de } <i>Bonne Espérance</i> — — } 473	1. 659	Var. A. — — 114
6. Le Père noire à longue queue 487	1. 183	Long-tailed — — ibid.
7. Le Grosbec bleu d' <i>Amerique</i> — 456 <i>L. grossa</i> , Lin. 307.	fem. 154	White-throated — — 115
8. Le Bec rond, ou Bouv- } reuil bleu d' <i>Amerique</i> } IV. 392 <i>L. cœrulea</i> , Lin. 306.	—	Blue — — 116
9. Le Bec rond violet, à gorge } et fourcils rouges — — } 396 <i>L. violacea</i> , Lin. 306.	—	Purple — — 117
10. Le Grosbec de <i>Virginie</i> III. 458 <i>L. cardinalis</i> , Lin. 300.	37	Cardinal — — 118
11. Le Foudis — — 495 <i>L. madagascariensis</i> , Lin. 300.	2. 134	<i>Madagascar</i> — — 119
12. Le Cardinal du Cap de <i>Bonne</i> } <i>Espérance</i> — — } 496 <i>L. orix</i> , Lin. Mantiff. 527.	m.vi.f. 1. ib.	Grenadier — — 120
13. Le Rouge noir — — 461	fig. 2. 309	Var. A. — — 121
14. Le Grivelin — — ibid.	1. ib.	<i>Brazilian</i> — — 122
15. Le Cardinal Dominiquain } hupé — — } 501	103	Crested Dominican — 123
16. Le Paroaire — — 500	2. 55	Pope — — 124
17. Le Rose-gorge — — 460 <i>L. ludoviciana</i> , Lin. 300.	2. 153	Red-breasted — — 126
18. Le Flavert — — 462 <i>L. canadensis</i> , Lin. 304.	2. 152	<i>Canada</i> — — 127
19. La queue en Eventail — 463	380	Fan-tailed — — 128
20. Le Padda, ou l'Oiseau de ris 463 <i>L. oryzivora</i> , Lin. 302.	1. 152	<i>Java</i> — — 129

HIST. D'OIS.		PL. ENL.	LATHAM.
21. Le Toucnam-courvi — III. 465	<i>L. philippina, Lin. 305.</i>	fig. 2. 135	<i>Philippine</i> — III. 129
22. Le Baglafecht — — 469		—	Var. A. — — 130
23. Grosbec d' <i>Abyssinie</i> — — 476		—	<i>Abyssinian</i> — — 131
24. L'Orchef — — 466	<i>L. bengalensis, Lin. 305.</i>	2. 393	<i>Bengal</i> — — 133
25. Le Grosbec nonette — — 446	<i>L. collaria, Lin. 305.</i>	3. 393	Nun — — ibid.
26. Le Grivelin à cravate — — 473		2. 659	Var. A. — — 134
27. Le Grifalbin — — 467		1. 393	Grey — — ibid.
28. Le Verdier — — IV. 172	<i>L. chloris, Lin. 304.</i>	2. 267	Green — — ibid.
29. Le Verderin — — 185		2. 341	<i>St. Domingo</i> — — 137
30. Le Verdier sans vert — — 186		—	<i>African</i> — — ibid.
31. Le Noir-fouci — — 150		—	Marygold — — 139
32. La Linotte à tête jaune — 83	<i>L. mexicana, Lin. 304.</i>	—	Yellow-headed — 140
33. Le Jacobin — — III. 468	<i>L. malacca, Lin. 302.</i>	3. 139	<i>Malacca</i> — — ibid.
34. <i>L. Molucca, Lin. 302</i> — —		2. ib.	<i>Molucca</i> — — 141
35. <i>L. striata, Lin. 306</i> — —		1. 153	Striated — — 142
36. <i>L. punctularia</i> — —		1. 139	Cowry — — ibid.
37. Le Bouvreuil — — IV. 372	<i>L. pyrrhula, Lin. 300.</i>	145	Bulfinch — — 143
38. Le Bouvreuil noir — — 384		—	Black, Var. A. — 144
39. — blanc — — 383		—	White, Var. B. — ibid.
40. — noir d' <i>Afrique</i> — 385	<i>L. panicivora, Lin. 302.</i>	—	White-winged — ibid.
41. Le Bouveret — — 387		1, 2. 204	Orange — — 146
42. Le Bouvreuil à bec blanc — 388		—	White-billed — — ibid.
43. — noir de <i>Mexique</i> 394	<i>L. nigra, Lin. 306.</i>	—	Black — — 147
44. Le Hambrovereux — — 398		—	<i>Hamburg</i> — — 149
45. Le huppe noir — — 397		—	Black-crested — — 150
46. Le Maïan — — 107	<i>L. maia, Lin. 301.</i>	1. 109	White-headed — — 151
47. Le Senegali rayé — — 101	<i>L. astrild, Lin. 303.</i>	2. 157	Wax-bill — — 152
48. Le Serevan — — 103		3. 230	Red-rumped, Var. A. 153
49. Le petit Moineau de <i>Senegal</i> 104		2. ib.	White-rumped, Var. B. ib.
50. La Linotte gris-de-fer — 82	<i>L. cana, Lin. 305.</i>	—	Cinereous — — 154

HIST. D'OIS.	PL. ENL.	LATHAM.
51. Le Brunor — — IV. 137	—	Orange-bellied — III. 157
L. bicolor, <i>Lin.</i> 307.		
52. Le bec rond à ventre roux — 390	fig. 2. 319	Minute — — 158
L. minuta, <i>Lin.</i> 307.		

* WITH THREE TOES.

53. Le Guifso balito — — III. 471	—	Three-toed — III. 159
-----------------------------------	---	-----------------------

XLVI. EMBERIZA, LIN. SYST. CX.

BUNTING, GEN. BIRDS, XLVI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Ortolan de neige — IV. 329	fig. 1. 497	Snow — — III. 161
<i>Emberiza nivalis</i> , <i>Lin.</i> 308.		
2. — de neige à collier — 335	—	Pied, Var. A. — — 163
3. — jacobin — — ibid.	—	Black — — 166
4. L'Ortolan — — 305	1. 247	Ortolan — — ibid
<i>E. hortulana</i> , <i>Lin.</i> 309.		
5. — jaune — — 312	—	Var. A. — — 168
6. — blanc — — 313	—	Var. B. — — ibid.
7. — à queue blanc — — 314	—	Var. C. — — ibid.
8. — noir — — 313	—	Var. D. — — 169
9. Le Bruant — — 342	1. 30	Yellow — — 170
<i>E. citrinella</i> , <i>Lin.</i> 309.		
10. Le Proyer — — 355	233	Common — — 171
<i>E. miliaria</i> , <i>Lin.</i> 308.		
11. L'Ortolan de roseaux — — 315	247. 497	Reed — — 173
<i>E. schæniclus</i> , <i>Lin.</i> 311.		
12. Le Gavoué de Provence — — 321	1. 656	Mustachoe — — 175
13. Le Mitilene de Provence — — 322	2. ib.	<i>Lebian</i> — — 176
14. L'Ortolan de Lorraine — — 323	511	Lorrain — — ibid.
15. L'Ortolan de la Louisiane — — 325	1. 158	<i>Louisiane</i> — — 177
<i>E. ludovicæ</i> , <i>Lin.</i> 310.		
16. La Veuve éteinte — — 168	—	Pfittaceous — — 178
<i>E. pfittacus</i> , <i>Lin.</i> 312.		
17. La Veuve à collier d'or — — 155	194	<i>Whidab</i> — — ibid.
<i>E. paradisiæ</i> , <i>Lin.</i> 312.		
18. La Veuve Dominicaine — — 160	2. 8	Dominican — — 180
<i>E. serena</i> , <i>Lin.</i> 312.		
		19. La

HIST. D'OIS.	PL. ENL.	LATHAM.
19. La grande Veuve — — IV. 162 <i>E. vidua, Lin. 312.</i>	—	Long-tailed — III. 181
20. La Veuve mouchetée — — 165 <i>E. principalis, Lin. 313.</i>	—	Variegated — — ibid.
21. La Veuve à quatre brins — 158 <i>E. regia, Lin. 313.</i>	fig. 1. 8	Shaft-tailed — — 183
22. La Veuve à epaulettes — — 164	635	Orange-shouldered — 184
23. La Veuve en feu — — 167	647	<i>Panayan</i> — — ibid.
24. L'Ortolan du Cap de <i>Bonne</i> } <i>Esperance</i> — — } 328 <i>E. capensis, Lin. 310.</i>	2. 158	Cape — — 185
25. — à ventre jaune du } Cap de <i>Bonne Esperance</i> — } 326	664	Var. A. — — 186
26. L'Agripenne, ou l'Ortolan } de ris — — } 337 <i>E. oryzivora, Lin. 311.</i>	1. 388	Rice — — 188
27. Agr. ou l'Ortolan de la <i>Lou-</i> } <i>siane</i> — — } 339	2. ib.	Var. A. — — 189
28. Le Bruant de haie — — 347 <i>E. cirrus, Lin. 311.</i>	1, 2. 653	Cirl — — 190
29. Le Bruant fou — — 351 <i>E. cia, Lin. 310.</i>	2. 30	Foolish — — 191
30. Le Moineau à bec rouge } de <i>Senegal</i> — — } 485 <i>E. quelea, Lin. 310.</i>	2. 183	Black-faced — — 192
31. Moineau de <i>Senegal</i> — — 484	1. 223	Var. A. — — 193
32. — de l'Isle de <i>France</i> — —	1, 2. 665	Crimson — — 194
33. Le Bruant familier — — 369 <i>E. familiaris, Lin. 313.</i>	—	Familiar — — ibid.
34. La Flaveole — — 363	—	Yellow-faced — — 195
35. L'Amazone — — 364	—	<i>Amazon's</i> — — ibid.
36. L'Olive — — 463 <i>E. olivacea, Lin. 309.</i>	—	Olive — — ibid.
37. Le Guirnegat — — 361	1. 321	<i>Brazilian</i> — — 197
38. Le Thérèse jaune — — 362	1. 386	<i>Mexican</i> — — 198
39. Le Pinson noir aux yeux rouges 141 <i>E. erythroptalma, Lin. 318.</i>	—	Towhe — — 199
40. Le Cul-rouffet — — 368	—	Cinereous — — 204
41. L'Azuroux — — 369	—	Blue — — 205
42. Le Ministre — — 86	—	Indigo — — ibid.
43. Le Verdier de la <i>Louifiane</i> } dit la <i>Pape</i> — — } 176 <i>E. ciris, Lin. 313.</i>	1, 2. 159	Painted — — 206
44. Le Quadricolor — — III. 467	2. 101	Red-rumped — — 208
45. Le Toupet bleu — — IV. 179	—	Blue-faced — — 209

HIST. D'OIS.	PL. ENL.	LATHAM.
46. Le Parement bleu — IV. 181	—	Green — — III. 209
47. L'Emberise à cinque couleurs 210	—	Plata — — 210
48. Le Mordoré — 366	fig. 2. 321	Bourbon — — ibid.
49. Le Calfat — — 371	—	Red-eyed — — ibid.
50. Le Gonambouch — — 366	—	Grey — — 211

XLVII. TANAGRA, LIN. SYST. CXI.

TANAGRE, GEN. BIRDS, XLVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Bec d'Argent — IV. 259	fig. 1, 2. 128	Red-breasted — III. 214
<i>Tanagra jacapa, Lin. 313.</i>		
2. Le Cardinal — —	1. 127. 1. 156	Brasilian — — 215
<i>T. brasilia, Lin. 314.</i>		
3. Le Scarlat — — 245	—	Red, Var. A. — — 217
4. L'Olivet — — 269	—	Olive — — 218
5. Le Tangara du <i>Mississipi</i> — 252	741	<i>Mississipi</i> — — ibid.
6. Le Preneur des mouches } rouge — — } 585	—	Summer — — 220
<i>Muscicapa rubra, Lin. 236.</i>		
7. Le grand Tangara — — 239	205	Grand — — ibid.
8. La Houquette — — 240	2. 7. 2. 301	Crested — — 221
<i>T. cristata, Lin. 317.</i>		
9. Le Tangavio — — 241	710	Violet — — 222
10. Le Camail, ou la Cravate — 254	2. 714	Black-faced — — ibid.
11. La Coiffe noire — — 284	2. 720	Hooded — — 223
12. Le Mordoré — — 255	2. 809	Black-headed — — 224
13. L'Onglet — — 256	—	Furrow-clawed — — ibid.
14. Tangara noir et T. roux — 257	2. 179. 711	<i>Guiana</i> — — 225
15. Le Turquin — — 258	1. 179	Turquoise — — ibid.
<i>T. brasiliensis, Lin. 316.</i>		
16. T. <i>Dominica, Lin. 316.</i> — —	2. 156	<i>St. Domingo</i> — — 226
17. Le Bluét — — 265	1. 2. 178	Bishop — — ibid.
<i>T. episcopus, Lin. 316.</i>		
18. Le Syacou — — 288	1. 301	Sayacu — — 227
<i>T. sayaca, Lin. 316.</i>		
19. Le Syacou — — ibid.	—	Spotted — — 228
<i>T. punctata, Lin. 316.</i>		
20. Le Rouge Cap — — 267	2. 155	Red-headed — — ibid.
<i>T. gularis, Lin. 316.</i>		

21. Le

HIST. D'OIS.	PL. ENL.	LATHAM.
21. Le Tangara vert du <i>Brefil</i> , IV. 268 <i>T. virens</i> , <i>Lin.</i> 317.	—	Green — — III. 229
22. Le T. diable enrhumé — 270 <i>T. mexicana</i> , <i>Lin.</i> 315.	<i>fig.</i> 2. 290	Black and blue — 230
23. Le T. bleu — — 282	1. 155	Var. A. — — 231
24. Le Verderoux — — 272	—	Grey-headed — — <i>ibid.</i>
25. Le Passe-vert, III. 494. IV. 273 <i>T. cayana</i> , <i>Lin.</i> 315.	2. 201. I. 290	Rufous-headed — <i>ibid.</i>
26. Le Passe-vert à tête bleu — 275	—	Var. A. — — 232
27. Le Rouverdin — — 286 <i>T. gyrola</i> , <i>Lin.</i> 315.	2. 133	Red-headed — — 233
28. Le Passe-bleu — — 234	2. 203	Blue — — 234
29. Le Tricolor — — 276	1. 33	Green-headed — <i>ibid.</i>
30. Le Tricolor — — <i>ibid.</i>	2. 33	Var. A. — — 235
31. Le Gris-olive — — 277	1. 714	Grey-throated — 237
32. Le Septicolor — — 236 <i>T. tatao</i> , <i>Lin.</i> 315.	1. 7. 2. 127	Paradise — — 236
33. Le Tangara à gorge noire — 283	1. 720	Black-throated — 237
34. Le Jacarini — — 293 <i>T. jacarina</i> , <i>Lin.</i> 314.	224	Jacarini — — 238
35. Le Teité — — 295 <i>T. violacea</i> , <i>Lin.</i> 314.	2. 114	Golden — — 239
36. Tangara de <i>Cayenne</i> — — <i>T. chlorotica</i> , <i>Lin.</i> 317.	1. <i>ib.</i>	Var. A. — — 240
37. Le Tangara nègre — — 297 <i>T. cayana</i> , <i>Lin.</i> 316.	3. <i>ib.</i>	Negro — — <i>ibid.</i>
38. Troupiale de <i>Cayenne</i> — — <i>T. militaris</i> , <i>Lin.</i> 316.	236	Military — — 242

XLVIII. FRINGILLA, LIN. SYST. CXII.

FINCH, GEN. BIRDS, XLVIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Moineau franc — III. 474 <i>Fringilla domestica</i> , <i>Lin.</i> 323.	1. VI. 1. 55	Houfe Sparrow — III. 243
2. Le Friquet — — 489 <i>Fr. montana</i> , <i>Lin.</i> 324.	1. 267	Tree Sp. — — 252
3. Le Moineau fou — — 491	—	Foolish Sp. — — 255
4. Le Friquet huppé — — 496	2. 181	Black-faced Sp. — 253
5. Le Soulcie — — 498 <i>Fr. petronia</i> , <i>Lin.</i> 322.	225	Ring Sp. — — 254

HIST. D'OIS.	PL. ENL.	LATHAM.
6. Le Pinçon — — IV. 109 Fr. cœlebs, <i>Lin.</i> 318.	fig. 1. 54	Chaffinch — — III. 253
7. — à ailes et queue } noires — — } 121	—	Var. A. — — 258
8. Le Pinçon brun — — ibid. Fr. flavirostris, <i>Lin.</i> 322.	—	Arctic — — 260
9. Le Pinçon d'Ardennes — — 124 Fr. montifringilla, <i>Lin.</i> 318.	2. 54	Brambling — — 261
10. Le grand Montain — — 134 Fr. lapponica, <i>Lin.</i> 317.	—	Lapland — — 263
11. Le Pinçon de neige, ou la } Niverolle — — } 136 Fr. nivalis, <i>Lin.</i> 321.	—	Snow — — 264
12. Le Soulciet — — III. 500	—	Mountain — — 265
13. Le Dattier, ou le Moineau } de Datte — — } 487	—	Capia — — ibid.
14. Le Croissant — — 501	1. 230	Crescent — — 266
15. Le Beau marquet — — 497	1. 203	Beautiful — — ibid.
16. Le Pere noir — — 485 Fr. Noëis, <i>Lin.</i> 320.	1. 201	Rufous-chinned — — 267
17. Moineau de <i>Brefil</i> — — 486	1. 2. 291	Glossy — — ibid.
18. Moineau de <i>Cayenne</i> — — —	3. 224	Var. A. — — 268
19. — de <i>Macao</i> — — 486	1. ib.	Black and orange — — ibid.
20. — de <i>Java</i> — — ibid.	2. ib.	White-breasted — — ibid.
21. Le Brunet — — IV. 138	—	Cow-pen — — 269
22. Le Bonana — — 139 Fr. jamaica, <i>Lin.</i> 323.	—	Bonana — — ibid.
23. Le Bouvreuil violet de la } <i>Caroline</i> — — } 395	—	Purple — — 275
24. Le Pinçon à tête noire et } blanche — — } 140 Fr. zena, <i>Lin.</i> 320.	—	Orange — — 276
25. Le P. à long bec — — 143	—	Long-billed — — 277
26. L'Olivette — — 144 Fr. finica, <i>Lin.</i> 321.	—	Chinefe — — ibid.
27. Le Pinçon jaune et rouge — — 146	—	Variegated — — 279
28. Le P. frisé — — 148 Fr. crispa, <i>Lin.</i> 324.	—	Frizzled — — 280
29. Le P. à double collier — — 149	—	Collared — — ibid.
30. Le Chardonneret — — 187 Fr. carduelis, <i>Lin.</i> 318.	1. IV.	Goldfinch — — 281
A. — à tête blanche 202	—	Var. A. — — 282
B. — à tête rayé — 203	—	Var. B. — — 283
C. — à tête noire — ibid.	—	Var. C. — — ibid.

HIST. D'OIS.	PL. ENL.	LATHAM.
D. Le Chardon. blanchâtre, IV. 204	—	Var. D. — III. 283
E. — blanc — — ibid.	fig. 2. 4	Var. E. — — ibid.
F. — noir — — 205	—	Var. F. — — 284
G. — noir à tête jaune 207	—	Var. G. — — 285
H. — metis — — ibid.	—	Var. H. — — ibid.
31. — verd, ou le Ma- } racaxao — — }	211	Green Goldfinch — 286
Fr. melba, <i>Lin.</i> 319.	—	Lulean — — 287
32. — à quatre raies — 210	—	— — — 287
Fr. lulensis, <i>Lin.</i> 318.	—	American Goldfinch — 288
33. — jaune — — 212	2. 202	— — — 288
Fr. tristis, <i>Lin.</i> 320.	—	Siskin — — 289
34. Le Tarin — — 221	3. 485	— — — 289
Fr. spinus, <i>Lin.</i> 322.	—	Var. A. — — 291
35. — noir — — 233	—	Var. B. — — ibid.
36. — de la Nouvelle York 231	1, 2. 292	Var. C. — — ibid.
37. L'Olivarez — — 232	—	Mexican Siskin — 292
38. Acatachili — — 234	—	Black Mexican Siskin ibid.
39. Le Catototl — — ibid.	—	Canary — — 293
40. Le Serin des Canaries — — 1	1. 202	— — — 293
Fr. canaria, <i>Lin.</i> 321.	—	Mozambique — — 296
41. — de Mozambiques — — 1	2. 364	Serin — — ibid.
42. Fr. ferinus, <i>Lin.</i> 320. — —	1. 658	Citril' — — 297
43. Fr. citrinella, <i>Lin.</i> 320. — —	2. 658	Yellow — — 299
44. Le Vert brunet — — 182	1. 341	— — — 300
Fr. butyracea, <i>Lin.</i> 321.	—	Babama — — 300
45. Le Verdiniere — — 184	—	Black-collared — ibid.
Fr. bicolor, <i>Lin.</i> 324.	—	Ultra-marine — — 301
46. Le Worabée — — 54	—	Tripoline — — ibid.
47. L'Outre-mer — — 56	—	Linnét — — 302
48. L'Habefsch de Syrie — — 57	—	Greater Redpoll — 304
49. La Linotte — — 58	1. 151	— — — 305
50. La grande L. des vignes — ibid.	1. 485	— — — 307
Fr. cannabina, <i>Lin.</i> 322.	—	Twite — — ibid.
51. La Sizerin — — 216	2. 151	Straßburg — — 308
Fr. linaria, <i>Lin.</i> 322.	—	Angola — — 309
52. La Linotte de montagne — 74	—	Dusky — — 310
53. La petite L. ou le Cabaret — 76	2. 485	Blue-bellied — — ibid.
54. Le Gynzel de Straßbourg — 73	—	Amaduvade — — 311
55. La Vengoline — — 80	—	— — — 311
56. La Linotte brune — — 84	—	— — — 311
57. Le Bengali — — 92	1. 115	— — — 311
Fr. benghalus, <i>Lin.</i> 323.	—	— — — 311
58. Le Beng. piqué — — 96	3. ib.	— — — 311
Fr. amadava, <i>Lin.</i> 319.	—	— — — 311

HIST. D'OIS.	PL. ENL.	LATHAM.
59. Le Bengali brun — — IV. 95	fig. 2. 115	Var. A. — — III. 312
60. Le Senegali rouge — — 99	1. 157	Senegal — — — ibid.
Fr. senegala, Lin. 320.		
61. Le Maia de la Cuba — — 105	2. 109	Cuba — — — 315
Fr. maia, Lin. 323.		
62. Le Grenadin — — 169	3. ib.	Brasilian — — — 316
Fr. granatina, Lin. 319.		
63. Le Demi-fin noir et bleu, V. 327	—	Blue-headed — — — 319

XLIX. MUSCICAPA, LIN. SYST. CXIII.

FLYCATCHER, GEN. BIRDS, XLIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Gobe-mouche — IV. 517	fig. 1. 565	Spotted Fl. — — III. 323
Muscicapa griseola, Lin. 328.		
2. Le Traquet d'Angleterre — V. 222	—	Pied — — — 324
M. atricapilla, Lin. 326.		
3. Le G. M. noir à collier, IV. 520	2, 3. 565	Var. B. — — — 325
4. Le G. M. à collier du Cap } 526	2. 572	Cape — — — 326
de Bonne Esperance — — }		
M. torquata, Lin. 328.		
5. Le G. M. du Cap de Bonne } ibid.	1. ib.	Var. A. — — — 327
Esperance — — — }		
M. capensis, Lin. 327.		
6. Le G. M. à ventre blanc de } 542	3. 566	Black and white — — — ibid.
Cayenne — — — }		
7. Le Gillit, ou G. M. pie de } ibid.	1. 675	Var. A. — — — 328
Cayenne — — — }		
8. Le G. M. à bandeau blanc } 528	1. ib.	Senegal — — — ibid.
de Senegal — — — }		
M. senegalensis, Lin. 327.		
9. Le même — — — ibid.	1. 567	Var. A. — — — 329
10. Le G. M. hupé du Senegal — 530	2. 573	Crested Senegal — — — ibid.
11. — — — de l'Isle de Bourbon	1. ib.	Bourbon — — — 330
12. G. M. à gorge brun de Senegal 533	3. 567	Collared — — — ibid.
13. Le Kinki-manou de Mada- } 584	541	Ash-coloured — — — 332
gascar — — — }		
14. Le G. M. de l'Isle de France 527	—	Undulated — — — 333
15. G. M. de l'Isle de Bourbon — —	3. 572	Rufous-vented — — — 334
16. Le Moucherolle des Philippines 565		Philippine — — — 339
17. Le petit Azur — — — 534	1. 666	Azure — — — ibid.

HIST. D'OIS.	PL. ENL.	LATHAM.
18. La Vardiole — — III. —	fig. 2. 234	Paradise — — III. 345
M. paradisæa, Lin. 324.		
19. G. M. à longue queue et } ventre blanc — — } IV. 568	2. 248	Mutable — — 347
M. mutata, Lin. 325.		
20. Schet-all — — — ibid.	1. ib.	Var. A. — — 348
M. mutata, Lin. 325.		
21. Schet voloulou — — 569	—	Var. B. — — ibid.
M. mutata, Lin. 325.		
22. Le G. M. brun — — 543	—	Cinereous — — 350
M. virens, Lin. 327.		
23. Le Merle verd de la } Caroline — — } III. 396	—	Chattering — — ibid.
24. Le G. M. de la Caroline, IV. 539	—	Red-eyed — — 351
M. olivacea, Lin. 327.		
25. — hupé de la Mar- } tinique — — } 540	1. 568	Martinico — — 352
M. martinica, Lin. 325.		
26. — noirâtre de la Ca- } roline — — } 541	—	Black-capped — — 353
27. Le Moucherolle de Virginie 562	—	Cat — — ibid.
M. carolinensis, Lin. 328.		
28. Le Savana — — 557	2. 571	Forkt-tail — — 355
M. tyrannus, Lin. 325.		
19. Le Moucherolle à queue } fourchue de Mexique — } 564	677	Swallow-tailed — 356
30. Le Moucherolle de Virginie } à huppe verte — — } 565	1. 569	Crested — — 357
M. crinita, Lin. 325.		
31. Le Tyran de Cayenne — — 581	—	Tyrant — — ibid.
32. Le petit T. de Cayenne — —	1. 571	Var. A. — — 358
33. Le Tyran de la Louisiane — 583	—	Louisiane — — ibid.
34. Le Caudec — — 582	2. 453	Yellow-crowned — ibid.
35. Le G. M. à ventre jaune — 550	2. 569	Yellow-bellied — 359
M. cayensis, Lin. 326.		
36. Le Moucherolle brun de la } Martinique — — } 526	2. 568	Petechial — — 360
M. petechia, Lin. 328.		
37. Le G. M. tacheté de Cayenne 545	3. 574	Streaked — — ibid.
38. Le G. M. olive de Cayenne — 544	2. ib.	Active — — ibid.
39. Le G. M. brun de Cayenne — 536	1. ib.	Brown — — 361
40. Le G. M. roux à poitrine } orangé de Cayenne — — } 537	1. 831	Orange-breasted — ibid.
41. Le Rubin, ou G. M. rouge } huppé — — } 547	1. 675	Round-crested — 362
		42. Le

HIST. D'OIS.	PL. ENL.	LATHAM.
42. Le G. M. roux de <i>Cayenne</i> , IV. 549	<i>fig.</i> 1. 453	Rufous — — III. 362
43. Gobe-moucheron — — 554	2. 831	Dwarf — — 363
44. Gobe-moucheron — — 553	—	Petty — — 364
45. Le Barbichon de <i>Cayenne</i> — 534	1, 2. 830	Whiskered — — <i>ibid.</i>
46. Le Piauhau — — 588	381	Purple-throated — 365

L. ALAUDA, LIN. SYST. CV.

LARK, GEN. BIRDS, L.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Alouette — — V. 1	<i>fig.</i> 1. 363	Sky-lark — — III. 368
<i>Alauda arvensis</i> , Lin. 287.		
A. — — blanche — — 20	—	White, Var. A. — 369
B. — — noire — — 22	1. 650	Dusky, Var. B. — 370
2. — — noire à dos fauve 23	2. 738	Rufous-backed — 371
3. — — de bois, ou le } 25	2. 660	Wood — — <i>ibid.</i>
Cujelier — — }		
<i>A. arborea</i> , Lin. 287.		
4. La Girole — — 47	—	<i>Italian</i> — — 373
5. L'Alouette de prez, ou la } 31	1. 660	Tit-lark — — 375
Farloufe — — }		
<i>A. pratensis</i> , Lin. 287.		
6. La Farlouzane — — 38	—	<i>Louisiane</i> — — 376
7. La Rouffeline, ou l'Alouette } 60	1. 661	Marsh — — 377
de Marais — — }		
8. La Spipolette — — 43	—	Meadow — — 378
<i>A. campestris</i> , Lin. 288.		
9. La grosse Al. ou la Calandre 49	2. 363	Calandre — — 382
<i>A. calandra</i> , Lin. 288.		
10. La Cravate jaune, ou la Ca- } 54	2. 504	Cape — — 384
landre du Cap de <i>Bonne</i> }		
<i>Esperance</i> — — }		
<i>A. capensis</i> , Lin. 288.		
11. Le Hauffe-col noir — — 55	—	Shore-lark — — 385
<i>A. alpestris</i> , Lin. 289.		
12. La Ceinture de Prêtre, ou } 61	2. 650	Var. A. — — 387
l'Alouette de <i>Sibirie</i> — }		
13. La Varole — — 63	1. 738	Rufous — — 388
14. La Cendrille — — 64?	—	Cinereous — — <i>ibid.</i>
15. Le Sirli du Cap de <i>Bonne</i> } 65	712	<i>African</i> — — 389
<i>Esperance</i> — — }		

16. Lc

HIST. D'OIS.	PL. ENL.	LATHAM.
16. Le Cochevis, ou grosse } Alouette huppée — } V. 66	fig. 1. 503	Crested — — III. 389
A. cristata, Lin. 288.		
17. Le Lulu, ou la petite } Alouette huppée — } 74	2. 303	Lesser crested — — 391
18. La Coquillade — — 77	662	Undated — — ibid.
19. La Grifette, ou le Cochevis } du Senegal — — } 79	1. 504	Senegal — — 392

LI. MOTACILLA, LIN. SYST. CXIV. N° 11. &c.

WAGTAIL, GEN. BIRDS, LI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Lavandiere — — V. 251	fig. 1, 2. 652	White — — III. 195
Motacilla alba, Lin. 331.		
2. La Bergeronette de Madrast 275	—	Pied — — 197
3. La B. grise — — 261	1. 674	Cinereous — — ibid.
4. La B. jaune — — 268	1. 28	Grey — — 398
Mo. boarula, Lin. Mantiff. 527.		
5. La B. de Java — — 272	—	Javan — — 399
6. La B. de Printems — — 265	2. 674	Yellow — — 400
Mo. flava, Lin. 331.		
7. Le B. de Timor — — 275	—	Timor — — 401
8. La B. du Cap de Bonne Es- } perance — — } 273	2. 28	Cape — — 402
Mo. capensis, Lin. 333.		
9. La petite B. du Cap de Bonne } Esperance — — } 274	—	African — — 403

LII. MOTACILLA, LIN. SYST. CXIV.

WARBLER, GEN. BIRDS, LII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Rossignol — — V. 81	fig. 2. 615	Nightingale — IV. 408
Motacilla lucinia, Lin. 324.		
2. Le grand Rossignol — — 113	—	Greater N. Var. A. — 411
3. Le R. blanc — — 114	—	White — Var. B. — 412

HIST. D'OIS.	PL. ENL.	LATHAM.
4. Le Foudi-jala — — V. 116	—	<i>Madagascar</i> — IV. 412
5. Le Fauvette — — 117	fig. 1. 579	Pettychaps — — 413
6. Passerinettes — — 123	2. ib.	Passerine — — 414
7. La Fauvette à tête noire — 125	—	Black-cap — — 415
Mo. atricapilla, Lin. 332.		
8. La petite Colombaude — 131	—	Var. B. — — 416
9. Fauvette verdâtre de la <i>Louisi-</i> } siane — — } 162	—	Var. C. — — 417
10. La F. babillarde — — 135	3. 580	Babbling — — ibid.
Mo. curruca, Lin. 329.		
11. La F. de bois, ou la Rouffette 139	—	Reed — — 418
Mo. schænobanus, Lin. 329.		
12. Le Traine-Buisson — — 151	1. 615	Hedge — — 419
Mo. modularis, Lin. 329.		
13. Le Rossignol de Muraille — 170	1, 2. 351	Redstart — — 421
Mo. phœnicurus, Lin. 335.		
14. Le R. de Muraille de <i>Gib-</i> } raltar — — } 177	—	Grey Redstart — — 423
15. Le Rouge-Queue à collier — 180	—	Red-tail — — 425
Mo. erithacus, Lin. 335.		
16. Le R. Queue de la <i>Guiane</i> — 186	2. 686	<i>Guiana</i> R. T. — — 426
17. Le petit Noir-aurore — IV. 546	1, 2. 566	Black-headed — — 427
Mo. ruticilla, Lin. 336.		
18. La Fauvette grise, ou la } Grifette — — } V. 132	3. 579	White-throat — — 428
Mo. sylvia, Lin. 330.		
19. La Bouffarde de <i>Provence</i> — 134	2. 655	Var. A. — — 429
20. L'Alouette pipi — — 39	2. 661	Grasshopper — — ibid.
<i>Alauda trivialis</i> , Lin. 288.		
21. La Fauvette de roseaux — 142	2. 581	Sedge — — 430
Mo. falcaria, Lin. 330.		
22. La F. rouffe — — 146	1. ib.	Rufous — — 431
23. Le Becfigue — — 187	1. 668	Epicurean — — 432
Mo. ficedula, Lin. 330.		
24. La Fauvette tachetée — — 149	3. 581	Fig-eater — — 433
25. La F. des <i>Alpes</i> — — 156	2. 668	Alpine — — 434
26. Le Pitchou de <i>Provence</i> — 158	1. 655	<i>Dartford</i> — — 435
27. La F. tachetée du Cap de } <i>Bonne Esperance</i> — — } 160	—	<i>African</i> — — 436
28. La F. tachetée de la <i>Louisiane</i> 161	—	<i>New York</i> — — ibid.
29. F. ombrée de la <i>Louisiane</i> — 162	1. 709	Umbrose — — 437
30. Le Mefange grise à gorge } jaune — — } 454	—	Yellow-throated — — ibid.
31. Le Figuier aux joues noires — 292	—	Yellow-breasted — — 438
<i>Turdus trichas</i> , Lin. 293.		

HIST. D'OIS.	PL. ENL.	LATHAM.
32. La Fauvette à poitrine } V. 162	fig. 2. 709	Var. A. — IV. 439
jaune — — — — — }		
33. La F. de Cayenne à queue } 163	—	Rufous-tailed — ibid.
rouffe — — — — — }		
34. — à gorge brun et ventre } ibid.	—	Yellow-bellied — 440
jaune — — — — — }		
35. — bleuâtre de <i>St. Domingue</i> 164	—	Blue-grey — — ibid.
36. Le Cou-jaune — — 165	1. 686	Penfile — — 441
37. Le Rouge-gorge — — 196	1. 361	Red-breast — — 442
Mo. rubecula, <i>Lin.</i> 337.		
38. La Gorge bleue — — 206	1, 2, 3. 610	Blue-throated — — 444
Mo. fuscica, <i>Lin.</i> 336.		
39. Le Rouge - gorge bleu de } 212	2. 390	Blue — — — 446
<i>l'Amerique Septentrional</i> — — }		
Mo. fialis, <i>Lin.</i> 336.		
40. Le Traquet — — — 215	1. 678	Stone-chat — — 448
Mo. rubicola, <i>Lin.</i> 332.		
41. Le Tr. de <i>Madagascar</i> — — 231	—	Sybil — — — 450
Mo. lybilla, <i>Lin.</i> 337.		
42. Le Tr. du Cap de <i>Bonne Es-</i> } 233	—	Var. A. — — ibid.
<i>perance</i> — — — — — }		
43. Le Tr. de l'Isle de <i>Luçon</i> — 229	1, 2. 235	<i>Luzonian</i> — — — 451
Mo. capatra, <i>Lin.</i> 335.		
44. Le Tr. des <i>Philippines</i> — — 230	1. 185	Sooty — — — ibid.
45. Le Clignot, ou Traquet à } 234	—	Spectacle — — — 452
Lunette — — — — — }		
46. Le grand Tr. des <i>Philippines</i> — 230	2. ib.	<i>Philippine</i> — — — 453
47. Le grand Traquet — — — 232	—	Dark — — — ibid.
48. Le grand Tr. ou le Tarier — 224	2. 678	Whin-chat — — — 454
Mo. rubetra, <i>Lin.</i> 332.		
49. Le Tr. du <i>Senegal</i> — — — 228	1. 583	<i>Senegal</i> — — — 456
50. Le Mefange à collier — — — 452	—	Hooded — — — 462
51. Le Gobe-mouche cirin de } IV. 538	2. 666	Var. A. — — — ibid.
<i>la Louisiane</i> — — — — — }		
52. Le Cul-blanc vitrec, ou } V. 237	1, 2. 554	Wheat-car — — — 465
Motteux — — — — — }		
Mo. œnanthe, <i>Lin.</i> 332.		
53. Le Cul-blanc gris — — — 244	—	Var. A. — — — 467
Mo. œnanthe, <i>Lin.</i> 332.		
54. Le Cul-blanc cendré — — — 245	—	Var. B. — — — 468
55. Le Cul-blanc roux — — — 246	—	Ruffet Wheat-car — — — ibid.
Mo. flapazina, <i>Lin.</i> 331.		
56. Le Cul-blanc rouffatre — — — 245	—	Var. A. — — — 469
57. Le Motteux du <i>Senegal</i> — — 249	2. 583	Rufous Wheat-car — — — ibid.

HIST. D'OIS.	PL. ENL.	LATHAM.
58. Le grand Motteux du } V. 248 Cap de <i>Bonne Esperance</i>	—	Cape Wheat-ear, IV. 470
59. Le Motteux brun verdâtre — ibid.	—	Orange-breasted Wh. E. ib.
60. Le Fift de <i>Provence</i> — — 194	fig. 1. 654	<i>Provence</i> Wheat-ear — 471
61. La pivote Ortolane — — —	2. 634	Spotted Wheat-ear — 472
62. Le Grifin de <i>Cayenne</i> — III. 408	1, 2. 643	Griffy — — 473
63. Le Figuier vert et jaune — V. 274 Mo. <i>tiphia</i> , Lin. 331.	—	Green <i>Indian</i> — — 474
64. Le Cheric — — 279 Mo. <i>maderaspata</i> , Lin. 334.	—	White-eyed — — 475
65. Le petit Simon — — 280	2. 705	<i>Bourbon</i> — — ibid.
66. Le Figuier de l'Île de <i>France</i> 282	1. ib.	Maurice — — 476
67. Le Figuier du <i>Senegal</i> — — 282	1, 3. 582	Citron-bellied — — 477
68. ——— tacheté du <i>Senegal</i> —	2. ib.	Undated — — ibid.
69. ——— brun du <i>Senegal</i> —	1. 584	Dusky — — ibid.
70. ——— blond du <i>Senegal</i> — }	2, 3. ib.	Flaxen — — 478
71. ——— à ventre gris du <i>Senegal</i> }	—	Red-headed — — 479
72. ——— à tête rouge — 286 Mo. <i>petechia</i> , Lin. 334.	—	<i>St. Domingo</i> — — ibid.
73. ——— à gorge-blanche — 287	—	<i>Louisiane</i> — — 480
74. ——— à gorge jaune — 288	—	Green and White — ibid.
75. ——— vert et blanc — 289	—	Orange-throated — 481
76. ——— à gorge orangée — 290	—	Yellow-rumped — ibid.
77. ——— à tête cendrée — 291	—	Brown-throated — 482
78. ——— brun — — 292	—	Spotted yellow — ibid.
79. ——— tacheté de jaune — 293	—	Pine — — 483
80. ——— des Sapins — 296 <i>Certhia pinus</i> , Lin. 187.	2. 731	<i>Quebec</i> — — 484
81. ——— à tête jaune — 299 Mo. <i>icterocephala</i> , Lin. 334.	—	<i>Jamaica</i> — — 485
82. ——— cendré à gorge- } jaune — — } 300	—	Golden crowned — 486
Mo. <i>dominica</i> , Lin. 334.	—	Belted — — 487
83. ——— couronné d'or — 312 Mo. <i>coronata</i> , Lin. 333.	2. 685	Black-throated — ibid.
84. ——— à ceinture — — 303	—	White-poll — — 488
Mo. <i>canadensis</i> , Lin. 334.	—	Bloody-side — — 489
85. ——— bleu — — 304	—	Red-throated — — 490
Mo. <i>canadensis</i> , Lin. 334.	—	
86. ——— varié — — 305	—	
Mo. <i>varia</i> , Lin. 333.	—	
87. ——— à tête rousse — 306	—	
88. ——— à poitrine rouge — 308 Mo. <i>penfylvanica</i> , Lin. 333.	—	

HIST. D'OIS.	PL. ENL.	LATHAM.
89. Le Figuier gris de fer — V. 309 Mo. cærulea, <i>Lin.</i> 337.	—	Cærulean — — IV. 490
90. ——— à tête noire de <i>Cayenne</i>	fig. 1. 704	Var. A. — — 491
91. ——— aux ailes dorées 311 Mo. chrysoptera, <i>Lin.</i> 333.	—	Gold-winged — — 492
92. ——— orangé — — 313	3. 58	Orange-headed — — <i>ibid.</i>
93. ——— huppé de <i>Cayenne</i> 314	1. 391	Crested — — 493
94. ——— noir — — <i>ibid.</i>	2. <i>ib.</i>	Rufous and black — — <i>ibid.</i>
95. ——— olive de <i>Cayenne</i> 315	1. 685	Equatorial — — <i>ibid.</i>
96. ——— protonotaire — 316	2. 704	Prothonotary — — 494
97. ——— à demi-collier — <i>ibid.</i>	—	Half collar — — <i>ibid.</i>
98. ——— à gorge-jaune — 317	—	Orange-bellied — — 495
99. ——— brun-olive — 318	—	Olive-brown — — <i>ibid.</i>
100. ——— graffet — — 319	—	Graffet — — 496
101. ——— cendré à gorge } <i>ibid.</i> cendrée — —	—	Grey-throated — — <i>ibid.</i>
102. Le grand F. de la <i>Jamaïque</i> 320 Mo. calidris, <i>Lin.</i> 329.	—	Hang-nest — — 497
103. Le Demi-fin noir et roux — 328	—	White-chinned — — <i>ibid.</i>
104. Le Bimbelé, ou la fausse } Linotte — — } 330	—	Palm — — 498
105. Le Bananiste — — 332	—	Banana — — <i>ibid.</i>
106. Le Demi-fin mangeur de vers 325	—	Worm-eater — — 499
107. L'Habit-uni — — 336 Mo. campestris, <i>Lin.</i> 329.	—	Simple — — 500
108. La petite Fauvette tachetée } du Cap de <i>Bonne Espérance</i> } 161	2. 752	Great-tailed — — <i>ibid.</i>
109. Le Pipit bleu — — 339 Mo. cayana, <i>Lin.</i> 336.	2. 669	<i>Cayenne</i> — — 502
110. ——— de <i>Cayenne</i> — —	1. <i>ib.</i>	Var. B. — — 503
111. ——— verd — — 338	—	Blue-headed — — <i>ibid.</i>
112. ——— à coiffe bleue — 344	—	Blue-striped — — 504
113. ——— varié — — 341 Mo. velia, <i>Lin.</i> 336.	3. 669	Red-bellied — — <i>ibid.</i>
114. Guira-beraba — — 342 Mo. guira, <i>Lin.</i> 335.	—	Guira — — 505
115. Le Troglodyte — — 352 Mo. troglodytes, <i>Lin.</i> 337.	2. 651	Wren — — 506
116. Le Roitelet de <i>Buenos Ayres</i> — 361	2. 730	Var. A. — — 507
117. Le Trogl. de la <i>Louisiane</i> — <i>ibid.</i>	1. <i>ib.</i>	Var. B. — — <i>ibid.</i>
118. Le Roitelet — — 363	3. 651	Gold-crowned Wren 508
Mo. regulus, <i>Lin.</i> 338.		
119. Le Roitelet méfange — — 375	2. 708	Var. A. — — 510

HIST. D'OIS.	PL. ENL.	LATHAM.
120. Le Roitelet rubis — V. 373	—	{ Ruby-crowned } IV. 511 { Wren — — }
Mo. calendula, <i>Lin.</i> 337.		
121. Le Pouillot, ou le Chantre — 344	1. 651	Yellow Wren — — 512
Mo. trochilus, <i>Lin.</i> 338.		
122. Le Figuier brun et jaune — 295	—	Var. A. — — 513
Mo. acredula, <i>Lin.</i> 338.		
123. Le grand Pouillot — — 351	—	Var. C. — — 514
124. Le petit Pouillot du <i>Lorraine</i> ib.	—	Var. B. — — ibid.
125. Le Figuier tacheté — — 285	1, 2. 58	Yellow-poll — — 515

LIII. PIPRA, LIN. SYST. CXV.

MANAKIN, GEN. BIRDS, LIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Coq de roche — IV. 432	m. 39. f. 747	Rock Manakin — IV. 518
<i>Pipra rupicola</i> , <i>Lin.</i> 338.		
2. Le Coc de roche de <i>Perou</i> — 437	745	<i>Peruvian</i> , Var. A. — 519
3. Le Tije, ou grand Manakin — 411	2. 687	Blue-backed — — 520
<i>P. pareola</i> , <i>Lin.</i> 339.		
4. Le Manakin varié — — 423	2. 324	White-fronted — — 521
<i>P. serena</i> , <i>Lin.</i> 340.		
5. Le Caffé-noisette — — 413	1. 302	Black-capped — — ibid.
<i>P. manacus</i> , <i>Lin.</i> 340.		
6. Le Manakin à tête noire — —	1. 303	Var. A. — — 522
7. — à tête d'or — 418	1. 34	Gold-headed — — ibid.
<i>P. erythrocephala</i> , <i>Lin.</i> 339.		
8. — à tête rouge — 418	—	Var. A. — — 523
<i>P. erythrocephala</i> , <i>Lin.</i> 339.		
9. — à tête blanche — ibid.	2. 34	White-capped — — ibid.
<i>P. leucocilla</i> , <i>Lin.</i> 340.		
10. — à gorge blanche 421	1. 324	White-throated — 524
<i>P. gutturalis</i> , <i>Lin.</i> 340.		
11. — rouge — — 415	2. 302	Red and black — — 525
<i>P. aureola</i> , <i>Lin.</i> 339.		
12. — orangé — — 417	3. ib.	Var. A. — — ibid.
<i>P. aureola</i> , <i>Lin.</i> 339.		
13. Fourmillier tacheté de <i>Cayenne</i> —	2. 823	Spotted — — 527
14. Le F. à oreilles blanches — 477	1, 2. 822	White-eared — — ibid.
15. Le Piciciti — — 426	—	Purple — — 528
<i>P. cristata</i> , <i>Lin.</i> 339.		

HIST. D'OIS.	PL. ENL.	LATHAM.
16. Rubetra, ou Oiseau d'Ame- rique huppé — — } IV. 425 P. rubetra, Lin. 339.	—	Yellow — — IV. 529
17. Maizi de Miakatototl — — 424	—	Collared — — ibid.
18. Coquantotl — — 427	—	Grey — — 530
19. Le Demi-fin à huppe & gorge blanches — — } V. 335 P. albifrons, Lin. 339.	—	White-faced — — ibid.
20. Le Plumet blanc — — IV. 429	1. 707	Var. A. — — 531
21. L'Oiseau cendré de Cayenne — 430	1. 687	Black-crowned — — 532
22. Le Manikor — — 431	2. 707	Papuan — — ibid.
23. L'Organifte — — 290	1. 809	Tuneful — — 535

LIV. PARUS, LIN. SYST. CXVI.

TITMOUSE, GEN. BIRDS, LIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La grosse Mefange, ou la Charbonniere — — } V. 392 Parus major, Lin. 341.	fig. 1. 3	Great Titmouse — IV. 536
2. La grosse Mefange bleue — 455	—	Azure — — 538
3. La petite Charbonniere — 400 P. ater, Lin. 341.	—	Colemoufe — — 540
4. La Mefange de Marais — 405 P. palustris, Lin. 341.	3. iii.	Marsh — — 541
5. — à gorge noire — —	1. 502	Var. A. — — ibid.
6. — à tête noire de } Canada — — } 408 P. atricapillus, Lin. 341.	—	Canada — — 542
7. — bleue — — 413 P. caeruleus, Lin. 341.	2. iii.	Blue — — 543
8. — huppé — — 447 P. cristatus, Lin. 341.	2. 502	Crested — — 545
9. — hupée de la } Caroline — — } 451 P. bicolor, Lin. 340.	—	Toupet — — 544
10. — à croupion jaune 453 P. virginianus, Lin. 342.	—	Virginian — — 546
11. — amoureuse — 456	—	Amorous — — ibid.
12. — de Pologne, ou } le Remiz — — } 423 P. pendulinus, Lin. 342.	3. 618	Penduline — — 547

HIST. D'OIS.	PL. ENL.	LATHAM.
13. La Penduline — — V. 433	fig. 1. 718	<i>Languedoc</i> — — IV. 549
14. La Mefange à longue queue 437	3. 502	Long-tailed — — 550
P. caudatus, <i>Lin.</i> 342.		
15. Le petit Deuil — — 445	—	<i>Cape</i> — — 552
16. La Mefange barbu, ou la } 418	1, 2. 618	Bearded — — <i>ibid.</i>
Mouftache — — }		
P. biarmicus, <i>Lin.</i> 340.		
17. ———— à ceinture blanche 446	3. 708	<i>Siberian</i> — — 556
18. Le Figuier cendré à collier — 301	1. 731	Creeping — — 558
P. americanus, <i>Lin.</i> 341.		

LV. HIRUNDO, LIN. SYST. CXVII.

SWALLOW, GEN. BIRDS, LV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Hirondelle domestique, } VI. 591	fig. 1. 543	Chimney Swallow, IV. 564
ou de Cheminée — — }		
H. rustica, <i>Lin.</i> 343.		
2. ———— à queue blanc, } 614	2. 542	Martin — — 564
ou de la Fenêtre — — }		
H. urbica, <i>Lin.</i> 344.		
3. ———— à ventre roux } 607	1. 724	Rufous-bellied — 566
de <i>Cayenne</i> — — }		
4. ————, ou Capuchin } 608	2. 723	Cape — — <i>ibid.</i>
roux — — }		
5. La grand Hirondelle à ventre } 610	310	<i>Senegal</i> — — 567
roux de <i>Senegal</i> — — }		
H. fenegeleus, <i>Lin.</i> 345.		
6. L'Hirondelle à ceinture blanche 611	2. 724	White-bellied — <i>ibid.</i>
7. ———— ambré — — 612	—	Ambergris — — 568
8. ———— de rivage — 632	2. 543	Sand Martin — — <i>ibid.</i>
H. riparia, <i>Lin.</i> 344.		
9. ———— grise de rochers 641	—	Crag — — 570
10. Le petit Martinet noir — 668	—	Black — — 572
11. Le grand Martinet noir à } 669	1. 545	<i>St. Domingo</i> — — 573
ventre blanc — — }		
12. Le Martinet noir et blanc à } 670	—	<i>Peruvian</i> — — <i>ibid.</i>
ceinture grise — — }		
13. La petite Hirondelle noire à } 673	—	Ash-bellied — — <i>ibid.</i>
ventre cendré — — }		

14. L'Hirondelle

HIST. D'OIS.		PL. ENL.	LATHAM.
14. L'Hirondelle bleue de la } <i>Louifiane</i> — — }	VI. 674	N° 722	Violet — — IV. 574
15. — de <i>Cayenne</i> —	675	fig. 2. 545	Chalybeate — — ibid.
16. — de la Baye } <i>d'Hudson</i> — — }	677	—	<i>Canada</i> — — 575
<i>H. fubis, Lin. 345.</i>			
17. La Tapere — —	678	—	<i>Brafilian</i> — — 576
<i>H. Tapera, Lin. 345.</i>			
18. L'Hiron. brune et blanche à } ceinture brune — — }	680	1. 723	Brown-collared — 577
19. — à ventre blanc } de <i>Cayenne</i> — — }	681	2. 546	White-winged — ibid.
20. — à ventre tacheté } de <i>Cayenne</i> — — }	682	1. ib.	Var. A. — — ibid.
21. La Salangane — —	ibid.	—	Efculent — — 578
<i>H. efculenta, Lin. 343.</i>			
22. La grand Hirondelle brune à } ventre tacheté, ou L'Hirondelle de blés — — }	694	—	Wheat — — 581
23. La petite Hirondelle noire } à croupion gris — — }	696	2. 544	Grey-rumped — — 582
24. L'Hirondelle à croupion roux } et queue quarrée — — }	698	—	Rufous-rumped — 583
25. — de la <i>Caroline</i> —	700	—	Aculeated — — ibid.
<i>H. pelagia, Lin. 345.</i>			
26. — brune acuti- } penne de la <i>Louifiane</i> — — }	699	2. 726	Var. A. — — ibid.
27. — acutipenne de } <i>Cayenne</i> — — }	701	1. 726	Var. B. — — 584
28. — noire acuti- } penne de la <i>Martinique</i> — — }	702	1. 544	Sharp-tailed — — ibid.
29. Le Martinet noir — —	643	1. 542	Swift — — 585
<i>H. apus, Lin. 344.</i>			
30. Le grand Martinet à ventre } blanc — — — }	660	—	White-bellied — — 586
<i>H. melba, Lin. 345.</i>			
31. Le Martinet à collier blanc —	671	2. 725	White-collared — 587

LVI. CAPRIMULGUS, LIN. SYST. CXVIII.

GOATSUCKER, GEN. BIRDS, LVI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le grand Ibijau — — VI. 541	N ^o 325	Grand Goatfucker, IV. 590
2. Le Guira-querea — — 536	—	Jamaica — — 591
3. L'Engoulevent gris — — 548	—	Grey — — 592
4. — de la Caroline — —	—	Carolina — — ibid.
5. Le tette-Chevre, ou Cra- } paud volant — — } 512	193	European — — 593
Caprimulgus europeus, Lin. 346.		
6. L'Engoulevent roux de Cay- } enne — — } 550	735	Rufous — — 597
7. La Montvoyau de la Guiane — 549	733	Guiana — — 598
8. L'Ibijau — — 539	—	Brazilian — — ibid.
9. Le petit Engoulevent tacheté } de Cayenne — — } 545	760	White-necked — — 599
10. L'Engoulevent acutipenne } de la Guiane — — } 547	732	Sharp-tailed — — 600
11. — à lunettes, ou } le Haleur — — } 443	—	American — — 601
Capr. americanus, Lin. 346.		

ORDER VI. Struthious.

LVII. DIDUS, LIN. SYST. XCVII.

DODO, GEN. BIRDS, LVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Dronte — — I. 480	—	Hooded Dodo — V. 1
Didus ineptus, Lin. 267.		
2. Le Solitaire — — 485	—	Solitary — — 3
3. L'Oiseau de Nazareth — — 485	—	Nazarene — — 4

LVIII. STRUTHIO,

LVIII. STRUTHIO, LIN. SYST. XCVI.

OSTRICH, GEN. BIRDS, LVIII.

HIST. D'OIS.		PL. ENL.	LATHAM.
1. L'Autruche —	— I. 398	N° 457	Black Ostrich — V. 6
Struthio camelus, <i>Lin.</i> 265.			
2. Le Touyou —	— 452	—	Nhandhuguaca? — 23
Struthio rhea, <i>Lin.</i> 266.			
3. Le Cafoar —	— 464	313	Galeated Caffowary — 10
Struthio cafuarius, <i>Lin.</i> 265.			

DIV. II. Water Birds.

ORDER VII. With Cloven Feet.

LIX. PLATALEA, LIN. SYST. LXXX.

SPOON-BILL, GEN. BIRDS, LIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Spatule — — VII. 448 <i>Platalea leucorodia</i> , Lin. 231.	N° 405	White Spoon-bill — V. 13
2. ——— couleur de rofe — <i>Pl. ajaja</i> , Lin. 231.	165	Roseate — — 14

LX. PALAMEDEA, LIN. SYST. LXXXI.

SCREAMER, GEN. BIRDS, LX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Kamichy — — VII. 335 <i>Palamedea cornuta</i> , Lin. 232.	N° 451	Horned Screamer — V. 18
2. Le Cariama — — 325 <i>P. cristata</i> , Lin. 232.	—	Crested — — 20

LXI. MYCTERIA, LIN. SYST. LXXXII.

JABIRU, GEN. BIRDS, LXI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Jabiru — — VII. 280 <i>Mycteria americana</i> , Lin. 232.	—	American Jabiru — V. 22

LXII. CANCROMA, LIN. SYST. LXXXIII.

BOAT-BILL, GEN. BIRDS, LXII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Savaçou — — VII. 443 Cancroma cochlearia, <i>Lin.</i> 233.	N° 38	Crested Boat-bill — V. 26
2. La Cuilliere brune — — <i>ibid.</i> C. canrophaga, <i>Lin.</i> 233.	869	Brown, Var. B. — — 28

LXIII. ARDEA, LIN. SYST. LXXXIV.

HERON, GEN. BIRDS, LXIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Oiseau Royal — — VII. 317 Ardea pavonina, <i>Lin.</i> 233.	fem. 265	Crowned Crane — V. 34
2. La Grue de Numidie, ou la } Démofelle — — } 313 A. virgo, <i>Lin.</i> 234.	241	Démofelle Cr. — 35
3. La Grue à collier — — 307 A. antigone, <i>Lin.</i> 235.	865	Indian Cr. Var. A. — 39
4. La Grue — — 287 A. grus, <i>Lin.</i> 234.	769	Common Cr. — — 40
5. La Grue blanche — — 308 A. americana, <i>Lin.</i> 234.	889	Hooping Cr. — — 42
6. La Grue brune — — 310 A. canadensis, <i>Lin.</i> 234.	—	Brown Cr. — — 43
7. La Cigogne blanche — — 253 A. ciconia, <i>Lin.</i> 235.	866	White Stork — — 47
8. Le Maguari — — 275	—	American St. — — 50
9. La Cigogne noire — — 271 A. nigra, <i>Lin.</i> 235.	399	Black St. — — <i>ibid.</i>
10. Le Bihoreau — — 435 A. nycticorax, <i>Lin.</i> 235.	m-758.f.759	Night Heron — 52, 53.
11. ——— de Cayenne — — 439	899	Cayenne Night Heron — 56
12. Le Butor — — 411 A. stellaris, <i>Lin.</i> 239.	789	Bittern — — <i>ibid.</i>
13. ——— de la Baye d'Hudson — — 430	—	Var. A. — — 58
14. Le grand Butor — — 422	—	Greater B. — — <i>ibid.</i>

15. Le

HIST. D'OIS.	PL. ENL.	LATHAM.
15. Le Butor roux — — VII. 425	—	Rufous B. — — V. 60
16. Le petit Butor — — 423	—	Swabian B. — — ibid.
17. Le Butor brun rayé — — 424	—	Rayed B. — — 61
18. Le petit Butor de <i>Cayenne</i> — — 430	N° 763	Zigzag B. — — ibid.
19. L'Onoré — — 431	790	Tiger B. — — 63
20. ——— de bois — — 433	—	Brazilian B. — — 62
<i>A. brasiliensis, Lin. 239.</i>		
21. ——— rayé — — 432	860	Lineated B. — — 64
22. Le Butor jaune du <i>Bresil</i> — — 429	—	Yellow B. — — 65
23. Le Blongios de <i>Suisse</i> — — 395	323	Little B. — — male 65
<i>A. minuta, Lin. 240.</i>		
24. ——— tacheté — — ibid.	—	Little B. — — fem. 66
25. Le petit Butor du <i>Senegal</i> — — 426	315	<i>Senegal</i> B. — — 67
26. Le Crabier verd — — male 404	} fem. 912	Green Heron — — 68
27. ——— tacheté — — fem. 405		
<i>A. virefcens, Lin. 238.</i>		
28. ——— gris à tête et } 408	908	Var. A. — — 69
queue vertes — — }		
29. L'Etoilé — — 428	—	Var. B. — — 70
30. Le Pouacre, ou le B. tacheté 427	—	Spotted Heron — — ibid.
31. Le Pouacre de <i>Cayenne</i> — —	939	Gardenian — — 71
32. Le Crabier cendré — — 401	—	Cinereous — — ibid.
33. ——— noir — — 394	926	<i>New Guinea</i> — — ibid.
34. Le petit Crabier — — 395	898	<i>Philippine</i> — — 72
35. Le Crabier caiot — — 389	—	Squaiotta — — ibid.
36. ——— roux — — 390	—	Chefnut — — 73
37. ——— marron — — ibid.	—	Red-legged — — ibid.
38. Le Guacco — — 392 }	348	Squacco — — 74
39. Le Crabier de <i>Mabon</i> — — 393 }		
40. ——— de la côte de <i>Co-</i> } ibid.	910	Var. A. — — 75
<i>romandel</i> — — }		
41. ——— blanc et brun — — 394	911	<i>Malacca</i> — — 78
42. ——— bleu — — 398	—	Blue — — ibid.
<i>A. cærulea, Lin. 238.</i>		
43. ——— bleu à cou brun — — 399	349	Var. A. — — 79
44. ——— chalybé — — 404	—	Var. C. — — 80
45. ——— gris-de-fer — — 399	—	Yellow-crowned — — ibid.
<i>A. violacea, Lin. 238.</i>		
46. ——— roux à tête et } 407	909	<i>Louifiane</i> — — 81
queue vertes — — }		
47. Le Heron hupé — — }	{ ma. 755	{ Common Heron — — 83
<i>A. major, Lin. 236.</i>		
48. Le Heron — — }	fem. 787	
<i>A. cinerea, Lin. 236.</i>		

HIST. D'OIS.	PL. ENL.	LATHAM.
49. Le grand Heron d'Amérique } VII. 385 <i>herodias, Lin. 237.</i>	—	Great Heron — V.
50. Le Heron de la Baye de } 386 <i>Hudson, Lin. 238.</i>	—	Red-shouldered — — 86
51. L'Aigrette — — 372	N° 901	Little Egret — — 90
<i>A. garzetta, Lin. 237.</i>		
52. L'Aigrette rousse — — 378	902	Reddish Egret — — 88
53. La demi Aigrette — — ibid.	350	Demi Egret — — ibid.
54. La grande Aigrette — — 377	925	Great Egret — — 89
55. Le Heron blanc — — 365	836	Great White Heron — 91
<i>Ardea alba, Lin. 239.</i>		
56. Le Heron blanc à calotte noire 380	907	Black-crested White H. 92
57. Le Crabier blanc à bec rouge 401	—	Little White H. — 98
<i>A. squinodialis, Lin. 240.</i>		
58. La Garzette blanche — — 371	—	Var. A. — — 94
59. Le Heron blanc du Mexique — 406	—	Var. B. — — ibid.
60. Le Heron noir — — 368	—	Black Heron — — ibid.
61. ——— pourpré — — 369	788	Crested Purple H. — 95
<i>A. purpurea, Lin. 236.</i>		
62. ——— pourpré du Danube 369	—	Purple Danubian H. — 96
63. Le Crabier pourpré — — 402	—	Mexican H. — — ibid.
64. Le Cracra — — 403	—	Cracra — — ibid.
65. Le Heron violet — — 370	906	Violet H. — — 97
66. ——— agami — — 382	—	Agami — — ibid.
67. Le Soco — — 379	—	Cocoi — — 98
<i>A. cocoi, Lin. 237.</i>		
68. L'Hocli — — 382	—	Dry H. — — 100
69. Le Houhou — — 304	—	Houhou — —
70. Le Bec-ouvert * — — 409	932	Pondicherry H. — 101
71. Le Courlan, ou Courliri — 442	848	Scolopaceous — — 102

LXIV. UMBRE, GEN. BIRDS, LXIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Ombrette — — VII. 440	fem. ? 796	Tufted Umbre — V. 30

* This Bird ought to form a separate Genus, and to be placed after the *Cancroma*, or Boat-bill. — The Bill is depressed, and rather broad towards the base: the edges are serrated: the Mandibles gape in the middle, and only touch each other at the bases and tips: the Wings extend beyond the Tail: the Middle Claw is not serrated.

LXV. TANTA-

LXV. TANTALUS, LIN. SYST. LXXXV.

IBIS, GEN. BIRDS, LXV.

HIST. D'OIS.	PL. EN.	LATHAM.
1. Couricaca — — VII. 276 Tantalus loculator, Lin. 240.	N° 868	Wood Ibis — — V. 104
2. Le Courlis rouge du <i>Brefil</i> , VIII. 35 T. ruber, Lin. 241.	81, 80	Scarlet — — 106
3. ——— de bois — — 42	820	Cayenne — — 107
4. L'Acalot — — 45	—	Mexican — — 108
5. Le grand Courlis de <i>Cayenne</i> — 47	976	White-necked — — 109
6. Le Matuitui des rivages — 46	—	Grey — — 110
7. Le Courlis brun à front rouge 42 T. fuscus, Lin. 242.	—	Brown — — ibid.
8. ——— blanc — — 41	915	White — — 111
9. L'Ibis blanc — — 14 T. ibis, Lin. 241.	389	Egyptian — — ibid.
10. ——— noir — — 17	—	Black — — 112
11. Le Courlis vert, ou d' <i>Italie</i> — 29 T. falcinellus, Lin. 241.	819	Bay — — 113
12. ——— à tête nue — — 32	867	Bald — — 114
13. ——— brun — — 31	—	Manilla — — 117
14. ——— hupé de <i>Madagascar</i> 33	841	Crested — — 118

LXVI. SCOLOPAX, LIN. SYST. LXXXVI. N° 1-4.

CURLEW, GEN. BIRDS, LXVI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Courlis — — VIII. 19 Scolopax arquata, Lin. 242.	N° 818	Common Curlew, V. 119
2. ——— de <i>Madagascar</i> — — Sc. madagascariensis, Lin. 242.	198	Madagascar — — 121
3. ——— tacheté — — 32	—	Luzonian — — 122
4. Le Corlieu, ou petit Courlis — 27 Sc. phæopus, Lin. 243.	842	Whimbrel — — 123
5. Le Gouarona — — 44 Sc. guarauna, Lin. 242.	—	Brazilian Wh. — — 125

LXVII. SCOLO-

LXVII. SCOLOPAX, LIN. SYST. N° 5—18.

SNIPE, GEN. BIRDS, LXVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Becasse — — VII. 462 Sc. rusticola, Lin. 243.	N° 885	Woodcock — — V. 129
2. ——— des Savanes — — 481	895	Savanna W. — — 132
3. La Becassine — — 483 Sc. gallinago, Lin. 244.	883	Common Snipe — — 134
4. La petite Becassine — — 490 Sc. gallinula, Lin. 244.	884	Jack Snipe — — 136
5. La Becassine du Cap de Bonne } Esperance — — — 494 Sc. capensis, Lin. 246.	270	Cape Sn. — — 138
6. ——— de la Chine — — 495	881	Var. B. — — 139
7. ——— de Madagascar — — ibid.	922	Var. C. — — ibid.
8. Le Chevalier vert — — 520 Rallus benghalensis, Lin. 263.	—	Var. D. — — 140
9. La Becassine de Madras — — 496	—	Madras Sn. — — 141
10. La Barge rousse de la Baye } d'Hudson — — — 507 Sc. fedoa, Lin. 244.	—	American Godwit — — 142
11. ——— rousse — — 504 Sc. lapponica, Lin. 246.	900	Red Godwit — — ibid.
12. ——— aboyeuse — — 501 Sc. ægocephala, Lin. 246.	876	Common Godwit — — 144
13. La grande Barge rousse — — 505	—	Var. A. — — 145
14. La Barge — — 500 Sc. limosa, Lin. 245.	—	Jadreka Sn. — — 146
15. ——— variée — — 503 Sc. glottis, Lin. 245.	—	Greenshank — — 147
16. Le Chevalier aux pieds rouges 513 Sc. calidris, Lin. 245.	—	Redshank — — 150
17. ——— blanc — — 519 Sc. candida, Lin. 247.	—	White Redshank — — 151
18. La Barge brune — — 508 Sc. fusca, Lin. 243.	875	Dusky Sn. — — 155
19. Le Caurale, ou petit } Paon des rofes — — — VIII. 169	782	Caurale — — 156

LXVIII. TRINGA,

LXVIII. TRINGA, LIN. SYST. LXXXVII.

SAND-PIPER, GEN. BIRDS, LVIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Combattant, ou Paon } VII. 521 de Mer — } <i>Tringa pugnax, Lin. 247.</i>	305, 306	Ruff — — V. 159
2. Le Vanneau — — VIII. 48 <i>Tr. vanellus, Lin. 248.</i>	242	Lapwing — — 161
3. — — armé de Cayenne — 66	836	Cayenne — — 164
4. — — armé de la Louisiane 65	835	Louisiane — — ibid.
5. — — armé des Indes — 64	807	Goa — — 165
6. — — armé de Senegal — 62 <i>Parra senegalla, Lin. 259.</i>	362	Senegal — — 166
7. La Gambette — — — <i>Tr. gambetta, Lin. 248.</i>	845	Gambet — — 167
8. La Vanneau de Suisse — — 60 <i>Tr. helvetica, Lin. 250.</i>	853	Swiss — — ibid.
9. — — pluvier — — 68 <i>Tr. squatarola, Lin. 252.</i>	854	Grey — — 168
10. — — varié — — —	923	Var. A. — — 169
11. Le Becasseau, ou Cul } VII. 534 blanc — — } <i>Tr. ochropus, Lin. 250.</i>	843	Green — — 170
12. Le Chevalier varié — — 517 <i>Tr. varia, Lin. 252.</i>	300	Var. A. — — 171
13. La Maubèche — — 529 <i>Tr. calidris, Lin. 252.</i>	—	Dusky — — 174
14. — — tachetée — — 531	—	Freckled — — ibid.
15. — — grise — — ibid.	366	Grifled — — 175
16. Le Chevalier rayé — — 516 <i>Tr. striata, Lin. 248.</i>	827	Striated — — 176
17. La Guignette — — 540 <i>Tr. hypoleucos, Lin. 250.</i>	850	Common — — 178
18. La Grive d'eau — — VIII. 140 <i>Tr. macularia, Lin. 249.</i>	—	Spotted — — 179
19. L'Alouette de Mer — VII. 548 <i>Tr. cinclus, Lin. 251.</i>	851	Purre — — 182
20. Le Cincle — — 553	852	Var. A. — — 183
21. La Brunette — — 493 <i>Tr. alpina, Lin. 249.</i>	—	Duntin — — 185
22. Le Tourne-pierre — VIII. 130 <i>Tr. interpres, Lin. 248.</i>	856	Turnstone — — 188
23. Le Coulon-chaud de Cayenne —	340	Var. B. — — 191
24. Le Canut — — 142 <i>Tr. canutus, Lin. 251.</i>	—	Knot — — 187

LXIX. CHARADRIUS, LIN. SYST. LXXXVIII.

PLOVER, GEN. BIRDS, LIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Pluvier doré — — VIII. 81 Charadrius pluvialis, <i>Lin.</i> 254.	N° 904	Golden — — V. 193
2. L'Echafte — — 114 Ch. himantopus, <i>Lin.</i> 255.	878	Long-legged — — 195
3. La Sanderling — — VII. 532 Ch. calidris, <i>Lin.</i> 255.	—	Sanderling — — 197
4. Le Pluvier doré à gorge } noire — — } VIII. 85 Ch. apricarius, <i>Lin.</i> 254.	—	Alwargrim — — 198
5. La Kildir — — 96 Ch. vociferus, <i>Lin.</i> 253.	—	Noisy — — 199
6. Le Pluvier à collier de <i>St. Domingue</i> Ch. torquatus, <i>Lin.</i> 255.	286	Var. A. — — 200
7. — à collier — — 90 Ch. hiaticula, <i>Lin.</i> 253.	921	Ringed — — 201
8. Le petit Pl. ou le Guignard — 87 Ch. morinellus, <i>Lin.</i> 249.	832	Dotterel — — 208
9. Le Pluvier à aigrette — — 99 Ch. spinofus, <i>Lin.</i> 256.	801	Spur-winged — — 213
10. — hupé de <i>Perse</i> — 98 Ch. spinofus, <i>Lin.</i> 256.	—	Var. A. — — 214
11. — armé de <i>Cayenne</i> — 102	833	Var. B. — — 215
12. — coiffé — — 100	834	— — — ibid.
13. — couronné — — 101	800	Wreathed — — 216
14. — à lambeaux — — 102	880	Wattled — — ibid.
15. Le Pluvian — — 104	918	Black-headed — — 217
16. Le Coure-vîte — — 128	795	Cream-coloured — — ibid.
17. — de la <i>Coromandel</i> — —	892	<i>Coromandel</i> — — 217

LXX. HÆMATOPUS, LIN. SYST. XC.

OYSTER-CATCHER, GEN. BIRDS, LXX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Huitrier — — VIII. 119 Hæmatopus ostralegus, <i>Lin.</i> 257.	N° 929	Pied — — V. 219

LXXI. PARRA,

LXXI. PARRA, LIN. SYST. XCII.

JACANA, GEN. BIRDS, LXXI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Jacana — — VIII. 185 <i>Parra jacana, Lin. 259.</i>	N° 322	Chestnut — — V. 241
2. Le Chirurgien noir — — 189	—	Black — — 242
3. Le Jacana-pêca — — 190	—	<i>Brazilian</i> — — 243
4. — vert — — 189	—	Green — — <i>ibid.</i>
5. — varié — — 192 <i>Parra variabilis, Lin. 260.</i>	—	Variable — — 244

LXXII. HIRUNDO, LIN. SYST. CXVII. N° 12.

PRATINCOLE, GEN. BIRDS, LXXII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Perdrix de mer — VII. 544 <i>Hirundo pratineola, Lin. 345.</i>	N° 882	<i>Austrian</i> — — V. 222
2. — de mer à collier — 145	—	Collared — — 223
3. — de mer du <i>Senegal</i> 544 <i>Tringa fusca, Lin. 252.</i>	—	<i>Senegal</i> — — 225
4. — de mer tacheté — 545	—	Spotted — — <i>ibid.</i>

LXXIII. RALLUS, LIN. SYST. XCIII.

RAIL, GEN. BIRDS, LXXIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Râle d'eau — — VIII. 154 <i>Rallus aquaticus, Lin. 262.</i>	N° 749	Water Rail — — V. 227
2. Le Tiklin, ou Râle des <i>Philippines</i> — — } 160 <i>R. philippensis, Lin. 263.</i>	774	<i>Philippine</i> — — 230
3. — rayé — — 161 <i>R. striatus, Lin. 262.</i>	—	Var. C. — — 232

HIST. D'OIS.	PL. ENL.	LATHAM.
4. Le Tiklin à collier — VIII. 162 R. torquatus, <i>Lin.</i> 262.	—	Banded — — V. 233
5. — brun — — 161	N° 773	Brown — — ibid.
6. Le Rale à long bec de <i>Cayenne</i> 163	849	Long-billed — — 237
7. — tacheté de <i>Cayenne</i> — 165	775	Variegated — — ibid.
8. Le Kiolo — — 164	368	<i>Cayenne</i> — — 238
9. Le Râle à ventre roux de <i>Cayenne</i> —	753	Var. A. — — ibid.
10. — Bidi Bidi — — 166	—	<i>Jamaica</i> — — 239
11. Le petit Râle de <i>Cayenne</i> — 167	847	Little — — 239

LXXIV. FULICA, LIN. SYST. XCI. N° 1. and 4, &c.

RALLUS, XCH. N° 1. 3. 9.

GALLINULE, GEN. BIRDS, LXXV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Roi de Genêt, ou } VIII. 146 Roi des Cailles — } Rallus crex, <i>Lin.</i> 261.	N° 750	Crake Gallinule — V. 250
2. La grande Poule d'eau de } 182 <i>Cayenne</i> — — }	352	<i>Cayenne</i> — — 252
3. L'Angoli — — 205	—	<i>Madras</i> — — 253
4. La Poule-sultane — — 194 <i>Fulica purpurea</i> , <i>Lin.</i> 258.	810	Purple — — 254
5. La petite Poule-sultane — 206 <i>F. martinica</i> , <i>Lin.</i> 259.	—	<i>Martinico</i> — — 255
6. La Favorite de <i>Cayenne</i> — 207	897	Favorite — — 256
7. L'Acintli — — 208	—	Crowing — — 257
8. La Poule-sultane verte — 204	—	Green — — ibid.
9. La Poule d'eau — — 171 <i>F. chloropus</i> , <i>Lin.</i> 258.	877	Common — — 258
10. La Poule-sultane brune — 204	896	Var. A. — — 259
11. La Poulette d'eau — — 177	—	Brown — — 260
12. La grand Poule d'eau, ou la } 178 Porzane — — }	—	Var. A. — — 261
13. Le Râle de <i>Virginie</i> — — 165 Rallus carolinus, <i>Lin.</i> 263.	—	Soree — — 262
14. La Grinette — — 179	—	Grinetta — — 263

HIST. D'OIS.	PL. ENL.	LATHAM.
15. Le petit Râle d'eau, ou } le Marouette — } VIII. 157 R. porzana, Lin. 262.	N° 751	Spotted — — V. 264
16. La Smirring — — 180	—	Yellow-legged — 266
17. La Glout — — 181	—	Piping — — 267

ORDER VIII. With pinnated Feet.

LXXV. TRINGA, LIN. SYST. LXXXVII. N° 8, 9, 10.

PHALAROPE, GEN. BIRDS, LXVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Phalarope cendré, VIII. 224 Tringa hyperborea, Lin. 249.	N° 766	Red Ph. (male) — V. 270
2. — rouge — — 225 Tr. fulicaria, Lin. 249.	—	Red (fem.) — — 271
3. — à festons dentelés 226 Tr. lobata, Lin. 249.	—	Grey — — 272

LXXVI. FULICA, LIN. SYST. XCI. N° 2, 3.

COOT, GEN. BIRDS, LXVIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La Foulque, ou Morelle, VIII. 211 Fulica atra, Lin. 257.	N° 197	Common Coot — V. 275
2. La grande Foulque, ou la } Macroule — — } 220 F. aterrima, Lin. 258.	—	Greater — — 277
3. La grande Foulque à crete — 222	797	Crested — — 278

LXXVII. COLYMBUS, LIN. SYST. LXXV. N^o 7 to 11.

GREBE, GEN. BIRDS, LXXIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Grèbe huppé — VIII. 233 Colymbus cristatus, Lin. 222.	N ^o 944	} Crested Grebe — V. 281
2. — cornu — — ibid.	400	
3. — — — — 227 C. urinator, Lin. 223.	941	Tippet — — 283
4. Le grand Grèbe — — 242	fig. 1. 404	Cayenne — — 284
5. Le petit Grèbe huppé — 235 C. auritus, Lin. 222.	—	Eared — — 285
6. Le petit Grèbe — — 232	942	Dusky — — 286
7. — cornu — — 237	2. 404	Var. A. — — 288
8. Le Grèbe à joues grises, ou } le Jougris — — } 241	931	Red-necked — — ibid.
9. — duc-laart — — 240	—	Black-breasted — — 289
10. — de la Louisiane — ibid.	943	Louisiane — — ibid.
11. — de la rivière, ou } le Castagneux — — } 244 C. auritus, Lin. 223.	905	Little — — 289
12. Le Castagneux des Philippines —	945	Var. A. — — 290
13. — de St. Domingue 248 C. dominicus, Lin. 223.	—	White-winged — — 291
14. — à bec cerclé — 247 C. podiceps, Lin. 223.	—	Pied-bill — — 292

ORDER IX. With webbed Feet.

* WITH LONG LEGS.

LXXVIII. RECURVIROSTRA, LIN. SYST. LXXXIX.

AVOSET, GEN. BIRDS, LXXIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Avocette — — VIII. 466 Recurvirostra avocetta, Lin. 256.	353	Scooping Avoset, V. 293
2. La Barge blanche — VII. 508 Scolopax alba, Lin. 256.	875	White — — 296

LXXIX. COURIER,

LXXIX. COURIER. GEN. BIRDS, LXXX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Coureur — — VIII. 472	—	Courier * — — V. 298

* A farther account, and a good figure, of this bird is among the *Desiderata* of Ornithology. It was well known to the illustrious *Aldrovandus*, and the *Bolognese* fowlers. It is much wished that travellers into *Italy*, or any gentlemen who have correspondents at *Bologna*, would give themselves the trouble of enquiring into its history, and of procuring a specimen or accurate drawing.

LXXX. PHOENICOPTERUS, LIN. SYST. LXXIX.

FLAMINO, GEN. BIRDS, LXXXI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Flamman — — VIII. 475 Phœnicopterus ruber, <i>Lin.</i> 230.	N° 63	Red Flamingo — V. 299

** WITH SHORT LEGS.

LXXXI. DIOMEDEA, LIN. SYST. LXXI. N° 1.

ALBATROSS, GEN. BIRDS, LXXXII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Albatros — — IX. 339 Diomedea exulans, <i>Lin.</i> 214.	N° 237	Wandering Albatross — — } V. 304

LXXXII. ALCA-

LXXXII. ALCA, LIN. SYST. LXIX.

AUK, GEN. BIRDS, LXXXIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Pingoin — — IX. 390 <i>Alca torda, Lin. 210.</i>	1003, 1004	Razor-bill — — V. 319
2. Le grand Pingoin — — 393 <i>Alc. impennis, Lin. 210.</i>	367	Great Auk — — 311
3. Le Macareux — — 358 <i>Alc. arctica, Lin. 211.</i>	275	Puffin — — 314
4. Le Macareux de <i>Kamtchatka</i> 368	761	Tufted — — 313
5. Le petit Pingoin — — 396 <i>Alc. pica, Lin. 210.</i>	—	Black-billed Auk — 320
6. Le petit Guillemot — — 354 <i>Alc. alle, Lin. 211.</i>	—	Little — — 327

LXXXIII. COLYMBUS, LIN. SYST. LXXV. N° 1, 2.

GUILLEMOT, GEN. BIRDS, LXXXIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Guillemot — — IX. 350 <i>Colymbus troile, Lin. 220.</i>	N° 903	Foolish Guillemot, VI. 329
2. Le petit Guillemot noir — 332 <i>C. grylle, Lin. 220.</i>	917	Black — — 332

LXXXIV. COLYMBUS, LIN. SYST. LXXV. N° 4, 5, 6.

DIVER, GEN. BIRDS, LXXXIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. L'Imbrim — — VIII. 258. <i>Colymbus glacialis, Lin. 221.</i>	N° 952	Northern Diver, VI. 337
2. Le grand Plongeon — — 251 <i>C. immer, Lin. 232.</i>	914	Imber — — 340
3. Le petit Plongeon — — 254	992	Speckled — — 341
4. Le Lumme — — 261 <i>C. arcticus, Lin. 221.</i>	—	Black-throated — 343
5. Plongeon à gorge rouge de <i>Sibirie</i> — <i>C. septentrionalis, Lin. 220.</i>	308	Red-throated — — 344

LXXXV. RHYNCOPS,

LXXXV. RHYNCOPS, LYN. SYST. LXXXVIII.

SKIMMER, GEN. BIRDS, LXXXVI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Bec-en-ciseaux — VIII. 454 <i>Rynchops nigra</i> , Lin. 228.	N° 357	Black Skimmer — VI. 347

LXXXVI. STERNA, LYN. SYST. LXXXVII.

TERN, GEN. BIRDS, LXXXVII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. La grande Hironde de mer de <i>Cayenne</i> — } VIII. 346	N° 988	<i>Cayenne</i> Tern — VI. 352
2. L'Hirondelle de mer à grande envergure — — } 345	—	Sooty — — ibid.
3. Le Noddi — — 461 <i>Sterna folida</i> , Lin. 227.	997	Noddy — — 354
4. La Guifette — — 339 <i>St. nevia</i> , Lin. 228.	924	<i>Sandwich</i> , Var. A. — 358
5. La grande Hironde de mer 331 <i>St. hirundo</i> , Lin. 227.	987	Common — — 361
6. — de } l'Île de <i>Panay</i> — — } 344	—	<i>Panayan</i> — — 363
7. La petite Hironde de mer 337 <i>St. minuta</i> , Lin. 228.	996	Lesser — — 364
8. L'Hirondelle de mer noire, } ou l'Epouvantail — — } 341 <i>St. filipes</i> , Lin. 228.	333	Black — — 366
9. — de mer à tête noire, } ou le Gachet — — } <i>St. nigra</i> , Lin. 227.	342	Var. A. — — 367

LXXXVII. LARUS, LIN. SYST. LXXXVI.

GULL, GEN. BIRDS, LXXXVIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Goiland noir — VIII. 405 <i>Larus marinus</i> , <i>Lin.</i> 225.	N° 990	Black-backed Gull, VI. 371
2. — à manteau gris — } 418 brun, ou le Bourgmestre — } <i>L. fuscus</i> , <i>Lin.</i> 225.	—	Herring — — 372
3. — à manteau gris — 406	253	Glaucous — — 374
4. — varié, ou le Grifard 413 <i>L. naevius</i> , <i>Lin.</i> 225.	266	Wagel — — 375
5. La Mouette blanche — — 422	994	Ivory — — 377
6. La grande Mouette cendrée — 379 <i>L. canus</i> , <i>Lin.</i> 224.	977	Common — — 378
7. La Mouette rieuse — — 433 <i>L. atricilla</i> , <i>Lin.</i> 225.	—	Laughing — — 383
8. — rieuse à pattes } ibid. rouges — — } <i>L. ridibundus</i> , <i>Lin.</i> 225.	970	Black-headed — — 380
9. La petite Mouette cendrée — 431 <i>L. cinerarius</i> , <i>Lin.</i> 224.	969	Red-legged — — 381
10. La Mouette d'hiver — — 437	—	Winter — — 384
11. Le Goiland brun — — 408 <i>L. cataractes</i> , <i>Lin.</i> 226.	—	Skua — — 385
12. Le Labbe à longue queue — 445 <i>L. parasiticus</i> , <i>Lin.</i> 226.	762	Arctic — — 389
13. La Mouette cendrée tachetée 424 <i>L. tridactylus</i> , <i>Lin.</i> 224.	387	Tarrock — — 392

LXXXVIII. PROCELLARIA, LIN. SYST. LXX.

PETREL, GEN. BIRDS, LXXXIX.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Quebrantahuefos — — IX. 319	—	Giant Petrel — VI. 396
2. Le Puffin de <i>Brefil</i> — — 337	—	<i>Brazilian</i> — — 398
3. Le Petrel-Puffin brun — — 326 <i>Procellaria æquinoctialis</i> , <i>Lin.</i> 213.	—	Black — — ibid.
4. Le Petrel antarctique, ou } Damier brun — — } 311	—	Antarctic — — 400

HIST. D'OIS.	PL. ENL.	LATHAM.
5. Le Petrel tacheté, ou le } IX. 304 Damier — —	N° 964	Pintado — — VI. 401
Pr. capensis, Lin. 213.		
6. Le Fulmar, ou Petrel Puffin } 302 gris blanc — —	59	Fulmar — — 403
Pr. glacialis, Lin. 213.		
7. Le Puffin — — 321	962	Shearwater — — 406
Pr. puffinus, Lin. 213.		
8. Le Petrel cendré — — 302	—	Var. A. — — 407
9. — blanc, ou P. de } 314 neige — —	—	Snowy — — 408
10. L'Oiseau de tempête — — 327	993	Stormy — — 411
Pr. pelagica, Lin. 212.		
11. Le Petrel bleu — — 316	—	Broad-billed — — 414

LXXXIX. MERGUS, LIN. SYST. LXVIII.

MERGANSER, GEN. BIRDS, XC.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Harle — — VIII. 267	N° 951	Goofander — VI. 418
Mergus merganser, Lin. 208.		
2. — cendré, ou le Bievre 254	953	Dun diver — — 420
M. castor, Lin. 209.		
3. — huppé — — 273	207	Red-breasted — — 423
M. serrator, Lin. 208.		
4. — à manteau noir — — 250	—	Var. A. — — 425
5. — couronné — — 280	m. 935. f. 936	Hooded — — 426
M. cucullatus, Lin. 207.		
6. Le petit Harle huppé, ou la } 275 Piette — —	449	Smew — — 428
M. albellus, Lin. 209.		
7. Le Harle étoilé — — 278	450	Minute — — 429
M. minutus, Lin. 209.		

XC. ANAS, LIN. SYST. LXVII.

DUCK, GEN. BIRDS, XCI.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Cygne — IX. 1 <i>Anas cygnus mansuetus</i> , Lin. 194.	N° 913	Mute Swan — VI. 436
2. ——— fauvage — 16 <i>An. cygnus feras</i> , Lin. 194.	—	Whistling S. — 433
3. L'Oie des Îles Malouines — 69	—	Bustard Goose — 440
4. ——— des Terres Magellaniques 68	1006	Magellanic G. — 443
5. ——— de Guinée — 72 <i>An. cygnoides australis</i> , Lin. 194.	347	Chinese G. — 447
6. ——— bronzée — 77	937	Black-backed G. — 449
7. ——— à cravate — 82 <i>An. canadensis</i> , Lin. 198.	346	Canada G. — 450
8. ——— armée — 76	—	Spur-winged G. — 452
9. ——— d'Égypte — 79 <i>An. ægyptiaca</i> , Lin. 197.	379, 982, 983	Egyptian G. — 453
10. ——— fauvage — 30 <i>An. anser</i> , Lin. 197.	985	Grey-lag G. — 459
11. ——— privée, ou domestique — } 34, 49 <i>An. anser domesticus</i> , Lin. 197.	—	Tame, Var. A. — 461
12. ——— rieufe — 81 <i>An. erythropus</i> , Faun. Succ. N° 116.	—	White-fronted G. — 463
13. La Bernache — 93 <i>An. erythropus</i> , Lin. 197.	855	Bernacle G. — 466
14. Le Cravant — 87 <i>An. bernicla</i> , Lin. 198.	342	Brent G. — 467
15. L'Oie des Esquimaux — 80 <i>An. cærulescens</i> , Lin. 198.	—	Blue-winged G. — 469
16. L'Eider — 103 <i>An. mollissima</i> , Lin. 198.	208, 209	Eider G. — 470
17. Le Canard sauvage — 115 <i>An. boschas</i> , Lin. 205.	776, 777	Mallard — 489
18. ——— à tête grise — 253 <i>An. spectabilis</i> , Lin. 195.	—	King Duck — 473
19. ——— musqué — 162 <i>An. moschatus</i> , Lin. 199.	989	Muscovy D. — 476
20. La Macreuse — 234 <i>An. nigra</i> , Lin. 196.	978	Scoter — 480
21. ——— à large bec — 244 <i>An. perspicillata</i> , Lin. 201.	995	Black D. — 479

HIST. D'OIS.	PL. ENL.	LATHAM.
22. La double Macreuse — IX. 242	} N° 956	Velvet Duck — VI. 482
Le Turpan — — — 291		
<i>An. fusca, Lin. 196.</i>		
23. Le Canard à collier de terre } 250	798	Harlequin D. — — 484
neuve — — — }		
<i>An. histrionica, Lin. 204.</i>		
24. ——— brun et blanche — 287	799	Its female — — 485
<i>An. minuta, Lin. 204.</i>		
25. ——— siffleur — — 169	825	Common Wigeon — 518
<i>An. penelope, Lin. 202.</i>		
26. Le Siffleur à bec rouge et } 183	826	{ Red-billed Whift- }
narines jaunes — — — }		{ ling D. — — }
<i>An. autumnalis, Lin. 205.</i>		
27. ——— à bec noir — — 185	804	{ Black-billed Whift- }
<i>An. arborea, Lin. 207.</i>		{ ling D. — — }
28. Le petit Morillon rayé — 233	—	Scaup D. — — 500
<i>An. marila, Lin. 196.</i>		
29. La Sarcelle foudrourou — 279	966	White-faced D. — 502
<i>An. discors, Lin. 205.</i>		
30. ——— foudrourette — 280	403	Its female — — 503
31. La Tadorne — — 205	53	Sheldrake — — 504
<i>An. tadorna, Lin. 195.</i>		
32. Le Marec — — — 256	—	Ilathera — — 507
<i>An. bahamensis, Lin. 199.</i>		
33. Le Mareca — — — ibid.	—	Mareca — — 508
34. Le Souchet — — — 191, 291	971, 972	Shoveler — — 509
<i>An. clypeata, Lin. 200.</i>		
35. Le Chipeau — — — 187	958	Gadwall — — 515
<i>An. strepera, Lin. 200.</i>		
36. La Sarcelle de Java — — 275	930	Var. A. — — 517
37. Le Canard Jensen — — 174	955	American Wigeon — 520
38. Le Millouin — — — 216	803	Pochard — — 523
<i>An. ferina, Lin. 203.</i>		
39. Le Canard à face blanche — 255	808	Spanish — — 525
<i>An. viduata, Lin. 205.</i>		
40. ——— à longue queue — 199	954	Pintail — — 526
<i>An. acuta, Lin. 202.</i>		
41. ——— à longue queue de } 202	1008	Long-tailed — — 528
terre neuve — — — }		
<i>An. glacialis, Lin. 203.</i>		
42. La Sarcelle de Ferroe — — 278	999	Var. A. — — 531
43. Le petit Canard à grosse tête 249	948	Buffel-headed — — 534
<i>An. albeola, Lin. 199.</i>		
44. Le Garrot — — — 222	802	Golden-eye — — 535
<i>An. clangula, Lin. 201.</i>		

HIST. D'OIS.	PL. ENL.	LATHAM.
45. Le Morillon — — IX. 227	—	Morillon — — VI. 537
An. glaucion, <i>Lin.</i> 201.	—	
46. La Sarcelle de <i>Mexique</i> — — 285	—	<i>Mexican</i> — — 539
47. Le petit Morillon ? — — 231	1001	Tufted Duck — — 540
An. fuligula, <i>Lin.</i> 207.		
48. Le Canard fifleur huppé — — 182	928	Red-crested — — 544
49. Le beau Canard huppé — — 245	980, 981	Summer D. — — 546
An. sponfa, <i>Lin.</i> 207.		
50. La Sarcelle de la <i>Chine</i> — — 276	805, 806	<i>Chinefe</i> — — 548
An. galericulata, <i>Lin.</i> 206.		
51. La Sarcelle — — 260	946	Garganey — — 550
An. querquedula, <i>Lin.</i> 203.		
52. La petite Sarcelle — — 265	947	Common Teal — — 551
An. crecca, <i>Lin.</i> 204.		
53. La Sarcelle d'été — — 268	—	Summer T. — — 552
An. circia, <i>Lin.</i> 204.		
54. ——— rouffe à longue } 283	968	<i>St. Domingo</i> T. — — 554
queue — — }		
An. dominica, <i>Lin.</i> 201.		
55. ——— à queue epineufe — 282	967	Spinous-tailed T. — 555
56. ——— d' <i>Egypt</i> — — 273	1000	<i>African</i> T. — — <i>ibid.</i>
57. ——— mâle de <i>Mada-</i> } 274	770	<i>Madagascar</i> T. — 556
<i>gascar</i> — — }		
58. ——— de <i>Coromandel</i> — <i>ibid.</i>	949, 950	<i>Coremandel</i> T. — <i>ibid.</i>
59. Le Canard de <i>Barbarie</i> — 290	—	White-headed Duck — 478
60. Très petite Sarcelle — — 292		
61. Le Woures-feique — — 293		

XCI. DIOMEDEA, LIN. SYST. LXXI. N° 2.

PHAETON, LXXIV. N° 2.

PINGUIN, GEN. BIRDS, XCII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Manchot fauteur — IX. 409	N° 984	Crested Pinguin, VI. 561
2. Le grand Manchot — — 399	975	<i>Patagonian</i> — — 563
3. Le Manchot moyen ? — — 402	382	<i>Cape</i> — — 564
<i>Diomedea demersa</i> , <i>Lin.</i> 214.		
4. ——— à bec tronqué — 411	1005	Var. A. — — 567

XCII. PELE-

XCII. PELECANUS, LIN. SYST. LXXII.

PELECAN, GEN. BIRDS, XCIII.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le Pelican — — VIII. 282 <i>Pelecanus onocrotalus orientalis</i> , Lin. 215.	N° 87	{ Great White Pe- } VI. 575 lican — — }
2. — à bec dentelé — 309	—	Saw-billed, Var. A. — 579
3. — brun — 306 <i>P. onocrotalus occidentalis</i> , Lin. 215.	957	Brown — — 580
4. La Fregate — — 381 <i>P. aquilus</i> , Lin. 216.	961	Frigat — — 587
5. Le Cormoran — — 310 <i>P. carbo</i> , Lin. 216.	927	Corvorant — — 593
6. Le petit Cormoran, ou le } Nigaud — — } 319 <i>P. graculus</i> , Lin. 217.	—	Common Shag — — 598
7. Le Fou de <i>Bassan</i> — — 376 <i>P. bassanus</i> , Lin. 217.	278	Gannet — — 608
8. Le Fou — — 368 <i>P. fula</i> , Lin. 218.	—	Common Booby — — 612
9. Le grand Fou — — 372	—	Great Booby — — 610
10. Le Fou blanc — — 371 <i>P. piscator</i> , Lin. 217.	—	Leffer Gannet — — 611
11. Le petit Fou brun — — 374 <i>P. fiber</i> , Lin. 218.	974	Brown Booby — — 613
12. Le Fou de <i>Cayenne</i> — — <i>ibid.</i>	973	Leffer Booby — — 614
13. — tacheté — — —	986	Spotted Booby — <i>ibid.</i>

XCIII. PHAETON, LIN. SYST. LXXIV. N° 1.

TROPIC BIRD, GEN. BIRDS, XCIV.

HIST. D'OIS.	PL. ENL.	LATHAM.
1. Le grand Paille en } VIII. 348 queue — — } <i>Phaëton æthereus</i> , Lin. 219.	N° 998	{ Common Tropic } VI. 613 Bird — — }
2. Le petit Paille en queue — 355	369	Var. A. — — 618
3. Le Paille en queue à brins } rouges — — } 357	979	Red-tailed — — 619

XCIV. PLOTUS,

XCIV. PLOTUS, LIN. SYST. LXXIII.

ANHINGA, GEN. BIRDS, XCV.

HIST. D'ORS.	PL. ENL.	LATHAM.
1. L'Anhinga — — VIII. 448	—	{ White - bellied } VI. 622 Anhinga — }
2. — de Cayenne — — Plotus anhinga, Lin. 218.	N° 959	Black-bellied — — 624
3. L'Anhinga — — tab. xxxv. ?	—	Var. A. — — ibid.
4. — noir de Cayenne — —	960	Black, Var. B. — 625
5. — roux — — 453	107	Rufous, Var. C. — 626
6. Le Grebe-foulque — — 248	893	Surinam — — ibid.

C A T A L O G U E
OF THE
BIRDS, AND OTHER SUBJECTS,
IN
LES PLANCHES ENLUMINÉES;
WITH REFERENCES TO
HISTOIRE NATURELLE DES OISEAUX,
PAR
LE COMTE DE BUFFON.

PL.		DE BUFFON.
1.	Coq — — — — —	II. 116
2.	Merle de <i>France</i> , mâle — — — — —	III. 330
3.	Grosse Mefange, ou Charbonniere — — — — —	V. 592
	Mefange bleu — — — — —	413
	Mefange de marais, ou Nonette cendrée — — — — —	405
4.	Chardonneret — — — — —	IV. 187
	Chardonneret blanc — — — — —	204
5.	Carouge du <i>Mexique</i> — — — — —	III. 247
	— de <i>St. Dominique</i> — — — — —	ibid.
6.	Moineau franc de <i>France</i> , mâle — — — — —	III. 474
	Cardinal du Cap de <i>Bonne Esperance</i> — — — — —	496
7.	Tangara — — — — —	IV. 236
	— hupé de <i>Cayenne</i> — — — — —	240, 279
8.	Veuve de la côte d' <i>Afrique</i> — — — — —	158

Petite

Pl.		DE BUFFON.
	Petite Veuve — — — —	160
9.	Pie-grièche de <i>Manille</i> — — — —	I. 310
	— rousée de <i>France</i> — — — —	301
10.	Petite Outarde, ou Canne-petiere de <i>France</i> , femelle —	II. 40
11.	Pigeon ramier bleu de <i>Madagascar</i> — — — —	
12.	Ara rouge — — — —	VI. 179
13.	Perroquet jaune — — — —	214
14.	Petit Kakatoes à hupe jaune — — — —	93
15.	Scarabés — — — —	
16.	Hannetons — — — —	
17.	Phalene chauve fouris de la <i>Chine</i> — — — —	
18.	Papillons à queue — — — —	
19.	Le grand oculé de <i>Cayenne</i> — — — —	
20.	La Veuve — — — —	
	La Palatine — — — —	
21.	Pipa mâle. Rana Pipa, <i>Lin. Syst. I.</i> 354.	
	Pipa femelle — — — —	
	Jeune Pipa — — — —	
22.	Cameleon. Lacerta Chamæleon, <i>Lin. Syst. I.</i> 364.	
23.	Manchette de Neptune — — — —	
24.	Corail rouge — — — —	
25.	Petite Outarde, ou Canne-petiere, mâle — —	II. 40
26.	Le Lorient, mâle — — — —	III. 254
27.	Perdrix grise, femelle — — — —	II. 401
28.	Bergeronette jaune, mâle — — — —	V. 268
	— du Cap de <i>Bonne Espérance</i> — — — —	273
29.	Moyen Duc, ou Hibou — — — —	I. 342
30.	Bruant de <i>France</i> — — — —	IV. 340
	Bruant de prez de <i>France</i> — — — —	351
31.	Pie-grièche rousée de <i>France</i> , femelle — —	I. 301
	Ecorcheur — — — —	304
32.	Pie-grièche d' <i>Italie</i> — — — —	298
	— de <i>Madagascar</i> — — — —	310
33.	Tangara varié à tête verte de <i>Cayenne</i> — —	IV. 276
	— blanc de <i>Cayenne</i> — — — —	ibid.
34.	Manakin à tête d'or — — — —	418
	— à tête blanche — — — —	419
	— rouge — — — —	415
35.	Mascarin — — — —	VI. 120
36.	Ara bleu et jaune du <i>Bresil</i> — — — —	191
37.	Gros-bec de Virginie, appelé Cardinal hupé — —	III. 458

Pl.					DE BUFFON.
38.	Savacou de <i>Cayenne</i>	—	—	—	VII. 443
39.	Coq-de-Roche	—	—	—	IV. 432
40.	Scarabés				
41.	La Giraffette				
	Le Taureau-volant				
42.	Phalène à croissant, de la <i>Chine</i>				
	— blonde				
43.	Le Chapelier bleu de <i>Cayenne</i>				
	L'Echarpe de la <i>Gouadeloupe</i>				
44.	Le Flambé du <i>Perou</i>				
	Le Tigré de la <i>Gouadeloupe</i>				
45.	Le Frangiverd				
46.	Lezard volant, <i>Draco volans</i> , <i>Lin. Syst. I. 358.</i>				
47.	Grand Pore				
48.	Litophyte de l'Isle de <i>Bourbon</i>				
49.	Coq hupé				
50.	Casse-noix	—	—	—	III. 122
51.	Mauvis	—	—	—	307
52.	La Hupe	—	—	—	VI. 439
53.	Tadorne	—	—	—	205
54.	Pinçon	—	—	—	IV. 109
	— d' <i>Ardenne</i> s	—	—	—	121
55.	Moineau franc, jeune	—	—	—	III. 474
	Cardinal Dominiquain	—	—	—	500
56.	Pie-grieche du <i>Senegal</i>	—	—	—	I. 314
57.	Grand Guépier, des <i>Philippines</i>	—	—	—	VI. 504
58.	Figuier de la <i>Caroline</i>	—	—	—	V. 286
	— de <i>Canada</i>	—	—	—	285
	— Etranger	—	—	—	313
59.	Pétrel de l'Isle <i>S. Kilda</i>	—	—	—	IX. 302
60.	Petite Perruche, mâle, de <i>Guinée</i>	—	—	—	VI. 165
61.	Perruche d' <i>Amboine</i>				
62.	Martin-pêcheur du <i>Senegal</i>	—	—	—	VII. 185
63.	Flamant d' <i>Amerique</i>	—	—	—	VIII. 475
64.	L'Arlequin de <i>Cayenne</i>				
	Le Thufte de <i>Cayenne</i>				
65.	Le grand Soldat de <i>Cayenne</i>				
	La Fraise de <i>St. Domingue</i>				
66.	La Vitrec de <i>Cayenne</i>				
	La Hachette du <i>Soissonnois</i>				
67.	L'Arlequine				

Pl.		DE BUFFON.
	La Bergame de la <i>Martinique</i>	
	La Console de la <i>Martinique</i>	
63.	L'Alpicola	
	Le Velouré de la <i>Chine</i>	
69.	Le Festonné de la <i>Gouadeloupe</i>	
70.	Le Rocou de <i>St. Dominique</i>	
	Le Nacre de <i>St. Dominique</i>	
	Le Quinterage de <i>St. Dominique</i>	
71.	Le Page de <i>Cayenne</i>	
	Le Tafetas rayé de <i>St. Dominique</i>	
	Le Brun-vert de la <i>Chine</i>	
72.	Le Parafol de <i>Surinam</i>	
	Le Guidon de <i>Surinam</i>	
73.	Coq de Bruyere — — — —	II. 191
74.	Poule de Bruyere — — — —	ibid.
75.	Sanfonnet, ou Etourneau de <i>France</i> — —	III. 176
76.	Corneille mantelée — — — —	61
77.	Martin pêcheur — — — —	VII. 164
78.	Faisan, le pierre de <i>Cayenne</i> — —	II. 382
79.	Loriot de la <i>Chine</i> — — — —	III. 262
80.	Courly rouge du <i>Bresil</i> , de l'age de deux ans — —	VIII. 35
81.	— — — — de trois ans — —	ibid.
82.	Toucan de <i>Cayenne</i> , appelé Toco — —	VII. 117
83.	Grimpereau à longue queue du Cap de <i>Bonne Esperance</i>	V. 521
	— du <i>Bresil</i> — — — —	529
84.	Lory des <i>Indes Orientales</i> — — — —	VI. 130
85.	Perruche des <i>Terres Magellaniques</i> * — —	262*
		86. Hocco

* The illustrious author had not the least occasion to apologize for the epithet *Magellaniques*; but, having resolved that no Parrots should trespass beyond the tropic of *Capricorn*, despises the authority of the Dutch navigator *Spilbergen*, who was eye-witness to the woods of *Terra del Fuego*, the very southern boundary of the Straights of *Magellan*, in latitude 44, being full of a species of these birds †. He might have cited the evidence of Captain *Wood*, who saw a small parrot at Port *Famine* ‡. And he might have quoted Commodore *Byron*, who says, "that, notwithstanding the coldness of the climate, he observed Parrots innumerable in the woods of the same harbour §." Mr. *Edwards*, one of the Surgeons, now living at *Cavernarvon*, informed me, that he saw them in abundance, and that they were of a deep green; probably the very species engraven in the *Pl. Enl.*

The *Comte* treats with the same contempt the authority of the observant and veracious Captain *Cook*, who (in defiance of the *Comte's* canon) had the hardiness to trust to the evi-

† *Purchas's Pilgrims*, 1. 80.

‡ Printed at the end of the Voyages undertaken by the Dutch East India Company, p. 37.

§ *Hawke'sworth's Collection*, 1. 38.

PL.					DE BUFFON.
86.	Hocco, Faïfan de la <i>Guiane</i>	—	—	—	II. 373
87.	Le Pelican	—	—	—	VIII. 282
88.	Rollier d' <i>Angola</i>	—	—	—	III. 144
89.	Merle des <i>Philippines</i>				
90.	Capricorne du <i>Senegal</i>				
	du <i>Canada</i>				
91.	Le Bistard de <i>Cayenne</i>				
	Le Soleil levant de la <i>Chine</i>				
	L'Esclavage de la <i>Chine</i>				
92.	Papillons				
93.	Papillons				
94.	Papillons				
95.	Papillons				
96.	Papillons				
97.	Le Dindon	—	—	—	II. 132
98.	Poule du <i>Japon</i>	—	—	—	121
99.	Gros-bec, mâle	—	—	—	III. 99
100.	— femelle	—	—	—	ibid.
101.	— de <i>Coromandel</i>	—	—	—	456
	— de <i>Java</i>	—	—	—	467
102.	Le grand Bout de Petun	—	—	—	VI. 423
	Le petit Bout de Petun	—	—	—	420
103.	Cardinal Dominiquain hupé, de la <i>Louisiane</i>	—	—	—	III. 501
104.	Grosse Gelinote du <i>Canada</i>	—	—	—	II. 281
105.	Gelinote, mâle, des <i>Pyrénées</i>	—	—	—	244
106.	— femelle	—	—	—	ibid.
107.	Anhinga du <i>Senegal</i>	—	—	—	VIII. 453
108.	La Peintade	—	—	—	II. 163
109.	Maia de la <i>Chine</i>	—	—	—	IV. 105

dence of his own senses, and assert that he saw Parrots in the Isle of *New Zealand*; and even to suffer Captain *Furneaux* to blab out, that *Perroquets* were inhabitants of *Van Diemen's Land*, the very extremity of *New Holland**,—both of them countries interdicted by the illustrious naturalist to the whole Parrot race. How greatly again has our able navigator aggravated matters, by not silencing the learned *FORSTER*, for proving more than one species to be found in the raw wet climate of *Duffy Bay*, in latitude 46†; and, to make bad worse, to connive at several of the companions of his voyage bringing into this kingdom not fewer than eight species of this vagabond genus, who had dared to take up their residence far beyond the genial limits of the torrid zone, which the *Comte de BUFFON* had so authoritatively decreed to them; and like a great Creator said, HITHERTO SHALT THOU COME, BUT NO FURTHER!

* *Cook's Second Voyage*, I. 112.† *FORSTER's Voy.* I. 158.

PL.		DE BUFFON.
	Maia de <i>Cuba</i> — — — —	IV. 107
	Grenadin de la côte d' <i>Afrique</i> — — — —	169
110.	Pigeon Romain — — — —	II. 510
111.	—— Ramier verd de <i>Madagascar</i> — — — —	540
112.	Le grand Aigle de Mer — — — —	I. 112
113.	Etourneau des Terres <i>Magellaniques</i> — — — —	III. 196
114.	Tangara de <i>Cayenne</i> — — — —	IV. 296
	—— du <i>Bresil</i> — — — —	295
	—— de <i>Cayenne</i> — — — —	297
115.	Le <i>Bengali</i> — — — —	92
	—— brun — — — —	95
	—— piqueté — — — —	96
116.	Martin pecheur de <i>Ternate</i> — — — —	VII. 196
117.	Pic de <i>Virginie</i> — — — —	55
118.	Faisan couronné des <i>Indes</i> — — — —	II. 542
119.	Lory, mâle, des <i>Indes Orientales</i> — — — —	VI. 130
120.	Perroquet Amazone varié du <i>Bresil</i> — — — —	236
121.	Faisan de <i>France</i> — — — —	II. 328
122.	Femelle du Faisan — — — —	ibid.
123.	Faisan blanc de la <i>Chine</i> — — — —	359
124.	—— femelle — — — —	ibid.
125.	Le Hocco du <i>Perou</i> — — — —	373
126.	Caille hupée du <i>Mexique</i> , une Espece de Colin? — — — —	482
	—— des <i>Philippines</i> — — — —	478
127.	Tangara du <i>Mexique</i> , appelé le Cardinal — — — —	IV. 243
	—— du <i>Bresil</i> — — — —	279
128.	—— pourpré de <i>Cayenne</i> — — — —	259
	—— femelle — — — —	ibid.
129.	La Gelinote blanche — — — —	II. 264
130.	—— du <i>Senegal</i> — — — —	250
131.	—— mâle, du <i>Canada</i> — — — —	279
132.	—— femelle — — — —	ibid.
133.	Tangara verd tacheté des <i>Indes Occidentales</i> — — — —	IV. 288
	—— du <i>Perou</i> — — — —	286
134.	Moineau du Cap de <i>Bonne Esperance</i> — — — —	III. 496
	—— de <i>Madagascar</i> — — — —	495
135.	Gros-bec du <i>Canada</i> — — — —	457
	—— des <i>Philippines</i> — — — —	465
136.	La Perdrix de Montagne — — — —	II. 419
137.	—— du <i>Senegal</i> — — — —	443

PL.		DE BUFFON.
138.	Pigeon verd des <i>Philippines</i> — — —	II. 527
139.	Gros-bec des <i>Molouques</i> — — —	III. 468
	— de <i>Java</i> , dit le Domino — — —	ibid.
	— de <i>Java</i> , dit le Jacobin — — —	ibid.
140.	Tourterelle à cravate noire du Cap de <i>Bonne Esperance</i> — — —	II. 554
141.	Pigeon roux de <i>Cayenne</i> — — —	526
142.	Tourterelle à gorge pourprée de <i>Amboine</i> — — —	555
143.	Perruche des <i>Indes Orientales</i> — — —	VI. 138
144.	— à gorge tachetée de <i>Cayenne</i> — — —	258
145.	Bouvreuil, mâle — — —	IV. 372
	— femelle — — —	ibid.
146.	Faisan de la <i>Guiane</i> — — —	II. 364
147.	Francolin, mâle — — —	438
148.	— femelle — — —	ibid.
149.	Caille de la <i>Louisiane</i> — — —	487
150.	Perdrix rouge de <i>France</i> , mâle — — —	431
151.	La Linotte — — —	IV. 58
	La petite Linotte des Vignes — — —	216
152.	Gros-bec de la <i>Chine</i> — — —	III. 463
	— de <i>Cayenne</i> — — —	462
153.	— de l'Isle de <i>Bourbon</i> — — —	
	— de la <i>Louisiane</i> — — —	460
154.	— bleu d' <i>Amerique</i> — — —	456
155.	Tangara bleu de <i>Cayenne</i> — — —	282.
	— brun d' <i>Amerique</i> — — —	267
156.	— du <i>Canada</i> — — —	250
	— de <i>St. Dominique</i> — — —	263
157.	Le <i>Senegali</i> — — —	IV. 99
	<i>Senegali</i> rayé — — —	101
	Pinçon de la <i>Chine</i> — — —	
158.	Ortolan de la <i>Louisiane</i> — — —	325
	— du Cap de <i>Bonne Esperance</i> — — —	ibid.
159.	Verdiers de la <i>Louisiane</i> , la femelle — — —	IV. 176
	— le mâle, appelé le Pape — — —	ibid.
160.	Tourterelle du <i>Senegal</i> — — —	II. 553
161.	— à collier du <i>Senegal</i> — — —	ibid.
162.	Pigeon de la <i>Martinique</i> — — —	525
163.	— verd d' <i>Amboine</i> — — —	528
164.	— Ramier des <i>Molouques</i> — — —	538
165.	Spatule couleur de rose de <i>Cayenne</i> — — —	VII. 456

Pl.					DE BUFFON.
166.	Toucan verd du <i>Brefil</i>	—	—	—	VII. 126
167.	Perruche de la <i>Guiane</i>	—	—	—	VI. 255
168.	Lory des <i>Philippines</i>	—	—	—	132
169.	L'Agami de <i>Cayenne</i>	—	—	—	IV. 487
170.	La Caille	—	—	—	II. 449
171.	— de <i>Madagascar</i>	—	—	—	479
172.	Coq de Bruyeres à queue fourchue, mâle	—	—	—	210
173.	— femelle	—	—	—	ibid.
174.	Tourterelle de la <i>Jamaïque</i>	—	—	—	558
175.	— de la <i>Caroline</i>	—	—	—	557
176.	— du <i>Canada</i>	—	—	—	552
177.	— de <i>Java</i>	—	—	—	556
178.	Tangara de <i>Cayenne</i> , appelé l'Eveque	—	—	—	IV. 265
	— sa femelle	—	—	—	ibid.
179.	— bleu du <i>Brefil</i>	—	—	—	258
	— noir d' <i>Amerique</i>	—	—	—	257
180.	Perdrix d' <i>Afrique</i>	—	—	—	II. 444
181.	Moineau de <i>Cayenne</i>	—	—	—	III. 496
	— de la <i>Caroline</i>	—	—	—	ibid.
182.	Merle de Montagne	—	—	—	347?
183.	Moineau du Royaume de <i>Juda</i>	—	—	—	487
	— à bec rouge du <i>Senegal</i>	—	—	—	485
184.	Troupiale, appelé Cassique jaune du <i>Brefil</i>	—	—	—	235
185.	Traquet noir des <i>Philippines</i>	—	—	—	V. 230
	Le grand Traquet des <i>Philippines</i>	—	—	—	ibid.
186.	Le Cotinga	—	—	—	IV. 442
187.	Vautour du <i>Brefil</i>	—	—	—	I. 175
188.	Cotinga du <i>Brefil</i>	—	—	—	IV. 442
189.	Gobe-mouche hupé de <i>Madagascar</i>	—	—	—	586
190.	Petite Perruche à gorge jaune d' <i>Amerique</i>	—	—	—	VI. 280
	— du <i>Perou</i>	—	—	—	163
191.	Petite Kakatoes des <i>Philippines</i>	—	—	—	96
192.	Perruche à tête bleu des <i>Indes Orientales</i>	—	—	—	145
193.	Le Crapaud volant	—	—	—	512
194.	La grande Veuve d' <i>Angola</i> reduite	—	—	—	IV. 155
	La meme Veuve, apres la muë, de grandeur naturelle	—	—	—	ibid.
195.	Couroucou de <i>Cayenne</i>	—	—	—	VI. 291
196.	L'Epeiche, mâle, ou le Pic varié	—	—	—	VII. 57
197.	La Foulque	—	—	—	VIII. 211
198.	Courly de <i>Madagascar</i>	—	—	—	26

PL.			DE BUFFON.
199.	Merle du Cap de <i>Bonne Esperance</i>	—	III. 366
200.	— chauve des <i>Philippines</i>	—	420
201.	Le Pere noir de la <i>Martinique</i>	—	485
	Moineau à tête rousse de <i>Cayenne</i>	—	494
202.	Le Serin	—	IV. 2
	Le Chardonneret du <i>Canada</i>	—	212
203.	Moineau de la côte d' <i>Afrique</i>	—	III. 497
	— bleu de <i>Cayenne</i>	—	495
204.	Bouvreuril de l'Isle <i>Bourbon</i>	—	386
	— du Cap de <i>Bonne Esperance</i>	—	ibid.
205.	Tangara des grand bois de <i>Cayenne</i>	—	239
206.	Barbu de <i>Cayenne</i>	—	VII. 96
	— de <i>St. Dominique</i>	—	ibid.
207.	Harle hupé, mâle	—	VIII. 273
208.	Eider, femelle	—	IX. 103
209.	Oye à duvet, ou Eider, mâle, du <i>Dannemarck</i>	—	ibid.
210.	Gerfaut d' <i>Islande</i>	—	I. 239
211.	Coucou de <i>Cayenne</i>	—	VI. 414
212.	Tyrann du <i>Bresil</i>	—	IV. 578
213.	Pigeon ramier de <i>Cayenne</i>	—	II. 541
214.	Tourterelle de <i>Batavia</i>	—	555
215.	Perruche à collier de l'Isle de <i>Bourbon</i>	—	VI. 143
216.	Lory des <i>Molouques</i>	—	127
217.	Faisan doré de la <i>Chine</i>	—	II. 356
	— sa femelle	—	ibid.
218.	Le Bec-croisé d' <i>Allemagne</i>	—	III. 449
219.	Merle des <i>Philippines</i>	—	423
220.	— à longue queue du <i>Senegal</i>	—	369
221.	— du Cap de <i>Bonne Esperance</i>	—	378
222.	Caille des Isles <i>Molouques</i>	—	II. 477
223.	Moineau du <i>Senegal</i>	—	III. 484
	— du <i>Canada</i>	—	500
224.	— de <i>Macao</i>	—	485
	— de <i>Java</i>	—	ibid.
	— de <i>Cayenne</i>	—	IV. 293
225.	— de Bois, ou à la Soulcie	—	III. 498
226.	Choucas du Cap de <i>Bonne Esperance</i>	—	79
227.	Oiseau-mouche huppé de <i>Cayenne</i>	—	VI. 22
	— à gorge dorée du <i>Bresil</i>	—	19
	— à gorge verte de <i>Cayenne</i>	—	28

PL.		DE BUFFON.
228.	Pie-grieche, appelé l'Ecorcheur de <i>Madagascar</i>	I. 312
229.	Cotinga des <i>Maynas</i>	IV. 447
230.	Moineau du Cap de <i>Bonne Esperance</i>	103
	— de <i>Senegal</i>	104
231.	La Bartavelle	II. 420
232.	Grand Martin-pecheur de <i>Madagascar</i>	VII. 182
233.	Bruant de <i>France</i> , appelé le Proyer	IV. 355
234.	Gobe-mouche huppé du Cap de <i>Bonne Esperance</i>	558
	— blanc	ibid.
235.	Traquet, mâle, de l'Isle de <i>Luçon</i>	V. 229
	— sa femelle	ibid.
236.	Troupiale de <i>St. Dominique</i> , appelé le Siffleur	III. 230
	— de <i>Cayenne</i>	218
237.	L'Albatros du Cap de <i>Bonne Esperance</i>	IX. 339
238.	Jacamar du <i>Brefil</i>	VII. 220
239.	Perruche de <i>Gingi</i>	VI. 156
240.	— rouge d' <i>Amboine</i>	138
241.	La Demoiselle de <i>Numidie</i>	VII. 313
242.	Le Vanneau	VIII. 48
243.	Petite Tourterelle de <i>St. Dominique</i>	II. 560
	— de la <i>Martinique</i>	ibid.
244.	La Tourterelle à collier	II. 550
245.	L'Outarde, mâle	I
246.	Grimpereau des <i>Philippines</i>	V. 497
	— sa femelle	ibid.
	— du Cap de <i>Bonne Esperance</i>	502
247.	L'Ortolan	IV. 305
	— de roseaux	315
248.	Gobe-mouche à longue queue de <i>Madagascar</i>	567
	— à longue queue, & à ventre blanc	ibid.
249.	Geai à ventre jaune de <i>Cayenne</i>	III. 119
250.	Le Merle solitaire femelle d' <i>Italie</i>	355
251.	— couleur de rose de <i>Bourgogne</i>	348
252.	Guêpier de l'Isle de <i>France</i>	VI. 493
253.	Goiland cendré	VIII. 406
254.	L'Oiseau-de-Paradis des <i>Moluques</i>	III. 151
255.	Le Coracias des <i>Alpes</i>	I
256.	Etourneau de la <i>Louifiane</i>	192
257.	Merle des <i>Moluques</i>	414
258.	— de <i>Bengale</i>	ibid.

Pl.					DE BUFFON.
259.	Guépier de <i>Madagascar</i>	—	—	—	VI. 494
260.	Calao à bec rouge du <i>Senegal</i>	—	—	—	VII. 241
261.	Le Jafeur de <i>Bobème</i>	—	—	—	III. 429
262.	Toucan à gorge blanche de <i>Cayenne</i>	—	—	—	VII. 92
263.	Kakatoes des <i>Molukes</i>	—	—	—	VI. 144
264.	Perruche à tête rouge du <i>Gingi</i>	—	—	—	VII. 317
265.	L'Oiseau-royal, mâle	—	—	—	VIII. 413
266.	Le Grifard	—	—	—	III. 489
267.	Le Friquet	—	—	—	IV. 171
	Le Verdier	—	—	—	III. 416
268.	Le Mainate des <i>Indes Orientales</i>	—	—	—	VII. 118
269.	Toucan à gorge jaune de <i>Cayenne</i>	—	—	—	494
270.	Becassine du Cap de <i>Bonne Esperance</i>	—	—	—	222
271.	Jacamar à longue queue de <i>Surinam</i>	—	—	—	III. 374
272.	Merle à collier du Cap de <i>Bonne Esperance</i>	—	—	—	403
273.	— de <i>St. Domingue</i>	—	—	—	397
	— des <i>Indes Orientales</i>	—	—	—	VI. 382
274.	Coucou des <i>Indes Orientales</i>	—	—	—	388
	— huppé de <i>Coromandel</i>	—	—	—	IX. 258
275.	Le Macareux	—	—	—	VI. 11
276.	Oiseau-mouche, le plus petit de l' <i>Amerique</i>	—	—	—	31
	— tacheté de <i>Cayenne</i>	—	—	—	29
	— de <i>Cayenne</i>	—	—	—	31
	— à gorge rouge de <i>Brefil</i>	—	—	—	373
277.	Coucou tacheté de <i>Mindanao</i>	—	—	—	VIII. 376
278.	Le Fou de <i>Baffan</i>	—	—	—	IV. 448
279.	Cotinga pourpré de <i>Cayenne</i>	—	—	—	III. 191
280.	Etourneau du Cap de <i>Bonne Esperance</i>	—	—	—	VII. 27
281.	Pic rayé de <i>St. Dominique</i>	—	—	—	IV. 404
282.	Coliou du Cap de <i>Bonne Esperance</i>	—	—	—	ibid.
	— huppé du <i>Senegal</i>	—	—	—	VII. 147
283.	Calao des <i>Molukes</i>	—	—	—	208
284.	Martin-pêcheur huppé du <i>Mexique</i>	—	—	—	III. 285
285.	Rollier de <i>Mindanao</i>	—	—	—	VIII. 97
286.	Pluvier à collier de <i>St. Domingue</i>	—	—	—	VI. 151
287.	Perroquet de l'Isle de <i>Luçon</i>	—	—	—	123
288.	Petite Perruche du <i>Senegal</i>	—	—	—	IV. 552
289.	Tyrann hupé de <i>Cayenne</i>	—	—	—	273
290.	Tangara à tête rousse de <i>Cayenne</i>	—	—	—	271
	— tacheté de <i>Cayenne</i>	—	—	—	

Pl.					DE BUFFON.
291.	Moineau du <i>Bresil</i>	—	—	—	III. 486
	— sa femelle	—	—	—	ibid.
292.	Tarin de la <i>Nouvelle York</i>	—	—	—	IV. 231
	— sa femelle	—	—	—	ibid.
293.	Le Pique-bœuf du <i>Senegal</i>	—	—	—	III. 175
294.	Coucou de <i>Malabar</i>	—	—	—	VI. 375
295.	— de <i>Madagascar</i> , appelé <i>Toulou</i>	—	—	—	369
	— bleu de <i>Madagascar</i>	—	—	—	391
296.	Pie-grièche jaune de <i>Cayenne</i>	—	—	—	I. 312
297.	— grise du <i>Senegal</i>	—	—	—	300
	— rayée de <i>Cayenne</i>	—	—	—	301
298.	— bleue de <i>Madagascar</i>	—	—	—	300
	— rousie de <i>Madagascar</i>	—	—	—	313
299.	Petite Pie-grièche de <i>Madagascar</i> , mâle	—	—	—	315
	— sa femelle	—	—	—	ibid.
300.	Le Chevalier varié	—	—	—	VII. 517
301.	Tangara tacheté de <i>Cayenne</i>	—	—	—	IV. 288
	— hupé de la <i>Guiane</i>	—	—	—	240
302.	Manakin du <i>Bresil</i>	—	—	—	413
	— orangé de <i>Cayenne</i>	—	—	—	417
303.	— à tête noire de <i>Cayenne</i>	—	—	—	413
	— vert hupé de <i>Cayenne</i>	—	—	—	412
304.	Pie-grièche grise de <i>Cayenne</i>	—	—	—	I. 304
305.	Paon de Mer, mâle	—	—	—	VII. 521
306.	— femelle	—	—	—	ibid.
307.	Toucan à gorge jaune du <i>Bresil</i>	—	—	—	118
308.	Plongeon à gorge rouge de <i>Siberie</i>	—	—	—	VIII. 261
309.	Gros-bec du <i>Bresil</i>	—	—	—	III. 461
	— de <i>Cayenne</i>	—	—	—	ibid.
310.	Hirondelle à ventre roux du <i>Senegal</i>	—	—	—	VI. 610
311.	Perroquet cendré de <i>Guinée</i>	—	—	—	100
312.	— vert et rouge de <i>Cayenne</i>	—	—	—	210
313.	Casuar des <i>Indes Orientales</i>	—	—	—	I. 464
314.	Guépier à longue queue du <i>Senegal</i>	—	—	—	VI. 494
315.	Petit Heron roux du <i>Senegal</i>	—	—	—	VII. 426
316.	Le Pigeon ramier	—	—	—	II. 531
317.	Merle à cul jaune du <i>Senegal</i>	—	—	—	III. 390
318.	Petit Guépier du <i>Senegal</i>	—	—	—	VI. 507
319.	Bouvreuil à plumes frisées du <i>Bresil</i>	—	—	—	IV. 388
	— à ventre roux de <i>Cayenne</i>	—	—	—	390

PL.			DE BUFFON.
320.	Pic, appelé Goertan du <i>Senegal</i>	—	VII. 25
321.	Bruant du <i>Bresil</i>	—	IV. 361
	— de l'Isle de <i>Bourbon</i>	—	366
322.	Jacana du <i>Mexique</i>	—	VIII. 185
323.	Le Blongios de <i>Suisse</i>	—	VII. 395
324.	Manakin à gorge blanche	—	IV. 421
	— à front blanc de <i>Cayenne</i>	—	423
325.	Grand Crapaud-volant de <i>Cayenne</i>	—	VI. 541
326.	Rollier du <i>Senegal</i>	—	III. 143
327.	Corneille du <i>Senegal</i>	—	67
328.	Caffique vert de <i>Cayenne</i>	—	240
329.	Tourterelle à longue queue du <i>Senegal</i>	—	II. 553
330.	Barbu de <i>Maynas</i>	—	VII. 98
331.	— des <i>Philippines</i>	—	102
332.	Coucou du <i>Senegal</i>	—	VI. 370
333.	Hirondelle de Mer, appelé l' <i>Epouvantail</i>	—	VIII. 341
334.	Martin-pêcheur du <i>Senegal</i> , appelé <i>Crabier</i>	—	VII. 183
335.	Perroquet à front blanc du <i>Senegal</i>	—	VI. 212
336.	— de <i>Cuba</i>	—	237
337.	Faïsan huppé de <i>Cayenne</i>	—	II. 385
338.	— verdâtre de <i>Cayenne</i>	—	390
339.	Merle solitaire des <i>Philippines</i>	—	III. 364
340.	Coulon-chaud de <i>Cayenne</i>	—	VIII. 133
341.	Verdier du Cap de <i>Bonne Esperance</i>	—	IV. 182
	— de <i>St. Dominique</i>	—	185
342.	Le Cravant	—	IX. 87
343.	Carouge de <i>Cayenne</i>	—	III. 217
344.	Caffique huppé de <i>Cayenne</i>	—	241
345.	Pic du <i>Canada</i>	—	VII. 69
	Petit Pic du <i>Senegal</i>	—	25
346.	Oye du <i>Canada</i>	—	IX. 82
347.	— de <i>Guinée</i>	—	72
348.	Heron huppé de <i>Mahon</i>	—	VII. 393
349.	— bleuâtre de <i>Cayenne</i>	—	399
350.	— bleuâtre à ventre blanc de <i>Cayenne</i>	—	378
351.	Roffignol de Muraille, mâle	—	V. 170
	— sa femelle	—	ibid.
352.	Poule-d'eau de <i>Cayenne</i>	—	VIII. 182
353.	L'Avocette	—	466
354.	Merle du <i>Senegal</i> , appelé <i>Padobè</i>	—	III. 368

PL.		DE BUFFON.
355.	Merle de la <i>Guiane</i> — — — —	III. 410. 470
356.	Martins-pecheurs du <i>Senegal</i> — — — —	VII. 198
357.	Le Bec-en-ciseaux de <i>Cayenne</i> — — — —	VIII. 454
358.	Merle à ventre orangé du <i>Senegal</i> — — — —	III. 377
359.	Petite Perruche verte de <i>Cayenne</i> — — — —	VI. 259
360.	Perroquet de la <i>Harvane</i> — — — —	227
361.	La Gorge-rouge — — — —	V. 196
	bleue — — — —	206
362.	Vanneau armé du <i>Senegal</i> — — — —	VIII. 62
363.	L'Alouette — — — —	V. 1
	Le Calandre — — — —	49
364.	Serin de <i>Mozambique</i> , mâle — — — —	IV. 50
	— — — — sa femelle — — — —	ibid.
365.	Maubèche tachetée — — — —	VII. 531
366.	— — — — grise — — — —	ibid.
367.	Le grand Pingouin, du Mer du Nord — — — —	IX. 390
368.	Râle de <i>Cayenne</i> — — — —	VIII. 164
369.	Paille en queue blanc de l'Île de l' <i>Ascension</i> — — — —	355
370.	Momot du <i>Bresil</i> — — — —	VI. 430
371.	Le Pic Vert — — — —	VII. 7
372.	Grimpereau de Muraille, mâle — — — —	V. 487
	— — — — sa femelle — — — —	ibid.
373.	Geai de <i>Cayenne</i> — — — —	III. 118
374.	Grande Pie-grièche verdâtre de <i>Madagascar</i> — — — —	I. 314
375.	Troupiale, mâle, du <i>Senegal</i> — — — —	III. 226
376.	— — — — sa femelle — — — —	ibid.
377.	Pie-grièche tachetée de <i>Cayenne</i> — — — —	I. 311
378.	Cotinga rouge de <i>Cayenne</i> — — — —	IV. 452
379.	Oye d' <i>Egypte</i> — — — —	IX. 79
380.	Gros-bec, appelé queue en éventail de <i>Virginie</i> — — — —	III. 463
381.	Gobe-mouche noir à gorge pourpré de <i>Cayenne</i> — — — —	IV. 588
382.	Le Manchot du Cap de <i>Bonne Esperance</i> — — — —	IX. 402
383.	L'Ara verd du <i>Bresil</i> — — — —	VI. 194
384.	Perroquet à tête bleue de la <i>Guiane</i> — — — —	243
385.	Hibou des terres <i>Magellaniques</i> — — — —	I. 339
386.	Bruant du <i>Mexique</i> — — — —	IV. 362
	— — — — du Cap de <i>Bonne Esperance</i> — — — —	370
387.	La Mouette cendrée tachetée — — — —	VIII. 424
388.	Oriolan de la <i>Caroline</i> — — — —	IV. 337
	— — — — de la <i>Louifiane</i> — — — —	339

Pl.		DE BUFFON.
389.	L'Ibis blanc d' <i>Egypte</i> — — —	VIII. 14
390.	Coucou du Cap de <i>Bonne Esperance</i> — — —	VI. 353
391.	Figuier hupé de <i>Cayenne</i> — — —	V. 314
	— noir et jaune de <i>Cayenne</i> — — —	ibid.
392.	Merle à tête noire du Cap de <i>Bonne Esperance</i> — — —	III. 388
393.	Gros-bec de <i>Virginie</i> — — —	467
	— des <i>Indes</i> — — —	466
	— appelé la <i>Nonette</i> — — —	ibid.
394.	La Tourterelle — — —	II. 550
395.	Barbu à collier de <i>Cayenne</i> — — —	VII. 97
396.	La Gorge-rouge de la <i>Caroline</i> — — —	V. 212
	— sa femelle — — —	ibid.
397.	Pie-grièche de la <i>Loufiane</i> — — —	I. 307
398.	Grive de la <i>Guiane</i> — — —	III. 289
	Petite Grive de <i>St. Domingue</i> — — —	317
399.	La Cigogne brune — — —	VII. 271
400.	Le Grèbe cornu — — —	VIII. 235
401.	La Creffterelle — — —	I. 280
402.	Troupiale à ailes rouges de la <i>Loufiane</i> — — —	III. 214
403.	Sarcelle de <i>Cayenne</i> — — —	IX. 280
404.	Grèbe de <i>Cayenne</i> — — —	VIII. 242
	— de <i>Esclavonie</i> — — —	237
405.	La Spatule — — —	VII. 448
406.	Grive (appelée la <i>Litorne</i> par erreur) — — —	III. 280
407.	Perruche de la <i>Guiane</i> — — —	VI. 255
408.	Perroquet varié de <i>Cayenne</i> — — —	244
409.	L'Aigle commun — — —	I. 86
410.	Le grand Aigle, ou l'Aigle royal — — —	76
411.	L'Aigle à tête blanche — — —	99
412.	L'Epervier — — —	225
413.	Le Jean-le-blanc — — —	124
414.	Le Balbuzard — — —	103
415.	{ L'Orfraie, ou l'Offifrague, le grand Aigle de Mer, } { femelle — — — — }	112
416.	Aigle des grandes <i>Indes</i> — — —	136
417.	— d' <i>Amerique</i> — — —	142
418.	L'Autour — — —	230
419.	La Bufe — — —	206
420.	La Bondrée — — —	208
421.	Le Faucon — — —	254

PL.		DE BUFFON.
422.	Le Milan — — — — —	I. 199
423.	Le Bufard — — — — —	
424.	— de Marais — — — — —	218
425.	Le Vautour — — — — —	158
426.	Le Percnoptere — — — — —	149
427.	Vautour de <i>Maltbe</i> — — — — —	167
428.	L'Urubu, ou Roi des Vautours de <i>Cayenne</i> — — — — —	169
429.	Vautour de <i>Norvege</i> * — — — — —	164
430.	Le Lanier-Tiercelet de Faucon de la troisieme année — — — — —	254
431.	Varicté singuliere du Hobreau — — — — —	277
432.	Le Hobreau — — — — —	ibid.
433.	Le Paon — — — — —	II. 288
434.	La Paonne — — — — —	ibid.
435.	Le grand Duc — — — — —	I. 332
436.	Le petit Duc, ou le <i>Scops</i> — — — — —	† 353
		437. Le

* This bird is placed at left thirty degrees beyond its true latitude, no Vulture having ever been native of *Norway*. There is no doubt of its being the male of an *Egyptian* bird, the *Vultur Percnopterus* of *Hasselquist*, *Itin.* 209, which is wholly white, except the primaries, which are black.

† It is a very unhappy thing to have to do with a gentleman of too lively imagination, who, when he cannot find error, will invent, or, like a fencer, for want of an antagonist, will chalk out a figure on a wall to spend his fury on. This little owl has been made the sketch on which the illustrious *Comte* has exhausted his wrath, aimed in fact at myself. May I attribute to him more wit than he intended, and suspect that he selected this bird as emblematic of the poor author? The *Comte* roundly charges me with mistaking this species for one I call the *Short-eared Owl*, *Br. Zool.* fol. p. 71. tab. B. 3. and B. 4. fig. 2. Now it happens, that in that edition (the only one he could at that time see) I describe it as a new species. I never even mention the name of *Scops*, or le *petit Duc*, till I have occasion to speak of it in the fourth edition of my *British Zoology**, and then with the candid intent of letting the *Comte* know, in a peaceable manner, that I had made no confusion of the birds, but that I was very capable of distinguishing them. I describe the length of my species to be fourteen inches; the weight fourteen ounces; whereas the length of the *Scops* is not above seven inches and a half. As Mr. *Willughby* compares its bulk to that of a Black bird, the weight probably does not exceed four ounces. I do not even confound it (as the *Comte* unhappily asserts) with his *Moyen Duc*, but give that species the *Linnaean* synonym of *Strix Orus*. I could not not confound them, as I give description and figure of that bird under the name of the *Long-eared Owl*. After all, I suspect my *Short-eared Owl* to be the bird described by the *Comte* under the name of *La Chouette*, ou *La grande Chevêche* †; *Belon* describes the same, yet neither of these authors observed the ears or horns, which I have more than once observed very conspicuous in the living bird. But whether it be the same which the *French* call *La Chouette*, I will not determine, having never seen that bird; but my species greatly resembles the figure given by the *Comte* in tab. XXVII. which has the appearance of horns, but is unlike that which he refers to in the *Planches Enluminées*, tab. 438.—But what shall we think of this critical *Comte*, when he refers his

* Vol. I. p. 175. 4to. p. 206. 8vo. edition.

† *Ornithologie*, I. 372.

PL.		DE BUFFON.
437.	Le Chathuant — — — — —	I. 362
438.	La Chouette — — — — —	372
439.	La Chevêche — — — — —	377
440.	L'Effraye, ou la Frefaye — — — — —	366
441.	La Hulore — — — — —	358
442.	Chathuant de <i>Cayenne</i> — — — — —	391
443.	La Soubuse — — — — —	215
444.	Emerillon de <i>Cayenne</i> — — — — —	291
445.	La Pie-grièche — — — — —	296
446.	Gerfault blanc des pays du Nord — — — — —	I. 239
447.	Le Rochier — — — — —	286
448.	Troupiale tacheté de <i>Cayenne</i> — — — — —	III. 223
	sa femelle — — — — —	ibid.
449.	La Piette, mâle — — — — —	VIII. 275
450.	— femelle — — — — —	ibid.
451.	Le Kamichy — — — — —	VII. 335
452.	Couroucou à ventre rouge de <i>Cayenne</i> — — — — —	VI. 287
453.	Le Gobe-mouche roux de <i>Cayenne</i> — — — — —	IV. 549
	tacheté de <i>Cayenne</i> — — — — —	582
454.	Guépier à queue et ailes rouffes de <i>Cayenne</i> — — — — —	VI. 509
455.	Petite Perruche du Cap de <i>Bonne Esperance</i> — — — — —	173
	de l'Isle de <i>Taiti</i> — — — — —	175
456.	— de l'Isle de <i>St. Thomas</i> — — — — —	284
	de <i>Cayenne</i> — — — — —	280
457.	L'Autruche — — — — —	I. 398

Moyen Duc (my *Long-eared Owl*) to a very good figure of my *Short-eared Owl*, in the 29th plate of the *Pl. Enl.* under the very title of *Moyen Duc*, ou *Hibou*? without even having eyes to distinguish between that and his own excellent figure of the *Hibou*, in tab. XXIII. of his *Ornithologie*, et ce qui prouve aussi son peu de connoissance et d'exactitude † c'est d'avoir également indiqué ce même oiseau dans les Planches Enl. N° 473, sur le nom de *Petit Autour de Cayenne* &c. How blessed is he in the rapidity of his genius, which will not suffer him to distinguish *species* from *species*, or even *genus* from *genus*! otherwise it would have been impossible for him to have mistaken an elegant *Falcon* for a grotesque *Owl*; or how could he avoid seeing, that the two figures I had given, in the great edition of the *Br. Zool.* were not of the same bird, notwithstanding one was lesser than the other, which was occasioned by its being placed in the same plate with another? If they are badly executed, atonement is made by better in the quarto and octavo, or the fourth editions. If the public (for wasting so much time on so ridiculous a subject) call us a brace of owls, I freely resign to my noble antagonist the superior title of *Le grand Duc*; for an uncandid critic, by an easy transition,

Fœdaque sit volucris, venturi nuncia Iustus,
Ignavus Bubo, dirumque authoribus onus.

† See there his own words employed against me. *Ornithologie*, I. 353.

‡ See p. 342 of the same volume.

					DE BUFFON.
PL.					
458.	Le Harfang	—	—	—	I. 387
459.	L'Oiseau <i>St. Martin</i>	—	—	—	212
460.	La Harpaye	—	—	—	217
461.	L'Autour fors	—	—	—	230
462.	Gerfault de <i>Norwege</i>	—	—	—	239
463.	Chouette à longue queue de <i>Siberie</i>	—	—	—	385?
464.	Epervier à gros bec de <i>Cayenne</i>	—	—	—	237
465.	Emerillon de <i>St. Domingue</i>	—	—	—	291
466.	Le Pigeon, commun	—	—	—	II. 501
467.	Tiercelet hagar d'Epervier	—	—	—	I. 225
468.	L'Emerillon	—	—	—	288
469.	Le Faucon noir et passager	—	—	—	258. 268
470.	— fors	—	—	—	254
471.	La Creffierelle, femelle	—	—	—	280
472.	Le Milan noir	—	—	—	203
473.	Petit Autour de <i>Cayenne</i>	—	—	—	237
474.	La Gelinote, mâle	—	—	—	II. 233
475.	— femelle	—	—	—	ibid.
476.	Le Tinamou de <i>Cayenne</i>	—	—	—	IV. 507
477.	Pie-grièche du Cap de <i>Bonne Esperance</i>	—	—	—	I. 299
	— rousse du <i>Senegal</i>	—	—	—	304
478.	Le Tanas, ou Faucon pecheur du <i>Senegal</i>	—	—	—	275
479.	Pie-grièche rousse à tête noir du <i>Senegal</i>	—	—	—	307
	— hupé du <i>Canada</i>	—	—	—	316
480.	La Soubuse, mâle	—	—	—	215
481.	Le Geai	—	—	—	III. 107
482.	Le Cassique rouge du <i>Brefil</i>	—	—	—	238
483.	La Corneille	—	—	—	45
484.	Le Freux	—	—	—	55
485.	La grande Linotte des Vignes	—	—	—	IV. 58
	Le Cabaret	—	—	—	76
	Le Tarin	—	—	—	221
486.	Le Rollier	—	—	—	III. 135
487.	Tourterelle de <i>St. Domingue</i>	—	—	—	II. 560?
488.	La Pie	—	—	—	III. 85
489.	La Drenne	—	—	—	295
490.	La Litorne (par erreur) la Calandrotte	—	—	—	301
491.	Pigeon de <i>Nincombar</i>	—	—	—	II. 541
492.	L'Eperonnier, mâle, de la <i>Cbine</i>	—	—	—	368
493.	— femelle	—	—	—	ibid.

494. La

PL.		DE BUFFON.
494.	La Gelinotte blanche, ou le Lagopède, &c. — —	II. 264
495.	Le Corbeau — — — —	III. 13
496.	Le Manucode — — — —	163
497.	L'Ortolan de Nieve — — — —	IV. 329
	Femelle de l'Ortolan de roseaux — —	315
498.	Le Kakatoes à huppe rouge — — — —	VI. 95
499.	Perruche de la <i>Caroline</i> — — — —	274
500.	Le Perroquet noir de <i>Madagascar</i> — —	119
501.	Le Rolle de <i>Madagascar</i> — — — —	III. 148
502.	La Mefange à gorge noire — — — —	V. 408
	— hupée — — — —	447
	— à longue queue — — — —	436
503.	Le Cochevis — — — —	66
	La petite Alouette hupée — — — —	74
504.	Cochevis du <i>Senegal</i> — — — —	79
	Calandre du Cap de <i>Bonne Esperance</i> — —	54
505.	Petit Coucou noir de <i>Cayenne</i> — — — —	VI. 417
506.	Le Baltimore du <i>Canada</i> — — — —	III. 231
	— batard du <i>Canada</i> — — — —	233
507.	Merle huppé de la <i>Chine</i> — — — —	367
508.	Le petit Merle huppé de la <i>Chine</i> — —	318
509.	Pic jaune de <i>Cayenne</i> — — — —	VII. 32
510.	Le Bifet — — — —	II. 498
511.	Ortolan de la <i>Lorraine</i> — — — —	IV. 323
	— de <i>Passage</i> — — — —	ibid.
512.	Coucou noir de <i>Cayenne</i> — — — —	VI. 416
513.	La Rousserelle — — — —	III. 293
514.	Perroquet de la <i>Chine</i> — — — —	VI. 116
515.	Grive de <i>Cayenne</i> — — — —	III. 306
516.	Le Merle à collier — — — —	340
517.	Perruche de <i>Pondicherry</i> — — — —	VI. 149
518.	Lory d' <i>Amboine</i> — — — —	133
519.	— de la <i>Chine</i> — — — —	134
520.	Perruche, mâle, des <i>Philippines</i> — —	169
	— sa femelle — — — —	ibid.
521.	Choucas chauve de <i>Cayenne</i> — — — —	III. 80
522.	Le Choucas — — — —	69
523.	Le Grolle, ou Choucas gris — — — —	69
524.	Pic jaune tacheté de <i>Cayenne</i> — — — —	VII. 34
525.	Perruche jaune de <i>Cayenne</i> — — — —	VI. 272

PL.		DE BUFFON.
526.	Le Perroquet maillé de <i>Cayenne</i>	VI. 239
527.	La petite Perruche maypouri de <i>Cayenne</i>	250
528.	La Perruche <i>Illinoise</i>	269
529.	Geay bleu du <i>Canada</i>	III. 120
530.	— brun	117
531.	Le Choucas des <i>Alpes</i>	76
532.	Le Troupiale	203
533.	— jaune à calotte noire de <i>Cayenne</i>	222
534.	— noir de <i>St. Domingue</i>	220
535.	Le Carouge	243
	Carouge de l'Île <i>St. Thomas</i>	248
536.	Troupiale de la <i>Guiane</i>	218
537.	Le Tyran	IV. 572
538.	Pie du <i>Senegal</i>	III. 97
539.	Le Palmiste de <i>Cayenne</i>	400
	Le Merle doré de <i>Madagascar</i>	398
540.	— violet du royaume de <i>Juda</i>	373
541.	Le grand Gobe-mouche cendré de <i>Madagascar</i>	IV. 584
542.	Le grand Martinet	VI. 643
	Le petit Martinet	614
543.	L'Hirondelle des cheminées	591
	— de rivage	632
544.	— de <i>Martinique</i>	702
	— de l'Île de <i>Bourbon</i>	696
545.	— d' <i>Amerique</i>	669
	— de <i>Cayenne</i>	675
546.	— tacheté de <i>Cayenne</i>	682
	— à ventre blanc de <i>Cayenne</i>	681
547.	Le Perroquet <i>Amazon</i>	215
548.	— à ventre pourpre de la <i>Martinique</i>	242
549.	— de la <i>Martinique</i>	212
550.	La Perruche	153, 265
551.	— à collier	152
552.	— variée des <i>Indes Orientales</i>	145
553.	Pic tacheté de <i>Cayenne</i>	VII. 78
554.	Le Vitrec, ou Motteux	V. 237
	— la femelle	ibid.
555.	La femelle du Merle	III. 330
556.	Grive du <i>Canada</i>	307
	Mauvis de la <i>Caroline</i>	289

Pl.		DE BUFFON.
557.	Merle de <i>Madagascar</i> — — —	III. 386
	— cendré de <i>Madagascar</i> — — —	380
558.	— cendré de <i>St. Domingue</i> — — —	325
	— de <i>Cayenne</i> — — —	404
559.	— à gorge noire de <i>St. Domingue</i> — — —	382
560.	— cendré d' <i>Amerique</i> — — —	314
	— à cravate de <i>Cayenne</i> — — —	392
561.	— verd d' <i>Angola</i> — — —	372
562.	— de Roche — — —	351
563.	— huppé du Cap de <i>Bonne Esperance</i> — — —	393
	— brun du <i>Senegal</i> — — —	385
564.	— olive des grands <i>Indes</i> — — —	384
	— solitaire de <i>Manille</i> — — —	364
565.	Le Gobe-mouche — — —	IV. 517
	— noir de <i>Lorraine</i> — — —	520
	— fa femelle — — —	ibid.
566.	— d' <i>Amerique</i> — — —	546
	— fa femelle — — —	ibid.
	— à ventre blanc de <i>Cayenne</i> — — —	542
567.	— à poitrine rousse du <i>Senegal</i> — — —	528
	— à poitrine noire du <i>Senegal</i> — — —	ibid.
	— à gorge rousse du <i>Senegal</i> — — —	533
568.	— huppé de la <i>Martinique</i> — — —	540
	— brun de la <i>Martinique</i> — — —	563
569.	— huppé de <i>Virginie</i> — — —	565
	— à ventre jaune de <i>Cayenne</i> — — —	550
570.	Le Coliavan de la <i>Cochinchine</i> — — —	III. 262
571.	Le petit Tyran de <i>Cayenne</i> — — —	IV. 582
	Le Tyran à queue fourchue de <i>Cayenne</i> — — —	557
572.	Gobe-mouche du Cap de <i>Bonne Esperance</i> — — —	526
	— à collier du Cap de <i>Bonne Esperance</i> — — —	ibid.
	— de l'Isle de <i>Bourbon</i> — — —	
573.	— huppé de l'Isle de <i>Bourbon</i> — — —	530
	— huppé du <i>Senegal</i> — — —	ibid.
574.	— brun de <i>Cayenne</i> — — —	536
	— olive de <i>Cayenne</i> — — —	544
	— à poitrine tachetée de <i>Cayenne</i> — — —	545
575.	Grimpereau olive de <i>Madagascar</i> — — —	V. 507
	— verd de <i>Madagascar</i> — — —	510
	— fa femelle — — —	ibid.

Pl.		DE BUFFON.
576.	Grimpereau des <i>Philippines</i> — — — — —	V. 505
	— gris des <i>Philippines</i> — — — — —	508
	— petit des <i>Philippines</i> — — — — —	509
	— olive des <i>Philippines</i> — — — — —	506
577.	Toucan à collier de <i>Cayenne</i> — — — — —	VII. 128
578.	Grimpereau verd du <i>Bresil</i> — — — — —	V. 536
	— à tête noire du <i>Bresil</i> — — — — —	535
	— brun du <i>Bresil</i> — — — — —	525
579.	La Fauvette — — — — —	117
	La petite Fauvette — — — — —	123
	La Fauvette grise, ou la Grifette — — — — —	132
580.	— à tête noire — — — — —	125
	— fa femelle — — — — —	ibid.
	— babillarde — — — — —	135
581.	— rousse — — — — —	146
	— de roseaux — — — — —	142
	— tachetée — — — — —	149
582.	Figuiier du <i>Senegal</i> — — — — —	282
	— tacheté du <i>Senegal</i> — — — — —	283
	— à ventre jaune du <i>Senegal</i> — — — — —	ibid.
583.	Traquet du <i>Senegal</i> — — — — —	228
	Cul-blanc du <i>Senegal</i> — — — — —	249
584.	Figuiier brun du <i>Senegal</i> — — — — —	284
	— blond du <i>Senegal</i> — — — — —	ibid.
	— à ventre gris du <i>Senegal</i> — — — — —	ibid.
585.	Le Todier de <i>St. Domingue</i> — — — — —	VII. 225
	— de <i>Cayenne</i> — — — — —	227
586.	Coucou tacheté de <i>Bengale</i> — — — — —	VI. 372
587.	Le grand Coucou, mâle, de <i>Madagascar</i> — — — — —	395
588.	— fa femelle — — — — —	ibid.
589.	Coucou huppé de <i>Madagascar</i> — — — — —	365
590.	Martin-Pêcheur du Cap de <i>Bonne Esperance</i> — — — — —	VII. 184
591.	— verd et blanc de <i>Cayenne</i> — — — — —	216
	— fa femelle — — — — —	ibid.
592.	— verd et roux de <i>Cayenne</i> — — — — —	215
	— fa femelle — — — — —	ibid.
593.	— hupé de <i>St. Domingue</i> — — — — —	210
594.	— à tête grise du <i>Senegal</i> — — — — —	194
595.	L'Epeiche, femelle — — — — —	57
596.	Le Pic noir, mâle — — — — —	41

Pl.		DE BUFFON.
597.	Le Pic varié, femelle, de la <i>Jamaïque</i>	VII. 72
598.	Le petite Pic varié	62
	— fa femelle	ibid.
599.	Colibri de <i>Cayenne</i> dit la <i>Topaze</i>	VI. 46
	— violet de <i>Surinam</i>	57
600.	Le Colibri	64
	— violet de <i>Cayenne</i>	57
	— à longue queue de <i>Cayenne</i>	49
	— à collier de <i>Surinam</i>	59
601.	Le Touraco de <i>Guinée</i>	300
602.	Le Barbican des côtes de <i>Barbarie</i>	VII. 132
603.	Choucas des <i>Philippines</i>	III. 83
604.	Merle de la <i>Chine</i>	368
605.	Le Talapiot de <i>Cayenne</i>	VII. 82
606.	Troupiale de la <i>Caroline</i>	III. 221
	— olive de <i>Cayenne</i>	225
607.	Carouge de <i>Cayenne</i>	244
	— du Cap de <i>Bonne Esperance</i>	251
608.	Geai de <i>Siberie</i>	118
609.	Le Colnud de <i>Cayenne</i>	82
610.	Gorge-bleue, mâle, fans tache blanche	V. 206
	— femelle	ibid.
	— jaune	ibid.
611.	Pic varié à tête rouge	VII. 59
612.	Grand Pic hupé à tête rouge, de <i>Cayenne</i>	53
613.	Pic rayé de <i>Cayenne</i>	31
614.	— à tête noire de <i>St. Domingue</i>	27
615.	Le Mouchet	V. 151
	Le Rossignol	81
616.	Le Grivard de <i>Cayenne</i>	III. 134
617.	Le Kink de la <i>Chine</i>	253
618.	Le Mouftache	V. 418
	— fa femelle	ibid.
	Le Remiz	423
619.	Rollier des <i>Indes</i>	III. 147
620.	— de la <i>Chine</i>	132
621.	Le Picucule de <i>Cayenne</i>	VII. 82
622.	Le Geai de la <i>Chine</i>	III. 115
623.	Le Torchepot	V. 460
	— du <i>Canada</i>	471

PL.		DE BUFFON.
624.	Cotinga de <i>Cayenne</i> — — —	IV. 444
625.	Geai du <i>Perou</i> — — —	III. 116
626.	Rollier d' <i>Abyssinie</i> — — —	143
627.	Merle de <i>Mindanao</i> — — —	387
	— Dominiquain des <i>Philippines</i> — — —	396
628.	Le Cassican de la <i>Nouvelle Guinée</i> — — —	VII. 134
629.	Choucas de la <i>Nouvelle Guinée</i> — — —	III. 80
630.	Le Choucari de la <i>Nouvelle Guinée</i> — — —	ibid.
631.	Oiseau de Paradis de la <i>N. Guinée</i> , dit le Magnifique — — —	167
632.	— dit le Superbe — — —	169
633.	Le Sifilet de la <i>Nouvelle Guinée</i> — — —	171
634.	Le Calybé, de la <i>Nouvelle Guinée</i> — — —	173
635.	Le Veuve à ailes rouges, du Cap de <i>Bonne Esperance</i> — — —	IV. 164
636.	Merle solitaire, mâle, de <i>Manille</i> — — —	III. 363
637.	Promerops du Cap de <i>Bonne Esperance</i> — — —	VI. 469
638.	— de la <i>Nouvelle Guinée</i> — — —	471
639.	Grand Promerops de la <i>Nouvelle Guinée</i> — — —	472
640.	Oiseau mouche huppé à gorge topase, de <i>Cayenne</i> — — —	VI. 21
	— dit la Jacobine de <i>Cayenne</i> — — —	34
	— dit le Hupecol de <i>Cayenne</i> — — —	18
641.	Le petit Ara — — —	189
642.	Perruche à collier des <i>Indes Maldives</i> — — —	141
643.	Le Grifin de <i>Cayenne</i> — — —	III. 408. IV. 476
	— sa femelle — — —	ibid.
	Le Verdin de la <i>Cochinchine</i> — — —	409
644.	Merle roux de <i>Cayenne</i> — — —	III. 402
	Petit Merle brun à gorge rousse de <i>Cayenne</i> — — —	403
645.	Grive de la <i>Caroline</i> , appelé le Moqueur François — — —	323
646.	Cassique de la <i>Loufiane</i> — — —	242
647.	La Veuve à poitrine rouge, du Cap de <i>Bonne Esperance</i> — — —	IV. 167
648.	Merle Violet à ventre blanc de <i>Juida</i> — — —	III. 402
	— verd de l' <i>Isle de France</i> — — —	388
649.	Guépier de <i>Nubie</i> — — —	VI. 506
650.	Alouette noire — — —	V. 22
	— de <i>Siberie</i> — — —	61
651.	Le Chantre — — —	344
	Le Roitelet — — —	352
	Le Souci, ou le Poul — — —	363
652.	La Lavandiere — — —	251
	Variété de la Lavandiere — — —	ibid.

Pl.					DE BUFFON.
653.	Le Bruant de Haye	—	—	—	IV. 347
	— sa femelle	—	—	—	ibid.
654.	Le Fiste de <i>Provence</i>	—	—	—	V. 194
	La Pivote Ortolanne de <i>Provence</i>	—	—	—	195
655.	Le Pitte-chou de <i>Provence</i>	—	—	—	158
	La Boufcarle de <i>Provence</i>	—	—	—	134
656.	Le Gavoué de <i>Provence</i>	—	—	—	IV. 321
	Le Mitilène de <i>Provence</i>	—	—	—	322
657.	Coucou verd du Cap de <i>Bonne Esperance</i>	—	—	—	VI. 385
658.	Le Serin de <i>Provence</i>	—	—	—	IV. 4
	Le Venturon de <i>Provence</i>	—	—	—	ibid.
659.	Gros-bec tacheté du Cap de <i>Bonne Esperance</i>	—	—	—	III. 473
	— d' <i>Angola</i>	—	—	—	ibid.
660.	La Farlouse	—	—	—	V. 31
	Le Cujelier	—	—	—	25
661.	L'Alouette de Marais	—	—	—	60
	— Pipi	—	—	—	39
662.	La Coquillade	—	—	—	77
663.	Martin-Pêcheur de la <i>Nouvelle Guinée</i>	—	—	—	VII. 181
664.	Ortolan du Cap de <i>Bonne Esperance</i>	—	—	—	IV. 328
	— à ventre jaune du Cap de <i>Bonne Esperance</i>	—	—	—	326
665.	Moineau de l'Île de <i>France</i>	—	—	—	III. 484
	— sa femelle	—	—	—	ibid.
666.	Gobe-mouche bleu des <i>Philippines</i>	—	—	—	IV. 534
	— de la <i>Louifane</i>	—	—	—	538
667.	Pic tacheté de <i>Nubie</i>	—	—	—	VII. 66
668.	Le Becfigue	—	—	—	V. 187
	Fauvette des <i>Alpes</i>	—	—	—	156
669.	Le Pitpit bleu de <i>Cayenne</i>	—	—	—	339
	— de <i>Surinam</i>	—	—	—	341
670.	Grimpereau à longue queue du <i>Senegal</i>	—	—	—	519
	— du Cap de <i>Bonne Esperance</i>	—	—	—	517
671.	Colibri à gorge verte de <i>Cayenne</i>	—	—	—	VI. 56
	— à queue violette de <i>Cayenne</i>	—	—	—	55
672.	Petit Oiseau-mouche à queue fourchue de <i>Cayenne</i>	—	—	—	16
	Oiseau-mouche à larges tuyaux de <i>Cayenne</i>	—	—	—	35
	— à cravate dorée de <i>Cayenne</i>	—	—	—	25
673.	Martin-Pêcheur de la <i>Cbine</i>	—	—	—	VII. 189
674.	La Bergeronette grise	—	—	—	V. 261
	— du Printemps	—	—	—	ibid.

PL.				DE BUFFON.
675.	Gobe-mouche pie de <i>Cayenne</i>	—	—	IV. 542
	— rouge hupé	—	—	547
676.	— de la <i>Caroline</i>	—	—	577
677.	— à queue fourchue de <i>Mexique</i>	—	—	564
678.	Le Traquet	—	—	V. 215
	Le Tarier	—	—	224
679.	Martin-Pêcheur hupé du Cap de <i>Bonne Esperance</i>	—	—	VII. 188
680.	Colibri de <i>St. Domingue</i>	—	—	VI. 61
	— du <i>Mexique</i>	—	—	60
	— de la <i>Jamaïque</i>	—	—	59
681.	Le Grimpereau	—	—	V. 481
	— de l'Île de <i>Bourbon</i>	—	—	516
682.	— verd de <i>Cayenne</i>	—	—	537
	— verd tacheté de <i>Cayenne</i>	—	—	538
683.	Lory de la <i>Nouvelle Guinée</i>	—	—	VI. 135
684.	— de Gueby	—	—	ibid.
685.	Figuier olive de <i>Cayenne</i>	—	—	V. 315
	— cendré du <i>Canada</i>	—	—	304
686.	La Gorge-jaune de <i>St. Domingue</i>	—	—	165
	Le Rouge-queue de <i>Cayenne</i>	—	—	186
687.	Manakin cendré de <i>Cayenne</i>	—	—	IV. 430
	— noir hupé de <i>Cayenne</i>	—	—	411
688.	Barbu du Cap de <i>Bonne Esperance</i>	—	—	VII. 104
	— à poitrine noire de <i>Cayenne</i>	—	—	100
689.	— à gros bec de <i>Cayenne</i>	—	—	99
690.	Pic noir hupé de la <i>Caroline</i>	—	—	46
691.	— verd des <i>Philippines</i>	—	—	21
692.	— rayé de la <i>Loufiane</i>	—	—	73
693.	— rayé du <i>Canada</i>	—	—	39
694.	— roux de <i>Cayenne</i>	—	—	36
	— petit noir de <i>Cayenne</i>	—	—	54
695.	— verd de <i>Bengale</i>	—	—	23
696.	— verd de <i>Goa</i>	—	—	22
697.	La Huppe du Cap de <i>Bonne Esperance</i>	—	—	VI. 463
698.	Le Torcol	—	—	VII. 84
699.	Cotinga gris de <i>Cayenne</i>	—	—	IV. 461
700.	Le Fourmillier de <i>Cayenne</i>	—	—	473
	Le Carillonneur de <i>Cayenne</i>	—	—	479
701.	Le Coraya de <i>Cayenne</i>	—	—	484
	L'Alapi de <i>Cayenne</i>	—	—	485

PL.		DE BUFFON.
702.	Le Roi des Fourmilliers de <i>Cayenne</i> — — —	IV. 468
703.	Le Colma de <i>Cayenne</i> — — —	475
	Le Baubla de <i>Cayenne</i> — — —	479
704.	Figuier à tête noire de <i>Cayenne</i> — — —	310
	— à ventre et tête jaunes de la <i>Louisiane</i> — — —	316
705.	— de l'Isle de <i>France</i> — — —	282
	— de l'Isle de <i>Bourbon</i> — — —	280
	— de <i>Madagascar</i> — — —	ibid.
706.	Le Beffroi de <i>Cayenne</i> — — —	470
	Le Musicien de <i>Cayenne</i> — — —	480
707.	Le Manikup de <i>Cayenne</i> — — —	429
	Le Manikor de la <i>Nouvelle Guinée</i> — — —	431
708.	Mefange du <i>Languedoc</i> — — —	V. 433
	— hupé de <i>Cayenne</i> — — —	375
	— de <i>Siberie</i> — — —	446
709.	Fauvette tacheté de la <i>Louisiane</i> — — —	161
	— à poitrine jaune de la <i>Louisiane</i> — — —	162
710.	Le Tangavio du <i>Buenos-Ayres</i> — — —	IV. 241
711.	Le Tangaroux de <i>Cayenne</i> — — —	257
712.	Le Sirli du Cap de <i>Bonne Esperance</i> — — —	V. 65
713.	Perroquet de la <i>Nouvelle Guinée</i> — — —	VI. 122
714.	Tangara olive de la <i>Louisiane</i> — — —	IV. 277
	— à cravate noire de <i>Cayenne</i> — — —	254
715.	Martin-pêcheur hupé de la <i>Louisiane</i> — — —	VII. 210
716.	— du Cap de <i>Bonne Esperance</i> — — —	185
717.	Pic noir hupé de <i>Cayenne</i> — — —	50
718.	— de la <i>Louisiane</i> — — —	48
719.	— grand varié de <i>Cayenne</i> — — —	30
720.	Tangara olive à gorge noire de <i>Cayenne</i> — — —	IV. 283
	— à coiffe noire de <i>Cayenne</i> — — —	284
721.	Le Messager du Cap de <i>Bonne Esperance</i> — — —	VII. 328
722.	Hirondelle de la <i>Louisiane</i> — — —	VI. 674
723.	— brune à collier du Cap de <i>Bonne Esperance</i> — — —	608, 680
724.	— à ventre roux de <i>Cayenne</i> — — —	607
	— à bande blanche sur le ventre, de <i>Cayenne</i> — — —	611
725.	Martinet de la <i>Louisiane</i> — — —	611
	— à collier de <i>Cayenne</i> — — —	671
726.	Hirondelle à queue pointue de <i>Cayenne</i> — — —	701
	— de la <i>Louisiane</i> — — —	699
727.	Toucan verd de <i>Cayenne</i> — — —	VII. 127

PL.		DE BUFFON.
728.	Toucan verd, fa'femelle — — —	VII. 128
729.	—— à ventre gris de <i>Cayenne</i> — — —	129
730.	Roitelet de la <i>Louifiane</i> — — —	V. 361
	—— de <i>Buenos Ayres</i> — — —	ibid.
731.	Figuier cendré de la <i>Caroline</i> — — —	301
	—— du <i>Missiffipi</i> — — —	300
732.	Crapaud-volant, ou Tette-chevre de la <i>Guiane</i> — — —	VI. 547
733.	—— ——— roux de la <i>Guiane</i> — — —	549
734.	—— ——— petit tacheté de <i>Cayenne</i> — — —	540
735.	—— ——— ou Tette-chevre de <i>Cayenne</i> — — —	550
736.	Couroucou à queue rousse de <i>Cayenne</i> — — —	293
737.	—— ——— gris à longue queue de <i>Cayenne</i> — — —	288
738.	Petite Alouette de <i>Buenos Ayres</i> — — —	V. 63
	Alouette noire de la <i>Encenade</i> — — —	23
739.	Le Fournier de <i>Buenos Ayres</i> — — —	VI. 476
740.	Guêpier à collier de <i>Madagascar</i> — — —	497
741.	Tangara du <i>Missiffipi</i> — — —	IV. 252
742.	—— de la <i>Guiane</i> — — —	304
743.	Perruche des <i>Molouques</i> * — — —	VI. 150

* This beautiful species is far from being confined to the *Molucca* Islands, for it is found in flocks innumerable in the woods about *Botany Bay*, on the east coast of *New Holland*, lat. 34. several degrees beyond the limits prescribed to this genus by the *Comte de Buffon*. It is well figured in the *Pl. Enl.* and also by Mr. *Brown*, in tab. VII. p. 14. of his *Illustrations of Natural History*; and described by Mr. *Latbam*, I. 213. N° 14. B.

Besides this species, the following have ventured to settle in places in the Southern Ocean, beyond the boundaries of the tropic of *Capricorn*, where they increase and multiply to a prodigious degree:

The greater variety of the Cockatoo with a yellow crest, the *Psittacus Crissalus* of *LINNÆUS*, is found in vast flocks in the same place with the preceding, and fills the woods with its loud and harsh screams.

Captain *Furneaux* * saw Perroquets on *Van Diemen's Land*, in lat. 43. 21; and Mr. *Anderfen* saw others of a yellowish color in the same place †; whether these were distinct species we cannot determine.

The Red-rumped Parrot of Mr. *Latbam*, vol. I. p. 249. N° 50, is an inhabitant of lat. 46. in *Duffy Bay* in *New Zealand*. Doctor *Ferster* observed in the same place a small green Parrot; and another species, very large, of a greyish green colour, with a reddish breast ‡; probably the SOUTHERN BROWN PARROT of Mr. *Latbam*, I. 264. N° 70. The PACIFIC PARROT of Mr. *Latbam*, I. 253. N° 56. Var. B. is a native of the woods of the same bay.

And the *Perruche des Terres Magellaniques*, before-mentioned, makes the eighth species which we may be assured are inhabitants of places to the south of the tropic of *Capricorn*.

There may be others, such as a gigantic black species, imperfectly described in *Parkinson's Voyage*, 144; and another species I have seen, I believe hitherto undescribed; and a third,

* COOK'S Second Voyage, I. 112.

† COOK'S Third Voyage, I. 109.

‡ FORSTER'S Voy. I. 158.

PL.			DE BUFFON.
744.	Perruche à tête noire de <i>Cayenne</i>	—	VI. 253
745.	Coq-de-Roche de <i>Perou</i>	—	IV. 437
746.	Barbu à ventre tacheté de <i>Cayenne</i>	—	VII. 94
	— du <i>Senegal</i>	—	105
747.	Femelle du Coq-de-Roche de <i>Cayenne</i>	—	IV. 432
748.	Pic, mâle, de la <i>Encenade</i>	—	VII. 74
	Petit Pic des <i>Moluques</i>	—	68
749.	Le Râle d'eau	—	VIII. 154
750.	Le Râle de Genêt	—	146
751.	La Marouette	—	157
752.	Fauvette tacheté de la <i>Louifiane</i>	—	V. 161
	— du Cap de <i>Bonne Esperance</i>	—	ibid.
753.	Râle à ventre roux de <i>Cayenne</i>	—	VIII. 164
754.	Pic varié, mâle, de <i>Virginie</i>	—	VII. 75
755.	Le Heron hupé	—	342
756.	Petit Martin-pêcheur hupé de l'Isle de <i>Luçon</i>	—	205
	— verd de <i>Cayenne</i>	—	218
	— fa femelle	—	ibid.
757.	Martin-pêcheur de <i>Java</i>	—	190
758.	Le Bihoreau	—	435
759.	— fa femelle	—	ibid.
760.	Crapaud-volant varié de <i>Cayenne</i>	—	VI. 545
761.	Macareux de <i>Kamschatka</i>	—	IX. 368
762.	Stercoraire à longue queue de <i>Sibirie</i>	—	VIII. 445
763.	Petit Butor de <i>Cayenne</i>	—	VII. 430
764.	Coucou tacheté de la <i>Chine</i>	—	VI. 378
765.	Couroucou de la <i>Guiane</i>	—	293
766.	Phalarope de <i>Sibirie</i>	—	VIII. 224
767.	Perruche à front rouge du <i>Bresil</i>	—	VI. 268

also from *New Holland*, described by Mr. Latham under the name of the CRESTED, I. 250. N° 51: but as I am not assured of their latitude, I shall not venture to add them to the list.

In the northern hemisphere, the CAROLINA PARROT, *Arctic Zoology*, II. 242. N° 132, is found as high as *Virginia*; and the *Illinois* Parrot, N° 133, abounds in various parts of the banks of the *Mississipi*, far beyond the tropic of *Cancer*, even as high as the forests of *Niagara*, in latitude 43, as I have been informed by a gentleman long resident near that celebrated cataract. I must not omit, that on the western side of *America*, but in somewhat lower latitudes, Parrots have been seen by the *Spaniards* about *Trinity Harbour*, in latitude 41. 7 °; all which proves incontestably the extensive habitation of this most numerous genus.

PL.		DE BUFFON.
768.	Perruche à poitrine grise — — —	VI. 148
769.	La Grue — — —	VII. 287
770.	Sarcelle, mâle, de <i>Madagascar</i> — — —	IX. 274
771.	Coucou tacheté des <i>Indes Orientales</i> — — —	VI. 377
772.	— à longue bec de la <i>Jamaïque</i> — — —	402
773.	Râle brun des <i>Philippines</i> — — —	VIII. 161
774.	— rayé des <i>Philippines</i> — — —	160
775.	— tacheté de <i>Cayenne</i> — — —	165
776.	Le Canard sauvage — — —	IX. 115
777.	— — — sa femelle — — —	ibid.
778.	Martin-pêcheur de <i>Madagascar</i> — — —	VII. 199
	— — — de <i>Pondichery</i> — — —	ibid.
779.	Grand Calao d' <i>Abyssinie</i> — — —	155
780.	Calao de l'Isle <i>Panay</i> — — —	145
781.	— sa femelle — — —	ibid.
782.	Le Caurâle de <i>Cayenne</i> — — —	VIII. 169
783.	Todier de <i>Juida</i> — — —	VII. 229
	Martin-pêcheur à tête verte, du Cap de <i>Bonne Esperance</i> — — —	190
784.	Pic à gorge jaune de <i>Cayenne</i> — — —	37
785.	— varié de la <i>Caroline</i> — — —	77
786.	— petite de <i>Cayenne</i> — — —	37
	— à tête grise du Cap de <i>Bonne Esperance</i> — — —	26
787.	Le Heron — — —	342
788.	— — — pourpré hupé — — —	369
789.	Le Butor — — —	412
790.	L'Honoré de <i>Cayenne</i> — — —	431
791.	Petite Perruche de <i>Batavie</i> — — —	VI. 172
	— — — de <i>Madagascar</i> — — —	171
792.	Perroquet de <i>St. Domingue</i> — — —	241
793.	Cotinga blanc de <i>Cayenne</i> — — —	IV. 454
794.	— — — sa femelle — — —	ibid.
795.	Le Courvite — — —	VIII. 128
796.	L'Ombrette du <i>Senegal</i> — — —	VII. 440
797.	Foulque de <i>Madagascar</i> — — —	VIII. 222
798.	Canard à collier de <i>Terre-Neuve</i> — — —	IX. 250
799.	— — — sa femelle — — —	ibid.
800.	Pluvier du Cap de <i>Bonne Esperance</i> — — —	VIII. 101
801.	— — — armé du <i>Senegal</i> — — —	99
802.	Le Garrot — — —	IX. 222
803.	Le Millouin — — —	216

Pl.		DE BUFFON.
804.	Canard Siffleur de <i>St. Domingue</i>	IX. 185
805.	Sarcelle, mâle, de la <i>Chine</i>	276
806.	— sa femelle	ibid.
807.	Vanneau armé de <i>Goa</i>	VIII. 64
808.	Canard du <i>Maragnan</i>	IX. 255
809.	L'Organiste de <i>St. Domingue</i>	IV. 290
	Tangara jaune à tête noire de <i>Cayenne</i>	255
810.	La Talève de <i>Madagascar</i>	VIII. 194
811.	Le Coucou	VI. 305
812.	Coucou tacheté de <i>Cayenne</i>	411
813.	— des Paletuviers de <i>Cayenne</i>	401
814.	— petit de l'Isle <i>Panay</i>	382
815.	— verdâtre de <i>Madagascar</i>	364
816.	— de la <i>Caroline</i>	400
817.	Le Jabiru de <i>Cayenne</i>	VII. 280
818.	Le Courly	VIII. 19
819.	— d' <i>Italie</i>	29
820.	— verd de <i>Cayenne</i>	43
821.	Le Tétéma de <i>Cayenne</i>	IV. 475
822.	Fourmillier à oreilles blanches de <i>Cayenne</i>	477
	— sa femelle	ibid.
823.	— grivelé de <i>Cayenne</i>	472
	— tacheté de <i>Cayenne</i>	480
824.	Coucou des <i>Philippines</i>	VI. 369
825.	Le Canard siffleur	IX. 169
826.	— de <i>Cayenne</i>	183
827.	Le Chevalier rayé	VII. 516
828.	Tinamou varié de <i>Cayenne</i>	IV. 511
829.	Le Soui, ou petit Tinamou de <i>Cayenne</i>	512
830.	Le Barbichon de <i>Cayenne</i>	534
	— sa femelle	ibid.
831.	Gobe-mouche à poitrine orangé de <i>Cayenne</i>	557
	— petit tacheté de <i>Cayenne</i>	555
832.	Le Guignard	VIII. 87
833.	Pluvier armé de <i>Cayenne</i>	102
834.	— du <i>Senegal</i>	100
835.	Vanneau armé de la <i>Louifiane</i>	65
836.	— de <i>Cayenne</i>	66
837.	Petite Perruche, appellé la petite Jafeuse	VI. 281
838.	Perruche à front jaune de <i>Cayenne</i>	

PL.			DE BUFFON.
839.	Le Perroquet criq de <i>Cayenne</i>	—	VI. 228
840.	— ravoua de <i>Cayenne</i>	—	240
841.	Courly hupé de <i>Madagascar</i>	—	VIII. 33
842.	Le Corlieu	—	27
843.	Le Beccaffeu, ou Cul-blanc	—	VII. 534
844.	Le Chevalier	—	511
845.	La Gambette	—	513
846.	Jacana du <i>Brefil</i>	—	VIII. 192
847.	Petit Râle de <i>Cayenne</i>	—	167
848.	Le Courlan de <i>Cayenne</i>	—	VII. 442
849.	Râle à longue bec de <i>Cayenne</i>	—	VIII. 163
850.	La petite Alouette de Mer	—	VII. 540
851.	L'Alouette de Mer	—	548
852.	Le Cincle	—	553
853.	Le Vanneau <i>Suisse</i>	—	VIII. 60
854.	— gris	—	68
855.	La Bernache	—	IX. 93
856.	Le Coulon-chaud	—	VIII. 130
857.	— gris de <i>Cayenne</i>	—	133
858.	Heron brun de <i>Cayenne</i>	—	VII. 381
859.	— agamie de <i>Cayenne</i>	—	382
860.	L'Onoré rayé de <i>Cayenne</i>	—	432
861.	Le Perroquet meunier de <i>Cayenne</i>	—	VI. 225
862.	— d' <i>Amboine</i>	—	122
863.	Pic à cravate noire de <i>Cayenne</i>	—	VII. 35
864.	La Perruche ara de <i>Cayenne</i>	—	VI. 277
865.	La Grue à collier	—	VII. 307
866.	La Cigogne blanche	—	253
867.	Courly à tête nue du Cap de <i>Bonne Esperance</i>	—	VIII. 32
868.	Le Curicaca de <i>Cayenne</i>	—	VII. 276
869.	Le Savakou hupé de <i>Cayenne</i>	—	443
870.	Barbu de <i>Mabé</i>	—	107
871.	Grand Barbu de la <i>Chine</i>	—	106
872.	Coucou hupé de la côte de <i>Coromandel</i>	—	VI. 380
873.	Calao des <i>Philippines</i> , ou de <i>Malabar</i>	—	VII. 140. 149
874.	La Barge	—	500
875.	— brune	—	508
876.	— grise	—	501
877.	La Poule d'eau	—	VIII. 171
878.	L'Echaffé	—	114

Pl.					DE BUFFON.
879.	Le Pic verd, mâle	—	—	—	VII. 7
880.	Pluvier de la côte de <i>Malabar</i>	—	—	—	VIII. 102
881.	Beccafine de la <i>Chine</i>	—	—	—	VII. 495
882.	La Perdrix de Mer	—	—	—	542
883.	La Beccafine	—	—	—	483
884.	La petite Beccafine	—	—	—	490
885.	La Beccaffe	—	—	—	462
886.	Le Heron blanc	—	—	—	363
887.	Perruche de <i>Malac</i>	—	—	—	VI. 155
888.	— de <i>Mabé</i>	—	—	—	154
889.	La Grue d' <i>Amerique</i>	—	—	—	VII. 308
890.	Calao à bec noir du <i>Senegal</i>	—	—	—	141
891.	— de <i>Manille</i>	—	—	—	144
892.	Courvite de la côte de <i>Coromandel</i>	—	—	—	VIII. 128
893.	Le Grebifoulque de <i>Cayenne</i>	—	—	—	248
894.	Martin-pecheur de la côte de <i>Malabar</i>	—	—	—	VII. 182
895.	Beccaffe des savanes de <i>Cayenne</i>	—	—	—	481
896.	Poule Sultane de la <i>Chine</i>	—	—	—	VIII. 204
897.	La Favorite de <i>Cayenne</i>	—	—	—	207
898.	Crabier des <i>Philippines</i>	—	—	—	395
899.	Bihoreau de <i>Cayenne</i>	—	—	—	439
900.	Barge rousse	—	—	—	504
901.	L'Aigrette	—	—	—	372
902.	— rousse de la <i>Louifane</i>	—	—	—	378
903.	Le Guillemot	—	—	—	IX. 350
904.	Le Pluvier doré	—	—	—	VIII. 81
905.	Le Castagneux	—	—	—	244
906.	Heron de la côte de <i>Coromandel</i>	—	—	—	VII. 370
907.	— blanc hupé de <i>Cayenne</i>	—	—	—	380
908.	Crabier de <i>Cayenne</i>	—	—	—	408
909.	— de la <i>Louifane</i>	—	—	—	407
910.	— de la côte de <i>Coromandel</i>	—	—	—	393
911.	— de <i>Malac</i>	—	—	—	394
912.	— tacheté de la <i>Martinique</i>	—	—	—	405
913.	Le Cigne	—	—	—	IX. 1
914.	Le grand Plongeon	—	—	—	VIII. 251
915.	Courly blanc d' <i>Amerique</i>	—	—	—	41
916.	La grande Barge rousse	—	—	—	VII. 505
917.	La petite Guillemot femelle	—	—	—	IX. 354
918.	Le Pluvian du <i>Senegal</i>	—	—	—	VIII. 104

PL.					DE BUFFON.
919.	Le grand Pluvier	—	—	—	VIII. 105
920.	Le Pluvier à collier	—	—	—	90
921.	Le petit Pluvier à collier	—	—	—	ibid.
922.	Beccafine de <i>Madagascar</i>	—	—	—	VII. 495
923.	Le Vanneau varié	—	—	—	VIII. 71
924.	La Guifette	—	—	—	339
925.	La grande Aigrette d' <i>Amerique</i>	—	—	—	VII. 377
926.	Crabier de la <i>Nouvelle Guinée</i>	—	—	—	394
927.	Le Cormoran	—	—	—	VIII. 310
928.	Le Canard siffleur hupé	—	—	—	IX. 182
929.	L'Huitrier	—	—	—	VIII. 119
930.	Sarcelle de <i>Java</i>	—	—	—	IX. 275
931.	Le Jougris	—	—	—	VIII. 241
932.	Le Bec-ouvert de <i>Pondichery</i>	—	—	—	VII. 409
933.	Tête du Calao à casque rond	—	—	—	159
934.	Bec de l'Oiseau Rhinoceros	—	—	—	161
935.	Harle hupé de <i>Virginie</i>	—	—	—	VIII. 280
936.	— sa femelle	—	—	—	ibid.
937.	Oye de la côte de <i>Coromandel</i>	—	—	—	IX. 77
938.	Le Guépier	—	—	—	VI. 480
939.	Le Pouacre de <i>Cayenne</i>	—	—	—	VII. 427
940.	Le Merle d'eau	—	—	—	VIII. 134
941.	Le Grebe *	—	—	—	227

* " Les Pêcheurs de *Picardie* vont sur la côte d'*Angleterre* dénicher les Grèbes, qui, en effet, ne nichent pas sur celles de *France* : ils trouvent ces oiseaux dans des creux de rochers, où apparemment ils volent faute d'y pouvoir grimper, & d'où il faut que leurs petits se précipitent dans la mer ; mais sur nos grands étangs le Grèbe construit son nid avec des roseaux et des joncs entrelassés."

No man can help being misinformed ; but surely the *Comte* must be possessed of most credulous inattention to a subject, of which he professes himself to be the chief of his time, to swallow so gross an imposition. The Grebe builds its nest in *England* exactly as it does in *France* ; it is formed of reeds and rushes, and resting on the water, affixed to the growing vegetables which surround it. Place or climate alter not the economy of animals ; and it would be very wonderful if the Grebes of *England* should seek the hollows of the cliffs impending over the sea, to deposit their eggs, while those of their nigh neighbor *France* inhabit the fresh-water lakes, and always form a nest as before described. It is highly probable that the *Comte de Buffon's* mis-informer mistook the young of the *Guillemot*, which the fishermen of *Picardy* had brought from our cliffs, for those of the Grebe, and made his report accordingly. In a future edition, I dare say that the *Comte* will transfer this account to p. 350 of his ninth volume ; for these only can be the birds which the *French* fishermen take on our coasts : at the same time let him inform his readers, that, instead of their having a feeble flight, few birds fly stronger, or with greater rapidity.

PL.		DE BUFFON.
942.	Le petit Grebe — — — —	VIII. 232
943.	Grebe de la <i>Louifiane</i> — — — —	240
944.	Grebe hupé — — — —	233
945.	Castagneux des <i>Philippines</i> — — — —	246
946.	La Sarcelle — — — —	IX. 260
947.	La petite Sarcelle — — — —	265
948.	Sarcelle de la <i>Louifiane</i> , dite la Religieuse — —	284
949.	—— mâle, de la côte de <i>Coromandel</i> — —	274
950.	—— fa femelle — — — —	ibid.
951.	Le Harle, mâle — — — —	VIII. 267
952.	L'Imbrim des Mers du Nord — — — —	258
953.	Le Harle, femelle — — — —	267
954.	Le Canard à longue queue — — — —	IX. 199
955.	—— jensen de la <i>Louifiane</i> — — — —	174
956.	La grande Macreuse — — — —	242
957.	Pelican brun d' <i>Amerique</i> — — — —	VIII. 306
958.	Le Chipeau — — — —	IX. 187
959.	L'Anhinga de <i>Cayenne</i> — — — —	VIII. 448
960.	—— noir de <i>Cayenne</i> — — — —	ibid.
961.	Le grand Fregate de <i>Cayenne</i> — — — —	381
962.	Le Puffin — — — —	IX. 321
963.	Albatros de la <i>Chine</i> — — — —	347
964.	Le Damier — — — —	304
965.	Pelican des <i>Philippines</i> — — — —	VIII. 308
966.	Sarcelle, mâle, de <i>Cayenne</i> , ditte le Soucrourou — —	IX. 279
967.	—— à queue epineuse de <i>Cayenne</i> — —	282
968.	—— de la <i>Guadeloupe</i> — — — —	283
969.	Le petit Goiland — — — —	VIII. 430
970.	La Mouette rieufe — — — —	433
971.	Le Souchet — — — —	IX. 191
972.	—— fa femelle — — — —	ibid.
973.	Le Fou de <i>Cayenne</i> — — — —	VIII. 374
974.	—— brun de <i>Cayenne</i> — — — —	ibid.
975.	Le Manchot des Îles <i>Malouines</i> — — — —	IX. 399
976.	Courly à col blanc de <i>Cayenne</i> — — — —	VIII. 47
977.	La grande Mouette cendrée — — — —	428
978.	La Macreuse — — — —	IX. 234
979.	Paille-en queue de l'Île de <i>France</i> — — — —	VIII. 357
980.	Le beau Canard hupé de la <i>Caroline</i> — — — —	IX. 245
981.	—— fa femelle — — — —	ibid.

PL.				DE BUFFON.
982.	Oye du Cap de <i>Bonne Esperance</i>	—	—	IX. 79?
983.	— sa femelle	—	—	ibid.
984.	Le Manchot hupé de <i>Siberie</i> *	—	—	409
985.	L'Oye sauvage	—	—	30
986.	Le Fou tacheté de <i>Cayenne</i>	—	—	VIII. 375
987.	L'Hirondelle de mer	—	—	331
988.	— de <i>Cayenne</i>	—	—	346
989.	Le Canard musqué	—	—	IX. 162
990.	Le Noir-manteau	—	—	VIII. 405
991.	Le Stercoraire	—	—	441
992.	Le Plongeon	—	—	254
993.	Le Petrel, ou l'Oiseau tempête	—	—	IX. 327
994.	Le Goiland blanc du <i>Spitzberg</i>	—	—	VIII. 422
995.	Canard du nord, appelé le Marchand	—	—	IX. 244
996.	La petite Hirondelle de mer	—	—	VIII. 337
997.	Mouette brune de la <i>Louisiane</i>	—	—	461
998.	Paille en queue de <i>Cayenne</i>	—	—	454
999.	Sarcelle de l'Isle <i>Ferroe</i>	—	—	IX. 278
1000.	— d' <i>Egypte</i>	—	—	273
1001.	Le Morillon	—	—	227
1002.	Le Millouinan	—	—	221
1003.	Le Pingoin	—	—	390
1004.	— sa femelle	—	—	ibid.
1005.	Le Manchot des <i>Hottentots</i>	—	—	402
1006.	Oye des Terres <i>Magellaniques</i>	—	—	68
1007.	Le Canar dbrun	—	—	252
1008.	Canard de <i>Miclon</i>	—	—	202

* Le COMTE DE BUFFON very properly admits the impropriety of this appellation, for the whole genus is confined to the south of the equator, first appearing on the coasts of *New Guinea*, is continued on some of the coasts of *New Holland* to *Kerguelin's Land*, the *Cape of Good Hope*, *Falkland Isles*, *Terra del Fuego*, and even to the islands of ice within the *Antarctic circle*.

A LIST of Mr. PENNANT'S WORKS.

		£.	s.	d.
1.	T OUR in SCOTLAND and VOYAGE to the HEBRIDES, 3 vol. 4 ^{to} , with 132 <i>beautiful copper-plates, boards</i> —	3	13	6
2.	JOURNEY from CHESTER to LONDON, 4 ^{to} , <i>with 23 elegant copper-plates, boards</i> — — —	1	5	—
3.	TOUR in WALES, 2 vol. 4 ^{to} , <i>with 57 copper-plates, and MOSES GRIFFITH'S Ten Supplemental Plates to the TOUR in WALES, 4^{to}, sewed</i> — — —	2	9	6
4.	BRITISH ZOOLOGY, 4 vol. 4 ^{to} , <i>an elegant edition, with 284 plates of Quadrupeds, Birds, Fishes, and Shells, boards</i> —	4	4	—
5.	The same Work in 4 vol. 8 ^{vo} , <i>boards</i> — — —	2	8	—
6.	HISTORY of QUADRUPEDS, 2 vol. 4 ^{to} , <i>with 52 plates, boards</i>	1	11	6
7.	GENERA of BIRDS, 4 ^{to} , <i>with 16 plates, sewed</i> — — —	7	6	
8.	ARCTIC ZOOLOGY, 4 ^{to} , <i>with 26 plates, boards</i> — — —	1	13	6
9.	The same, 4 ^{to} , on large Paper, the Size of Capt. Cook's last Voyage, <i>boards</i> — — —	2	5	—
10.	Index to the Ornithologie of the Comte de Buffon, and the Planches Enluminées, systematically disposed.			

All the above are printed for, and sold by, BENJAMIN WHITE and SON,
at Horace's Head, Fleet-street, London.

$\frac{dm}{e}$





